King's Research Portal

DOI:

[10.1016/j.ienj.2019.03.004](https://doi.org/10.1016/j.ienj.2019.03.004)

Document Version

Peer reviewed version

[Link to publication record in King's Research Portal](#)

Citation for published version (APA):

Lee, G. A., & Barleycorn, D. (2019). Response to: Lapierre A, Gauvin-Lepage J, Arbour C on "How effective is trauma simulation as an educational process for healthcare providers within the trauma networks? A systematic review". *International emergency nursing*, 44. <https://doi.org/10.1016/j.ienj.2019.03.004>

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Lapierre *et al.* acknowledge the importance of systematic reviews in relation to trauma simulation as an educational process but believe that our systematic review has certain methodological limitations (Barleycorn & Lee, 2018). We will address their concerns below.

In terms of their comments on study selection, we respect their opinions; with the inclusion criteria, we provided a clear rationale for the years chosen with the advent of trauma networks in 2010 and the publication of the national trauma guidelines and this was why we omitted the literature from 2000 to 2009. The set timeframe purposively reflected the new trauma networks in England and the significant technological changes in simulation and changes in teaching, learning and evaluation techniques relating to simulation in the years since 2010. Of course, this contextualises the results and we may have had different results if we had included all years from 2000.

Relating to data extraction and synthesis, the aim of the paper was stated as examining high fidelity and team simulation and thus we believe we articulated this. In terms of the authors' point regarding stimulation with real patients in-situ versus simulation suite outcomes, our aim was to examine the educational process, and this was our focus.

The authors disagreed on the selection of papers chosen, however, we utilised the recommended methods for systematic review and clearly shown via the PRISMA diagram the papers chosen. Overall applying our inclusion and exclusion criteria, a total of 7 papers were identified. Some studies have found that time to diagnosis and treatment arising from improved non-technical trauma team skills from simulation, are a valid surrogate indicator of improved patient outcomes and we believe this is appropriate.

In terms of the analysis, there was clearly a heterogeneity amongst the papers identified and this resulted in the need to undertake a narrative commentary which disallowed meta-analysis. With critical appraisal and risk of bias, our methodology clearly outlines the chosen appraisal technique using the SIGN cohort checklist model examining study type and location, cohort and selection, intervention, primary endpoints, performance measures, evaluation tools, results and statistical analysis and this is also evident in Table 2. A pertinent point was that none of the studies were randomised, controlled and blinded indicating moderate to high bias and this was measured using the recognised Cochrane Risk of Bias Tool.

Ultimately, we agree about the conclusion on simulation on trauma. Simulation in trauma has a central role and remains an emergent field of study, characterised largely by observational studies,

which has known limitations in relation to degree of risk of bias and subjectivity (Fitzgerald et al, 2011). In summary, we believe that trauma units would benefit from increased trauma simulation training and accessibility to repeated simulation-based courses or workshops and we are clear that simulation has an important role to play. Lapierre *et al.* agree with this conclusion and the need to ensure that healthcare professionals develop their competencies and thus their performance in this area. As with a systematic review, it is temporal and independent replication is welcomed.

References:

Barleycorn, D., Lee, G.A., How effective is trauma simulation as an educational process for healthcare providers within the trauma networks? A systematic review, International Emergency Nursing (2018), doi: <https://doi.org/10.1016/j.ienj.2018.03.007>

Fitzgerald, M., Cameron P, McKenzie C et al. (2011) 'Trauma resuscitation errors and computer-assisted decision support'. Archives of Surgery; 146(2): 218- 225. doi: 10.1001/archsurg.2010.333

LaPierre A, Gauvin-Lepage J, Arbour C. Letter to the editor about: "How effective is trauma simulation as an educational process for healthcare providers within the trauma networks? A systematic review". International Emergency Nursing.