King's Research Portal

DOI:

[10.1136/bmj.i1889](https://doi.org/10.1136/bmj.i1889)

Document Version

Publisher's PDF, also known as Version of record

[Link to publication record in King's Research Portal](#)

Citation for published version (APA):

McVeigh, J., Kimergård, A., Bates, G., Hope, V. D., & Ncube, F. (2016). Harm reduction interventions should encompass people who inject image and performance enhancing drugs. *BMJ*, 353, [i1889].
<https://doi.org/10.1136/bmj.i1889>

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

LETTERS

HARM REDUCTION IN FIGHT AGAINST HIV

Harm reduction interventions should encompass people who inject image and performance enhancing drugs

Jim McVeigh *director*¹, Andreas Kimergård *principal research fellow*², Geoff Bates *public health researcher*¹, Vivian D Hope *principal scientist*³, Fortune Ncube *consultant epidemiologist*³

¹Centre for Public Health, Liverpool John Moores University, Liverpool L3 2ET, UK; ²Addictions Department, King's College London, London, UK;

³National Infection Service, Public Health England, London, UK

We welcome the news item on the role of harm reduction in the “fight” against HIV,¹ and we broadly agree with the findings of the report *The Case for a Harm Reduction Decade: Progress, Potential and Paradigm Shifts*.² Clearly harm reduction for people who inject drugs is having a positive impact on HIV in many places around the world.

In addition to answering the needs of established drug injecting populations, we must also get ahead of the curve in relation to emerging patterns of injecting drug use to reduce the number of new cases of HIV. The injection of image and performance enhancing drugs (IPEDs)—such as anabolic steroids, growth hormones, melanotan II, and a range of other enhancement drugs—has been largely overlooked in relation to the risk of transmitting blood borne viruses.

A recent review of 187 studies on anabolic steroid use indicated a global lifetime prevalence of 3.3%,³ and IPED users are a growing client group in many countries with longstanding provision of needle and syringe programmes.^{4 5} Furthermore, in the UK there is evidence of HIV within this group, with an HIV prevalence of 1.5% in men who inject IPEDs—comparable to that in those who inject opioids or stimulants.⁶ Finally, there is evidence that people using IPEDs are very sexually active, with low rates of condom use, suggesting a serious risk of HIV transmission through their sexual networks.⁶

The use of IPEDs, and in particular the injection of anabolic steroids by men, must be viewed as a serious public health concern requiring the attention of policy makers. Addressing the needs of emerging and often hidden populations of people who inject drugs should be part of the focus on harm reduction interventions.

Competing interests: None declared.

Full response at: <http://www.bmj.com/content/352/bmj.i1479/rr>.

- 1 Cousins S. Focus on harm reduction in fight against HIV, says report. *BMJ* 2016;352:i1479. doi:10.1136/bmj.i1479 pmid:26966144.
- 2 Harm Reduction International. The case for a harm reduction decade: progress, potential and paradigm shifts. 2016. www.ihra.net/harm-reduction-decade.
- 3 Sagoe D, Molde H, Andreassen CS, Torsheim T, Pallesen S. The global epidemiology of anabolic-androgenic steroid use: a meta-analysis and meta-regression analysis. *Ann Epidemiol* 2014;24:383-98. doi:10.1016/j.annepidem.2014.01.009 pmid:24582699.
- 4 Iversen J, Topp L, Wand H, Maher L. Are people who inject performance and image-enhancing drugs an increasing population of Needle and Syringe Program attendees? *Drug Alcohol Rev* 2013;32:205-7. doi:10.1111/j.1465-3362.2012.00499.x pmid:22931298.
- 5 Kimergård A, McVeigh J. Variability and dilemmas in harm reduction for anabolic steroid users in the UK: a multi-area interview study. *Harm Reduct J* 2014;11:19. doi:10.1186/1477-7517-11-19 pmid:24986546.
- 6 Hope VD, McVeigh J, Marongiu A, et al. Prevalence of, and risk factors for, HIV, hepatitis B and C infections among men who inject image and performance enhancing drugs: a cross-sectional study. *BMJ Open* 2013;3:e003207. doi:10.1136/bmjopen-2013-003207 pmid:24030866.

Published by the BMJ Publishing Group Limited. For permission to use (where not already granted under a licence) please go to <http://group.bmj.com/group/rights-licensing/permissions>