King's Research Portal

DOI:

[10.1017/S0144686X17001301](https://doi.org/10.1017/S0144686X17001301)

Document Version

Peer reviewed version

[Link to publication record in King's Research Portal](#)

Citation for published version (APA):

Moriarty, J., Lipman, V., Norrie, C. M., Elasarapu, R., & Manthorpe, J. (2017). Handovers in care homes for older people - their type, timing, and usefulness. Findings from a scoping review. *Ageing and Society*, 1-21. <https://doi.org/10.1017/S0144686X17001301>

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Handovers in care homes for older people - their type, timing, and usefulness. Findings from a scoping review

Jo Moriarty, Valerie Lipman, Caroline Norrie, Rekha Elaswarapu, Jill Manthorpe
King's College London, UK

Corresponding author

Jill Manthorpe

Jill.manthorpe@kcl.ac.uk

King's College London
Social Care Workforce Research Unit
London WC2R 2LS

Acknowledgements

The study was funded by the Abbeyfield Research Foundation and we are most grateful to the Abbeyfield Society for its support. We also thank the Social Care Workforce Research Unit Service User and Carer Group for its consideration of this study. The views expressed in this report are those of the authors alone.

Running head

Handovers in care homes for older people.

Abstract: There is a considerable body of literature on the importance of effective shift handovers in hospitals and other health care settings but less is known about the transfer of information between staff starting and completing stints of paid work in care homes. In the first of two articles considering this under-explored topic, we report findings from a scoping review examining what is known about shift-to-shift handovers in care homes for older people and their equivalents. It is based on systematic searches of electronic databases of English language journals on ageing, and internet searches for material published between January 2005 and October 2016. Guidance from the regulatory body for health and social care in England, the Care Quality Commission, highlights the importance of handovers but the degree to which they are embedded into care home routines appears to be variable, influenced by factors such as workplace culture, shift patterns and the extent to which they involve all those on duty or just those with professional qualifications. Staffing shortages and whether or not members of staff are paid for their time attending handovers appear to be further constraints on their use. We conclude that there is considerable scope for further research in this field to identify and develop good practice.

Keywords

Care homes, handovers, hand offs, information, long-term care, organisational culture, older people

Introduction

Handovers (or as they are more commonly termed in the United States 'hand offs') involve 'the exchange between health professionals of information about a patient accompanying either a transfer of control over, or of responsibility for, the patient' (Cohen and Hilligoss 2010: 494). This exchange usually consists of information about the patient's current condition and the possible changes or complications that might occur' (World Health Organization (WHO) Collaborating Centre for Patient Safety Solutions 2007: 1). Handovers are intended to improve continuity of care and reduce the risk that the team to whom care is being transferred will fail to carry out an important aspect of a person's treatment or act swiftly enough upon a deterioration in his or her condition.

An extensive literature on handovers has developed, including a number of systematic reviews (Holly and Poletick 2014; Riesenbergh, Leisch and Cunningham 2010). Within this, most attention focuses on shift handovers between nurses (for example, Drach-Zahavy and Hadid 2015, Smeulders, Lucas and Vermeulen 2014). In hospital settings, nursing shift handovers are a long standing, institutionally sanctioned component of organising care and professional practice. They symbolise the transfer of responsibility for patient care to the oncoming group of nurses (David *et al.* 2017: 17) and encompass more than the exchange of information, including opportunities for teaching, team building, peer support, and social exchanges (Kerr 2002; Schneider *et al.* 2010).

By contrast, very little seems to be known about shift handovers in residential care facilities for older people. Care homes occupy a liminal position between hospitals and domestic and community settings (Milligan 2009). As with hospitals, they provide care on a 24 hour basis. Policy changes and the greater availability of support within people's own homes mean that between 2001-2011, despite an 11 per cent increase in the population aged 65 and over, the number of people aged 65 and over living in care homes in England and Wales rose by just 1,000 from 290,000 to 291,000 (Office for National Statistics 2014). The health of older people living in care homes and those admitted to acute hospitals is now much more similar. Older people are now more likely only to move into a care home for the last few months of their lives when their health is frail and their ongoing health needs have become more complex (Lievesley, Crosby and Bowman 2011). Furthermore, while most care homes have a core of regular staff, many experience high rates of turnover and vacancies (Davison and Polzin 2016; Hussein, Ismail and Manthorpe 2016). This means that it cannot be assumed that all those providing care have personal knowledge of a resident's needs. Instead, they may have to rely on information from other sources.

These developments make it timely to examine the practice around shift handovers in care homes. This article reports the results of a scoping review which was undertaken to inform new empirical research (Norrie *et al.* 2017). In the absence of an established body of evidence about handovers in care homes, it begins by using research undertaken in hospitals to establish a framework for describing the handover process. One facet of this research is the variability of handovers in hospitals. In the fragmented care home market in England, which ranges from small family owned businesses to large multinationals, the potential for dissimilarity in handover practice is theoretically even greater so the next section summarises the key features of residential long term care in England. After explaining the review methods, findings from the 15 studies selected for inclusion in the review are organised into four themes. The first contrasts the predominance of the traditional verbal handover in care homes over the so-called bedside handover that would potentially give a greater emphasis to involving the resident. The second considers whether handovers involve the whole of the staff team or are restricted to those taking overall charge for a particular shift and the extent to which this mirrors a care home's wider organisational culture. The third discusses handovers in term of the artefacts used to share information. The final theme describes ways in which handovers could prioritise organisational needs over residents' preferences. The review also draws attention to the lack of information on the effectiveness of

handovers. It concludes by suggesting that greater attention to handovers in care homes might improve our understanding both of levels of job satisfaction and knowledge among staff and factors influencing residents' choice and the quality of care they receive.

Background

Handovers – definitions and purpose

Messam and Pettifer (2009) and Smeulers, Lucas and Vermeulen (2014) identified four styles of nursing handover. These were:

1. Bedside: located at the patient's bedside, which promotes patient and nurse face-to-face interaction and encourages patients' verbal participation
2. Verbal: located in an office setting, the nurse responsible for a group of patients exchanges relevant documented information.
3. Non-verbal: located in an office setting, nurses inform themselves by reading the patient health record, including progress notes, medication and observation charts and nursing care plans
4. Taped: located in an office setting, the nurse in charge collects the relevant information and records this onto an audiotape so that the oncoming shift can listen at a convenient time.

(Smeulers, Lucas and Vermeulen 2014: 3)

While verbal handovers are 'traditional' (Messam and Pettifer 2009: 190) and staff tend to prefer face to face handovers (whether at the bedside or in an office) over those which are not (Frankel *et al.* 2012), there is a lack of experimental studies identifying whether different styles of handover result in any better outcomes for patients (Manser and Foster 2011; Smeulers, Lucas and Vermeulen 2014). Instead, each type of handover is usually presented as having its own set of advantages and disadvantages. For example, verbal handovers offer opportunities to clarify information, while audio taped or written handovers do not require an overlap between shifts (Tucker and Fox 2014).

A striking feature of existing published research on handovers in hospitals is their variability. External factors, such as noise, workloads, interruptions, and the need to attend to patients are all thought to potentially impact on handover quality (Manser and Foster 2011; Streitenberger, Breen-Reid and Harris 2006). Researchers have also suggested that handovers are influenced by their ritualistic nature, organisational culture, and leadership (David, *et al.* 2017; Holly and Poletick 2014; Streitenberger, Breen-Reid and Harris 2006; Tucker and Fox 2014). This variation helps explain why so much of the research interest in handovers has been led by clinicians and organisations concerned with patient safety. A commonly cited statistic in the handover literature is the statement made by the Joint Commission (an independent, not-for-profit organisation accrediting and certifying health care organisations and programmes in the United States) that ineffective communication in handovers plays a 'role in an estimated 80 per cent of serious preventable adverse events' in hospitals (Joint Commission 2011, cited in Popovich 2011: 55). Adverse events are usually defined as an unintended injury or complication resulting in prolonged hospital stay, disability at the time of discharge or death and caused by healthcare management rather than by the patient's underlying disease process (de Vries *et al.* 2008: 216). Attempts have been made to reduce the risk of adverse events by standardising the handover process. This mainly involves using structured tools, such as the 'Introduction, Situation, Background, Assessment (ISBAR)' (Aldrich *et al.* 2009), the 30-Second Head-to-Toe checklist

(Popovich 2011) or the REED (Record, Evidence, Enquire, Discuss) model (Tucker and Fox 2014).

Before discussing the factors influencing long-term care provision that might affect the nature and practice of handovers in care homes, it is worth highlighting one final point about existing research on hospital handovers. Streitenberger, Breen-Reid and Harris (2006) argue that poor handover information means mistakes are more likely to be made when patients are unable to advocate for themselves and are temporarily or permanently reliant on others to meet all their care needs because the patients themselves are unable to intervene themselves by, for example, questioning why a particular treatment is being given or appears to have been forgotten. To this end, existing research about hospital handovers has investigated handovers in paediatric wards (Popovich 2011; Streitenberger, Breen-Reid and Harris 2006), operating theatres (Randmaa *et al.* 2016) and intensive care (Mukhopadhyay *et al.* 2015). However, the position of older people who might also be unable to advocate for themselves, such as those with speech problems following a stroke or those with dementia, appears to be strikingly absent.

Factors influencing the provision of residential long term care

Residential long-term care is typically seen as part of a continuum (for example, McGrail 2011; Park-Lee *et al.* 2011), ranging from facilities providing 24-hour support with activities of daily living, such as washing and dressing, to skilled nursing facilities providing sub-acute care for those requiring complex care or rehabilitation. The Organisation for Economic Co-operation and Development (OECD) estimates that residential settings comprise only about a quarter of all the long-term care provided to older people in its member countries but they account for almost two thirds of its costs (Colombo *et al.* 2011). While increases in the proportion of people aged 80 and over are the key factors influencing demand for residential long-term care, the size of the sector and the type of support it provides within different countries are also influenced by national and local political priorities (Lievesley, Crosby and Bowman 2011) and the size and mix of publicly and privately funded long-term care (Colombo *et al.* 2011). In turn, these political and funding differences influence the way that long-term care services are regulated (Mor, Leone and Maresso 2014).

Care home sector in England

In England, the generic term 'care home' is used to describe long-term residential care facilities which are divided into those 'with' or 'without' nursing care (Orellana 2014). Care homes must be registered with the regulator, the Care Quality Commission (CQC). Where owners are not in day-to-day charge of the service themselves, they have to appoint a registered manager to manage it on their behalf (Care Quality Commission 2017b). Some registered managers have a professional qualification such as nursing or social work; others are appointed on the basis of vocational qualifications. However, the numbers in each group are unknown (Orellana, Manthorpe and Moriarty 2017). In addition, care homes 'with nursing' (often referred to as nursing homes) are required by law always to have a registered nurse on duty, whereas homes 'without nursing' (sometimes referred to as residential homes) are not.

As of 2015 (the latest year for which published figures were available), there were 11,000 care homes without nursing in England and 4,600 homes with nursing provided by around 7,913 different organisations. Between 2009-2015, there was a 10 per cent decline in the number of homes without nursing and seven per cent rise in the number of homes with nursing (Davison and Polzin 2016). A distinctive feature of care homes in England is that the great majority are in the commercial sector that includes both large corporate chains and small family run homes.

While the average size of a home is approximately 20 places, there are almost 3,000 homes with five or fewer places, and only 10 per cent have more than 50 places (Oscar Research Undated). In terms of how these places are funded, Passingham *et al.* (2013) cite data from Laing and Buisson, a commercial market intelligence company, suggesting that 44 per cent of people living in a care home in England pay their fees themselves, 36 per cent are funded entirely by their local council because they have assets below £23,250, a further 14 per cent use 'top up' fees paid by a relative to supplement the fees paid by their local council while the remainder are funded by the National Health Service. These data are not sub-divided by age.

Staffing levels are currently under pressure in many care homes in England. This is a longstanding problem (Hussein, Ismail and Manthorpe 2016) worsened by evidence that the 2008 economic crisis has resulted in cuts in staff to resident ratios, in the ratio of qualified to unqualified staff, and to reductions in pay, all of which can contribute to diminished handover procedures in some homes (Burns, Hyde and Killelt 2016). Care home owners have specifically warned about the consequences of the introduction of the National Living Wage, which specifies the minimum pay per hour most workers are entitled to by law. They complain that local councils have not raised the fees they pay care homes to support publicly funded residents in line with their increased wage bills (Low Pay Commission 2016).

Owners have also complained that pressure from commissioners and regulators to improve the quality of record keeping as a way of improving standards of care and increasing accountability has led to care homes becoming over burdened with 'paperwork', including recording what happens from one shift to the next (Warmington, Afridi and Foreman 2014). The combination of staff cuts, low pay, increased demand, and regulatory pressures to improve record keeping places considerable pressure on staff time. This could, in turn, have an impact on the quality of information exchange about care home residents and on their consequent comfort and safety. Care homes themselves comprise 'complex and often contradictory environments with their mixture of private and public spaces, individual and communal existences, a home for residents and a work place for staff' (Kenkmann *et al.* 2017: 8). While they often resemble each other in terms of layout and in the support needs of those who live in them, their cultures may differ substantially (Luff, Ferreira and Meyer 2011). The combination of funding pressures, difficulties in recruiting and retaining staff, regulatory pressures to improve standards of record keeping, and differences between homes in terms of their ownership, culture, and clientele suggest it is worth exploring whether shift handovers provide a microcosm of the current care home environment in England.

Methods

The aim of this review was to explore what is known about the types of shift-to-shift handovers in care homes for older people (authors, 2017). It was undertaken to inform new empirical research on handovers based on interviews and observations in five contrasting care homes funded by the Abbeyfield Foundation for which we received ethical approval from the King's College London Geography, Global Affairs, Social Science, Health & Medicine Research Ethics Panel. This broad aim, alongside results from preliminary searches revealing that there was limited published research on handovers in care homes, suggested that we should adopt a scoping methodology. Scoping reviews (Arksey and O'Malley 2005) are an increasingly popular method to map the body of literature on a given topic in a timely, transparent, and rigorous way (Pham *et al.* 2014; Moriarty and Manthorpe 2016). They are primarily used for 'reconnaissance' (Peters *et al.* 2015: 141) to provide an overview of a potentially large and diverse body of literature on a broad topic. The results can help inform new primary research or indicate whether a systematic review is feasible. While growing in popularity, the conduct of scoping reviews varies considerably and there are calls for more debate about the ways in which they

are undertaken and reported in order to achieve greater consistency (Peters, *et al.* 2015; Tricco *et al.* 2016).

During the second half of 2016, we followed the standard three-step process recommended for scoping reviews (Peters *et al.* 2015) by systematically searching for primary research, literature reviews and other types of resource, such as toolkits or guidance concerned with handovers in care homes, published between January 2005 and December 2016. First, we identified bibliographic databases that covered research about care homes. Searches for material about handovers in care homes were made in MEDLINE, Cumulative Index to Nursing and Allied Health Literature (CINAHL), Applied Social Science Index and Abstracts (ASSIA) and Social Care Online. We also identified studies undertaken in hospitals for contextual information.

As the terms handovers and handoffs apply to, and are used by, many industries and activities, the search strings were refined to identify research in care homes and about older people. Three sets of terms were thus sought. Set one included handover(s), shift handover(s), handoff(s) and hand-off(s); set two residential care, nursing homes, long term care and care homes; and the third various terms commonly used to describe people aged 65 and over.

Next we searched the internet to identify grey literature not formally published in academic journals or books to identify government reports and guidance and other relevant material that may not have been abstracted in bibliographic databases (Godin *et al.* 2015; Mahood, Van Eerd and Irvin 2014). This included searches of the Social Care Institute for Excellence (SCIE) and the Care Quality Commission (CQC) websites. The publisher websites of three English language journals on ageing were also searched. These were: *Age and Ageing*, *Ageing International*, and *Ageing & Society*. Finally, we hand-searched the references from relevant articles and reviews to identify studies missed by our computer assisted searches. Table 1 summarises the inclusion and exclusion criteria for the review.

[Insert Table 1 about here.]

We undertook conceptual and thematic analyses to summarise the review findings. First, one researcher (VL) read all the material, made notes, compared the accounts of shift handovers with the hospital studies summarised earlier and developed the broad categories relating to handovers in care homes. To establish trustworthiness, a second researcher (JoM) independently performed the same process. The team then discussed the separate findings to reach a consensus on the themes reported. A minority of scoping reviews also include elements of quality appraisal (Peters *et al.* 2015; Pham *et al.* 2014). Only a minority of the retrieved items were specifically about handovers which did not lend itself to devising a quality appraisal framework for the included studies. However, information on the design and scope of the included studies is recorded in Table 2.

Findings

Figure 1 summarises the results from the searches and the screening processes to finalise items for inclusion in the analysis. It suggests that the size of the published literature on handovers in care homes is comparatively small and a comparatively high proportion appears to be located in resources aimed at practitioners and care providers.

[Insert Figure 1 about here.]

Table 2 summarises the 15 items selected for final inclusion. As well as studies originating in the United Kingdom (UK), several accounts are from Residential Aged Care Facilities (RACFs) in Australia. RACFs provide full-time residential care for older people who can no longer live at

home. Services provide continuous supported care ranging from help with daily tasks and personal care to 24-hour nursing care. A blog written for care providers and retrieved for this review (Quality Compliance Systems 2012) referred to Canadian research on handovers but the references it cited appeared to concern handovers in hospitals. With two exceptions (Haines and Davey 2011; Lyhne *et al.* 2012), handovers were generally described in the context of wider systems for information exchange (Gaskin *et al.* 2012; Munyisia, Yu and Hailey 2011; Tariq, Georgiou and Westbrook 2013) or in terms of their role within the routines that exist in care homes (Bennett *et al.* 2015; Bland 2007; Burns, Hyde and Killeth 2016; Luff *et al.* 2011).

[Insert Table 2 about here.]

Handover style

Conceptually, shift handovers in care homes appeared to be influenced by nurse shift-to-shift handovers in hospitals. As with studies of nurses (Messam and Pettifer 2009; Smeulers, Lucas and Vermeulen 2014), different types of handover – verbal, non-verbal and taped were reported but the studies identified did not consider whether the amount of nursing care provided in each setting influenced handover style or length. Verbal handovers typically took place at each change of shift and were reported as being brief (often around 15 minutes), relaying only pertinent information from the previous period of work (Burns, Hyde and Killeth 2016; Haines and Davey 2011; Lyhne *et al.* 2012; Wheeler and Oyeboode 2010).

An important cross-cutting theme in five of the six Australian studies retrieved for this review was a trend towards the use of electronic health records to replace verbal handovers and paper records (Gaskin *et al.* 2012; Lyhne *et al.* 2012; Munyisia, Yu and Hailey 2011; Tariq, Georgiou and Westbrook 2013; Zhang, Yu and Shen 2012). These emphasised the potential for information technology to reduce duplication and minimise errors. While some staff were reported to prefer face to face communication, they generally recognised the advantages of electronic records. Even so they did not appear to have completely replaced paper care plans and handover books (Lyhne *et al.* 2012; Zhang, Yu and Shen 2012). A further reported disadvantage – remembering that these studies pre-dated the wide availability of hand held devices - was that electronic information was not available at the point of care and electronic records and care plans had to be updated using paper based records at the end of a shift (Gaskin *et al.* 2012; Lyhne *et al.* 2012).

No examples of bedside handovers in which discussion about the previous shift and establishing agreement about what needed to be done during the following one takes place alongside the resident were identified in the studies included in the review. Bedside handovers have increased in popularity in some hospitals as a way of helping patients to become more involved in their care and improve the quality of information sharing (National Nursing Research Unit 2012). The absence of resident involvement in care home handovers may be the result of concerns that bedside handovers would take longer and that residents might be asleep when handovers took place late at night and early in the morning. Instead, handovers generally took place in the home's office or, in one study, at the nurse's work station or care team room (Lyhne *et al.* 2012). Place and space are not neutral (Kenkmann *et al.* 2017). In this sense, the discussions that take place between staff in areas that are 'off limits' to residents become part of the power dynamic in care homes and highlight the absence of residents' voices in the process of handover. As we describe below, they may also exclude those who are directly involved in providing care.

Extent of staff involvement

There was considerable variation in terms of whether all staff, including care workers and other staff involved in domestic services such as laundry or cooking, were included in handovers or whether they were restricted to senior staff (Bennett *et al.* 2015, Wheeler and Oyeboode 2010). Research from hospital settings (Schneider *et al.* 2010) shows that even if everyone is present at a handover, it does not mean that different grades of staff contribute equally. Care workers felt that their input was not always valued during handover or they described how they often found themselves unsure of what to do in their duties because of incomplete or conflicting communication from superiors as well as insufficient information provided during handover. They felt these experiences reduced their job satisfaction and meant they were more likely 'to call in sick'. They also thought their poor morale had a 'flow on' effect on the residents (Bennett *et al.* 2015: 1999).

Financial constraints, as well as status, could also influence who attended handovers. Burns, Hyde and Killelt (2016: 1003) contrasted one home in which all staff were involved in handovers with another where cutbacks in fees paid by the local council led to a decision not to pay care workers to attend handovers. It was not clear from this account whether this decision also applied to other grades of staff, such as senior care workers or shift leaders. In the home in which all those beginning a shift, including care workers, took part in the handover, everyone was involved in 'throwing ideas around on how to do things for each of the residents'. This was thought to contribute to the home being given an 'excellent' rating by the regulator. By comparison, care workers in the other home were reliant on the information passed on to them by the senior staff on duty. The care workers themselves did not consider this to be adequate and developed their own informal handover by 'huddling together to share information and to discuss which parts of the workload each would do' (2016: 1004). The absence of care workers during handover meant that opportunities to use handovers for training or supervision were also missed.

This example of an informal handover contrasted strongly with the procedure written by a local council in which staff were instructed not to 'catch up with each other socially' or to 'drink tea and coffee' during the handover, which was to be 'chaired' by the Duty Officer, a designated senior member of staff (Haines and Davey 2011: 3-4). While the hospital-based literature on handovers identifies their unofficial purpose in contributing to team building and peer support (Holly and Poletick 2014; Kerr 2002), this document provided an illustration of the way in which handovers in care homes could reinforce hierarchical distinctions between staff.

Infrastructural context of handovers

Many quality improvement interventions hinge on the introduction of artefacts to support behavioural change in the workplace but few evaluations analyse whether they are operating as intended. For example, many technologies intended to reduce paperwork have the opposite effect (Allen 2012: 460). On the basis of the studies reported here, artefacts designed to improve handovers had a mixed effect. Zhang *et al.* (2012) reported that staff thought it was quicker to record information on electronic health records than to write them by hand. It was also easier to share information with other professionals. Tariq *et al.* (2013) highlighted that handwritten medication records were often illegible – thus increasing the potential for mistakes to be made. Set against these reported advantages, Lyhne *et al.* (2012) concluded there was still a considerable amount of duplication, including the need for registered nurses to carry a written handover sheet throughout the shift which then had to be transferred to the electronic record before the next shift arrived on duty. Bland (2007) highlighted the pressures on nurses from regulators and employing organisations to provide more detailed written information about residents. This had, she observed, resulted in them spending more time in the office writing care plans rather than supervising what care staff were doing. However, as her field notes revealed,

despite the 'enormous amount' of registered nurse time 'spent developing supposedly individualized care-plans, they were often inaccurate, incomplete, out of date, or ignored by care delivery staff' (2007: 491).

Choice versus routine

Care homes have a unique culture in the sense that their environment is simultaneously somewhere that is communal, an individual's home, and a workplace (Bland 2007; Kenkmann *et al.* 2017). There is a well-established gerontological literature that explores the organisational culture of care homes and how it sometimes includes task focused routines - such as undertaking certain duties at particular times of the day - that appear to operate more in the interests of staff than residents (Bland 2007; Killelt *et al.* 2016). A universal theme of research on handovers both in hospitals and care homes is how they are used to promote residents' safety (Frankel *et al.* 2012; Tariq, Georgiou and Westbrook 2013). How this might conflict with individual residents' preferences is explored less often. Luff *et al.* (2011) investigated the amount of time that residents spent in bed at night, focusing on how residents' bedtimes and getting-up times were managed. They found that shift timings and handovers were seen by some residents as designed to meet staff needs rather than those of residents. For example, one resident would have preferred to go to bed between 9.30-10pm but this time coincided with handover when fewer staff were available to help. She chose to go to bed earlier rather than risk waiting until the incoming night staff could help her. In this instance, the combination of handovers and the practice of employing fewer people at night than during the day combined to reduce residents' choices.

Effectiveness

The limited nature of research about handovers in care homes meant that it was unsurprising that there was so little information on their effectiveness. A series of focus groups held with relatives of people living in nursing homes on behalf of the Care Quality Commission (2013) (the regulator for health and social care in England) included 'efficient handovers' as an indicator that a home was 'well led' but did not describe in any further detail what these might involve. The study by Luff *et al.* (2011) was the only one that we were able to identify that specifically discussed handover practices in terms of residents' quality of life. While Bland (2007) also made links between poor information sharing and residents' 'comfort', she did not specifically refer to handovers in this context. Care workers participating in the studies undertaken by Bennett *et al.* (2015) and Wheeler and Oyeboode (2010) were concerned that poor communication, including that provided at handover, hindered their ability to provide good care. However, Munyisia, Yu and Hailey (2011) highlighted the methodological challenges of showing causal links between handovers and other types of verbal or written communication to direct benefits for care home residents.

Discussion

Almost a fifth of care homes and a third of nursing homes in England are rated by the Care Quality Commission (2017a) as inadequate or requiring improvement. Poor record keeping and information sharing are regularly identified as practices that put care home residents at risk (for example, Cass 2012). Concerns have also been expressed about the lack of training received by staff in care homes (Carter 2015). Results from this review suggest that the part played by handovers in alleviating or contributing to these problems appears to be surprisingly neglected. In England, the sheer number of care homes in terms of their size, ownership and the type of

resident they support poses considerable challenges in terms of developing reliable sampling frames from which to survey handover practice. However, the material included in this review suggests that ethnographic designs and case studies can yield rich comparisons and provide a framework for future research. In their study of handovers in a large residential aged care facility (RACF) in Australia, Lyhne *et al.* (2012: 458) concluded that:

'The safety risk associated with a lack of standard [handover] procedures may be highest in situations where facility personnel are required to move from one neighbourhood to another, or when the facility uses agency staff to cover a shortage of available staff. In these situations staff may be required to undertake their work without prior knowledge or clear guidelines about the care procedures in the work location.'

Handovers in hospitals have been shown to have a ritualistic and symbolic character (David *et al.* 2017; Kerr 2002). It is possible that handover styles developed when people living in care homes had fewer health needs and when vacancy and turnover rates were lower remain unchanged, although they may no longer be fit for purpose.

The review also raises questions about care plans and the role that handovers might play in how they are shared. Care homes are reported to spend a considerable amount of time completing and checking care plans, partly as a response to regulatory pressures (Warmington, Afridi and Foreman 2014). In theory, care staff should be able to read these plans and the associated daily records without the need for a verbal handover. However, in her in-depth observations of three New Zealand nursing homes, Bland (2007) noted that while registered nurses spent a lot of time in the office writing care plans, there was very little evidence that they were ever consulted by care staff.

The apparent gap between written information held in offices and the reality of care practice and the increasing use of hand held devices that record what care needs to be given (Lyhne *et al.* 2012; Munyisia, Yu and Hailey 2011; Zhang, Yu and Shen 2012) suggests opportunities for natural experiments comparing electronic handover systems with verbal handovers and handwritten or desktop computer records.

Handovers are often presented as being resource intensive because of the need for staff to prepare information for the oncoming shift and, in the case of verbal or bedside handovers, for overlap between the outgoing and incoming shifts (Petersen *et al.* 2013; Tucker and Fox 2014). Funding pressures appear to have had an impact on handover procedures (Burns, Hyde and Killett 2016; Killett *et al.* 2016), with some employers attempting to cut costs by not paying care workers to attend handover. At the same time, lack of involvement by care workers in handovers is clearly a source of frustration and reduced job satisfaction (Bennett *et al.* 2015; Burns, Hyde and Killett 2016; Wheeler and Oyeboode 2010). There is an extensive literature examining the impact of job satisfaction upon retention (Hussein, Ismail and Manthorpe 2016). Evidence from nursing in hospitals suggests that handovers promote team cohesion (Holly and Poletick 2014; Kerr 2002). This raises the question of whether excluding care workers from handovers is ultimately a false economy if it then leads to worse retention.

The views of older people or family members were strikingly absent from the studies included in this review with three exceptions (Care Quality Commission 2013; Luff *et al.* 2011; Wheeler and Oyeboode 2010). Despite the policy emphasis on greater personalisation (Killett *et al.* 2016), the focus of studies about handovers in care homes seems to have placed more stress on management systems and benefits to staff rather than exploring how handovers may benefit residents and the quality of care.

Future research could include more in-depth observations of where and how handovers take place, adopting some of the practice of research undertaken in hospitals to consider aspects such as the artefacts used and the different styles of verbal and non-verbal communication. There is also scope for investigating if handovers differ between different types of care home, or between

different types of residents and their levels of need. It could also be an opportunity to redress the balance in terms of resident perspectives on handovers.

This was a limited review undertaken prior to a comparatively small scale study of handovers in care homes. It is possible that material that met the inclusion criteria for this review was omitted from the searches. However, it has enabled some light to be shed on an under-explored topic and highlights the potential for further research in this area that could improve our understanding of living or working in a care home.

References

- Aldrich, R., Duggan, A., Lane, K., Nair, K. and Hill, K.N. 2009. *ISBAR Revisited: identifying and solving barriers to effective clinical handover in inter-hospital transfer. Final project report*. Hunter New England Health, Newcastle, NSW.
- Allen, D. 2012. Understanding context for quality improvement: artefacts, affordances and socio-material infrastructure. *Health: An Interdisciplinary Journal for the Social Study of Health, Illness and Medicine*, **17**, 5, 460-477.
- Arksey, H. and O'Malley, L. 2005. Scoping studies: towards a methodological framework. *International Journal of Social Research Methodology*, **8**, 1, 19-32.
- Bennett, M.K., Ward, E.C., Scarinci, N.A. and Waite, M.C. 2015. Service providers' perceptions of working in residential aged care: a qualitative cross-sectional analysis. *Ageing and Society*, **35**, 9, 1989-2010.
- Bland, M. 2007. Betwixt and between: a critical ethnography of comfort in New Zealand residential aged care. *Journal of Clinical Nursing*, **16**, 5, 937-944.
- Burns, D.J., Hyde, P.J. and Killett, A.M. 2016. How financial cutbacks affect the quality of jobs and care for the elderly. *ILR Review*, **69**, 4, 991-1016.
- Care Quality Commission. 2013. *Defining 'Good' in Health Care – Topline Summary 2: Residential Adult Social Care Services*. Care Quality Commission, London.
- Care Quality Commission. 2017a. *The State of Adult Social Care Services 2014 to 2017. Data appendix*. Care Quality Commission, London.
- Care Quality Commission. 2017b. *What is registration?* Available online at <https://www.cqc.org.uk/guidance-providers/registration/what-registration#accordion-6> [Accessed 5 July 2017].
- Carter, R. 2015. Poor training of care home staff leaving residents at risk, investigation finds. In *Community Care*.
- Cass, E. 2012. *Commissioning Care Homes: common safeguarding challenges. SCIE guide 46*. Social Care Institute for Excellence, London.
- Cohen, M.D. and Hilligoss, P.B. 2010. The published literature on handoffs in hospitals: deficiencies identified in an extensive review. *Quality and Safety in Health Care*, **19**, 6, 493-497.
- Colombo, F., Llana-Nozal, A., Mercier, J. and Tjadens, F. 2011. *Help Wanted? Providing and paying for long term care*. OECD Publishing, Paris.
- David, A., Holroyd, E., Jackson, M. and Cleary, S. 2017. 'Being in the know': nurses' perspectives on the role of 'end-of-shift' verbal handover. *International Journal of Evidence-Based Healthcare*, **15**, 2, 69-78.
- Davison, S. and Polzin, G. 2016. *The State of the Adult Social Care Sector and Workforce in England*. Skills for Care, Leeds.
- de Vries, E.N., Ramrattan, M.A., Smorenburg, S.M., Gouma, D.J. and Boermeester, M.A. 2008. The incidence and nature of in-hospital adverse events: a systematic review. *Quality & Safety in Health Care*, **17**, 3, 216-223.

Drach-Zahavy, A. and Hadid, N. 2015. Nursing handovers as resilient points of care: linking handover strategies to treatment errors in the patient care in the following shift. *Journal of Advanced Nursing*, **71**, 5, 1135-1145.

Frankel, R.M., Flanagan, M., Ebright, P., Bergman, A., O'Brien, C.M., Franks, Z., Allen, A., Harris, A. and Saleem, J.J. 2012. Context, culture and (non-verbal) communication affect handover quality. *BMJ Quality & Safety*, **21**, Suppl 1, i121-i128.

Gaskin, S., Georgiou, A., Barton, D. and Westbrook, J. 2012. Examining the role of information exchange in residential aged care work practices-a survey of residential aged care facilities. *BMC Geriatrics*, **12**, 1, 1-11.

Godin, K., Stapleton, J., Kirkpatrick, S.I., Hanning, R.M. and Leatherdale, S.T. 2015. Applying systematic review search methods to the grey literature: a case study examining guidelines for school-based breakfast programs in Canada. *Systematic Reviews*, **4**, 1, 138.

Haines, J. and Davey, K. 2011. *Adult Social Care - Shift Handover Procedures in Care Homes. West Berkshire Council*. Available online at <http://www.westberks.gov.uk/CHttpHandler.ashx?id=26966> [Accessed 9 December 2016].

Holly, C. and Poletick, E.B. 2014. A systematic review on the transfer of information during nurse transitions in care. *Journal of Clinical Nursing*, **23**, 17-18, 2387-2396.

Hussein, S., Ismail, M. and Manthorpe, J. 2016. Changes in turnover and vacancy rates of care workers in England from 2008 to 2010: panel analysis of national workforce data. *Health & Social Care in the Community*, **24**, 5, 547-556.

Joint Commission. 2011. *Summary Data of Sentinel Events reviewed by The Joint Commission 2004-2010*. Joint Commission, Oak Brook, IL.

Kenkmann, A., Poland, F., Burns, D., Hyde, P. and Killett, A. 2017. Negotiating and valuing spaces: The discourse of space and 'home' in care homes. *Health & Place*, **43**, 8-16.

Kerr, M.P. 2002. A qualitative study of shift handover practice and function from a sociotechnical perspective. *Journal of Advanced Nursing*, **37**, 2, 125-134.

Killett, A., Burns, D., Kelly, F., Brooker, D., Bowes, A., La Fontaine, J., Latham, I., Wilson, M. and O'Neill, M. 2016. Digging deep: how organisational culture affects care home residents' experiences. *Ageing and Society*, **36**, 1, 160-188.

Lievesley, N., Crosby, G. and Bowman, C. 2011. *The Changing Role of Care Homes*. BUPA & Centre for Policy on Ageing, London.

Low Pay Commission. 2016. *National Minimum Wage: Low Pay Commission Report Autumn 2016*. Cm 9272 Department for Business, Energy and Industrial Strategy, London.

Luff, R., Ellmers, T., Eysers, I., Young, E. and Arber, S. 2011. Time spent in bed at night by care-home residents: choice or compromise? *Ageing and Society*, **31**, 7, 1229-1250.

Luff, R., Ferreira, Z. and Meyer, J. 2011. *Care Homes. SSCR Methods Review 8*. NIHR School for Social Care Research, London.

Lyhne, S., Georgiou, A., Marks, A., Tariq, A. and Westbrook, J.I. 2012. Towards an understanding of the information dynamics of the handover process in aged care settings – a prerequisite for the safe and effective use of ICT. *International Journal of Medical Informatics*, **81**, 7, 452-460.

Mahood, Q., Van Eerd, D. and Irvin, E. 2014. Searching for grey literature for systematic reviews: challenges and benefits. *Research Synthesis Methods*, **5**, 3, 221-234.

Manser, T. and Foster, S. 2011. Effective handover communication: an overview of research and improvement efforts. *Best Practice & Research Clinical Anaesthesiology*, **25**, 2, 181-191.

McGrail, K. 2011. Long-term care as part of the continuum. *HealthcarePapers*, **10**, 4, 39-43.

Messam, K. and Pettifer, A. 2009. Understanding best practice within nurse intershift handover: what suits palliative care? *International Journal of Palliative Nursing*, **15**, 4, 190- 196.

Milligan, C. 2009. *There's No Place Like Home: place and care in an ageing society* Routledge, London.

- Moher, D., Liberati, A., Tetzlaff, J., Altman, D.G. and the Prisma Group. 2009. Preferred reporting Items for systematic reviews and meta-analyses: the PRISMA statement. *PLOS Medicine*, **6**, 7, e1000097.
- Mor, V., Leone, T. and Maresso, A. (eds). 2014. *Regulating Long-term Care Quality: an international comparison*. Cambridge University Press, Cambridge.
- Moriarty, J. and Manthorpe, J. 2016. *The Effectiveness of Social Work with Adults. A systematic scoping review*. King's College London, Social Care Workforce Research Unit, London.
- Mukhopadhyay, A., Leong, B.S.H., Lua, A., Aroos, R., Wong, J.J., Koh, N., Goh, N., See, K.C., Phua, J. and Kowitlawakul, Y. 2015. Differences in the handover process and perception between nurses and residents in a critical care setting. *Journal of Clinical Nursing*, **24**, 5-6, 778-785.
- Munyisia, E.N., Yu, P. and Hailey, D. 2011. Does the introduction of an electronic nursing documentation system in a nursing home reduce time on documentation for the nursing staff? *International Journal of Medical Informatics*, **80**.
- National Nursing Research Unit. 2012. *What are the benefits and challenges of 'bedside' nursing handovers? Policy Plus Issue 36*. King's College London, National Nursing Research Unit, London.
- Norrie, C., Lipman, V., Moriarty, J., Elaswarapu, R. & Manthorpe, J. 2017. *How Do Handovers Happen? A study of handover-at-shift changeovers in care homes for older people*. King's College London, Social Care Workforce Research Unit, London.
- Office for National Statistics. 2014. *Changes in the Older Resident Care Home Population between 2001 and 2011*. Office for National Statistics, London.
- Orellana, K. 2014. *Care Home Managers: a scoping review of evidence*. NIHR School for Social Care Research, London.
- Orellana, K., Manthorpe, J. and Moriarty, J. 2017. What do we know about care home managers? Findings of a scoping review. *Health & Social Care in the Community*, **25**, 2, 366-377.
- Oscar Research. Undated. *Care home database*. Available online at <http://www.oscarresearch.co.uk/datasheets/carehomes> [Accessed 19 February 2017].
- Park-Lee, E., Caffrey, C., Sengupta, M., Moss, A.J., Rosenoff, E. and Harris-Kojetin, L.D. 2011. *Residential Care Facilities: a key sector in the spectrum of long-term care providers in the United States*. NCHS Data Brief No. 78. National Center for Health Statistics, Hyattsville, MD.
- Passingham, A., Holloway, J. and Bottery, S. 2013. *Care Home Top-up Fees: the secret subsidy*. Independent Age, London.
- Peters, M.D.J., Godfrey, C.M., Khalil, H., McInerney, P., Parker, D. and Soares, C.B. 2015. Guidance for conducting systematic scoping reviews. *International Journal of Evidence- Based Healthcare*, **13**, 3, 141-146.
- Petersen, M.A., Blackmer, M., McNeal, J. and Hill, P.D. 2013. What makes handover communication effective? *Nursing Management*, **44**, 1, 15-18.
- Pham, M.T., Rajić, A., Greig, J.D., Sargeant, J.M., Papadopoulos, A. and McEwen, S.A. 2014. A scoping review of scoping reviews: advancing the approach and enhancing the consistency. *Research Synthesis Methods*, **5**, 4, 371-385.
- Popovich, D. 2011. 30-Second Head-to-Toe Tool in pediatric nursing: cultivating safety in handoff communication. *Pediatric Nursing*, **37**, 2, 55-60.
- Quality Compliance Systems. 2012. *Handover and accountability*. Available online at <http://www.qcs.co.uk/handover-accountability/> [Accessed 9 July 2017].
- Randmaa, M., Swenne, C.L., Martensson, G., Högberg, H. and Engström, M. 2016. Implementing situation-background-assessment-recommendation in an anaesthetic clinic and subsequent information retention among receivers: a prospective interventional study of postoperative handovers. *European Journal of Anaesthesiology*, **33**, 3, 172-178.
- Riesenberg, L.A., Leisch, J. and Cunningham, J.M. 2010. Nursing handoffs: a systematic review of the literature. *AJN The American Journal of Nursing*, **110**, 4, 24-34.

- Schneider, J., Scales, K., Bailey, S. and Lloyd, J. 2010. *Challenging Care: the role and experience of Health Care Assistants in dementia wards. Report for the National Institute for Health Research Service Delivery and Organisation programme. SDO Project 08/1819/222*. National Coordinating Centre for Service Delivery and Organisation (NCCSDO), Southampton.
- Smeulders, M., Lucas, C. and Vermeulen, H. 2014. Effectiveness of different nursing handover styles for ensuring continuity of information in hospitalised patients. *Cochrane Database of Systematic Reviews* Issue 6, Art. No.: CD009979. Available online at <http://dx.doi.org/10.1002/14651858.CD009979.pub2>. [Accessed 20 February 2016].
- Streitenberger, K., Breen-Reid, K. and Harris, C. 2006. Handoffs in care—can we make them safer? *Pediatric Clinics of North America*, **53**, 6, 1185-1195.
- Tariq, A., Georgiou, A. and Westbrook, J. 2013. Medication errors in residential aged care facilities: a distributed cognition analysis of the information exchange process. *International Journal of Medical Informatics*, **82**, 5, 299-312.
- Tricco, A.C., Lillie, E., Zarin, W., O'Brien, K., Colquhoun, H., Kastner, M., Levac, D., Ng, C., Sharpe, J.P., Wilson, K., Kenny, M., Warren, R., Wilson, C., Stelfox, H.T. and Straus, S.E. 2016. A scoping review on the conduct and reporting of scoping reviews. *BMC Medical Research Methodology*, **16**, 1, 15. Available online at <http://dx.doi.org/10.1186/s12874-016-0116-4>. [Accessed 6 March 2017].
- Tucker, A. and Fox, P. 2014. Evaluating nursing handover: the REED model. *Nursing Standard*, **28**, 20, 44-48.
- Warmington, J., Afridi, A. and Foreman, W. 2014. *Is Excessive Paperwork in Care Homes Undermining Care for Older People?* Joseph Rowntree Foundation, York.
- Wheeler, N. and Oyeboode, J. 2010. Dementia care 1: person centred approaches help to promote effective communication. *Nursing Times*, **106**, 24, 18-21.
- World Health Organization (WHO) Collaborating Centre for Patient Safety Solutions. 2007. *Communication During Patient Hand-Overs*. World Health Organization, Geneva.
- Zhang, Y., Yu, P. and Shen, J. 2012. The benefits of introducing electronic health records in residential aged care facilities: a multiple case study. *International Journal of Medical Informatics*, **81**, 10, 690-704.

Accepted 17th October 2017