



## King's Research Portal

DOI:

[10.1007/s00034-017-0547-0](https://doi.org/10.1007/s00034-017-0547-0)

*Document Version*

Peer reviewed version

[Link to publication record in King's Research Portal](#)

*Citation for published version (APA):*

Wei, Y., Qiu, J., Peng, X., & Lam, H. K. (2018). T-S Fuzzy-Affine-Model-Based Reliable Output Feedback Control of Nonlinear Systems with Actuator Faults. *Circuits, Systems, and Signal Processing*, 37(1), 81-97. <https://doi.org/10.1007/s00034-017-0547-0>

### **Citing this paper**

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

### **General rights**

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

### **Take down policy**

If you believe that this document breaches copyright please contact [librarypure@kcl.ac.uk](mailto:librarypure@kcl.ac.uk) providing details, and we will remove access to the work immediately and investigate your claim.

# T-S fuzzy-affine-model-based reliable output feedback control of nonlinear systems with actuator faults\*

Yanling Wei<sup>†</sup>, Jianbin Qiu<sup>‡</sup>, Xiuyan Peng<sup>§</sup>, and Hak-Keung Lam<sup>¶</sup>

## Abstract

This article presents a singular approach to the reliable  $\mathcal{H}_\infty$  static output feedback (SOF) control for continuous-time nonlinear systems with Markovian jumping actuator faults. The nonlinear plants are approximated by a Takagi-Sugeno (T-S) fuzzy-affine (FA) model with parameter uncertainties, and the Markov process is adopted to characterize the actuator-fault phenomenon. Specifically, by utilizing a singular model transformation strategy, the initially constructed closed-loop system is firstly converted into a singular FA system. By constructing a Markovian Lyapunov function (MLF), together with S-procedure and some matrix inequality convexification procedures, the reliable piecewise SOF controller synthesis is then developed for the underlying systems via a convex program. Lastly, simulation examples are carried out to validate the effectiveness of the presented method.

**Keywords:** nonlinear systems, singular systems, reliable output feedback control, T-S fuzzy-affine systems, Markovian Lyapunov function.

## 1 Introduction

Recent years have witnessed the substantial studies on fuzzy control of nonlinear systems [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12]. Specifically, the control scheme on the basis of the fuzzy dynamic models has aroused extensive interests due to its conceptual simplicity and rigorous effectiveness for the control of many nonlinear systems or even nonanalytic systems [13, 14, 15, 16, 17, 18, 19, 20]. Basically, the key point of T-S fuzzy models is to employ a group of fuzzy rules to characterize a complex nonlinear system by virtue of a family of local linear models, which are smoothly blended through fuzzy membership functions [21, 22]. T-S fuzzy modeling approach is essentially a multi-model protocol in which a group of linear models are integrated to characterize the global behavior of the nonlinear system. Thanks to this particular structure, researchers can fully utilize the connections between the flexible fuzzy logic theory and fruitful linear multivariable system theory, and lots of research on systematic analysis and controller design of T-S fuzzy systems has been carried out in [23, 24, 25, 26, 27, 28, 29].

Additionally, it is known that component failures commonly occur in practical engineering systems, and the existence of system component failures may lead to poor performances or even instability with the conventional feedback control protocols [30]. With the increasing requirements on system reliability, reliable control strategies have been attracting extensive concern. The aim of

---

\*This work was supported partially by the National Natural Science Foundation of China (61004038, 61333012), partially by the State Key Laboratory of Synthetical Automation for Process Industries, Northeastern University, Shenyang, China.

<sup>†</sup>Y. Wei is with the Institute of Energy and Automation Technology, Technische Universität Berlin, 10587 Berlin, Germany. Email: wei@control.tu-berlin.de

<sup>‡</sup>J. Qiu is with the Research Institute of Intelligent Control and Systems, Harbin Institute of Technology, Harbin 150001, P. R. China. Email: jianbinqiu@gmail.com

<sup>§</sup>X. Peng is with the College of Automation, Harbin Engineering University, 150080 Harbin, P. R. China. Email: pengxiuyan@hrbeu.edu.cn

<sup>¶</sup>H. K. Lam is with the Department of Informatics, King's College London, Strand, London, WC2R 2LS, UK. Email: hak-keung.lam@kcl.ac.uk

reliable control is to design a fixed controller such that the closed-loop system can sustain the stability and satisfactory performance in the context of control component failure [11, 31, 32]. Recently, some attempts have been contributed to fuzzy-model-based reliable control for nonlinear systems [10, 31, 32, 33]. For example, in [33], some results on observer-based robust and reliable control of uncertain fuzzy systems with time-varying delay were presented. In [31], the reliable  $\mathcal{H}_\infty$  state-feedback controller design was proposed for nonlinear systems with actuator failures. It is noted that in [31], a single actuator-fault model with a linear function of the actuator-input was considered, which means that the life time of the system actuators will be constantly faulted or fault-free all through the operation. In [32], the problem of reliable  $\mathcal{H}_\infty$  fuzzy state-feedback control was addressed for uncertain continuous-time nonlinear systems with Markov-type actuator failure. Notice that although the reliable controller problems for fuzzy dynamical systems in the form of linear subsystems have been receiving increasing concerns, little effort has been dedicated to exploiting tractable reliable SOF controller design conditions. Particularly, SOF control is of extreme significance due to the partially measurable state variables of nonlinear systems in practice. These facts render that the existing results on the SOF controller design for T-S FA systems with actuator failure leave much to be desired, which motivates us for this study.

Based on the aforementioned statements, in this article, the issue of reliable  $\mathcal{H}_\infty$  SOF controller design for nonlinear systems with actuator failure will be dealt with. Especially, the nonlinear plant is characterized by an FA dynamic model with uncertainties, and the Markov process is applied to describe the actuator-fault behaviors. By employing a descriptor system approach, the closed-loop system will be firstly reformulated into a descriptor piecewise FA system. By constructing an MLF, the  $\mathcal{H}_\infty$  performance analysis condition for the underlying system will be then provided, and furthermore the reliable SOF piecewise controller synthesis will be presented. It will be shown that by taking profit of the redundancy induced by a descriptor formulation, together with some convexifying procedures, the desired controller gains can be computed in a convex optimization setup. Finally, simulations will be carried out to validate the effectiveness of the presented design method. Compared with existing results on the reliable control of FA systems, the main contributions of this research are twofold: (i) A novel bounded real lemma is reformulated for FA systems in a descriptor system framework. (ii) With some matrix linearisation procedures, the reliable SOF controller synthesis for FA systems with actuator faults, parameter uncertainties and measurement noises is developed in the form of strict LMIs.

*Notations.* The notations utilized are standard.  $\text{Sym}\{A\}$  refers to  $A + A^\top$ ;  $\mathbb{E}[\cdot]$  refers to the mathematical expectation; signals that are square integrable over  $[0, \infty)$  is represented by  $L_2[0, \infty)$  with the norm  $\|\cdot\|_2$ .

## 2 Problem Formulation

Following the idea of [23], a general continuous-time T-S FA dynamic model can be described as the following form,

**Plant Rule  $\mathcal{F}^l$ :** IF  $f_1(x(t))$  is  $F_1^l$  and  $f_2(x(t))$  is  $F_2^l$  and  $\dots$  and  $f_g(x(t))$  is  $F_g^l$ , THEN

$$\begin{cases} \dot{x}(t) = (A_l + \Delta A_l)x(t) + a_l + \Delta a_l + (B_{1l} + \Delta B_{1l})u(t) + D_{1l}w(t) \\ y(t) = (C_l + \Delta C_l)x(t) + D_{2l}w(t) \\ z(t) = L_l x(t) + B_{2l}u(t), \quad l \in \mathcal{L} := \{1, 2, \dots, M\} \end{cases} \quad (1)$$

where  $\mathcal{F}^l$  denotes the  $l$ -th fuzzy inference rule;  $M$  refers to the number of inference rules;  $F_\nu^l (\nu = 1, 2, \dots, g)$  denotes fuzzy sets;  $x(t) \in \mathfrak{R}^{n_x}$  represents the system state;  $u(t) \in \mathfrak{R}^{n_u}$  refers to the control input;  $y(t) \in \mathfrak{R}^{n_y}$  represents the system measurement output;  $z(t) \in \mathfrak{R}^{n_z}$  denotes the regulated output;  $w(t) \in \mathfrak{R}^{n_w}$  denotes the disturbance input belonging to  $L_2[0, \infty)$ ;  $\mathbb{F}(x(t)) := [f_1(x(t)), f_2(x(t)), \dots, f_g(x(t))]$  denote the premise variables;  $(A_l, a_l, B_{1l}, B_{2l}, C_l, D_{1l}, D_{2l}, L_l)$  specifies the  $l$ -th local model of the system, and  $(\Delta A_l, \Delta a_l, \Delta B_{1l}, \Delta C_l)$  represent the uncertainties in the

$l$ -th local model, which can be normalized as

$$\begin{aligned} \begin{bmatrix} \Delta A_l & \Delta B_{1l} & \Delta a_l \end{bmatrix} &= U_{1l} \Delta_l(t) \begin{bmatrix} V_{1l} & V_{2l} & V_{3l} \end{bmatrix}, \\ \Delta C_l &= U_{2l} \Delta_l(t) V_{1l}, \quad l \in \mathcal{L} \end{aligned} \quad (2)$$

with matrices  $U_{1l}$ ,  $U_{2l}$ ,  $V_{1l}$ ,  $V_{2l}$ , and  $V_{3l}$  of appropriate dimensions.  $\Delta_l(t) : \mathbb{Z}^+ \rightarrow \mathfrak{R}^{k_1 \times k_2}$ ,  $l \in \mathcal{L}$  are with Lebesgue measurable elements subject to

$$\Delta_l^\top(t) \Delta_l(t) \leq \mathbf{I}_{k_2}, \quad l \in \mathcal{L}. \quad (3)$$

Let  $\mu_l[x(t)]$  be the standardized fuzzy-basis function of  $F^l$  where  $F^l := \prod_{\nu=1}^g F_\nu^l$  and

$$\mu_l[x(t)] := \frac{\prod_{\nu=1}^g \mu_{l\nu}[f_\nu(x(t))]}{\sum_{p=1}^M \prod_{\nu=1}^g \mu_{p\nu}[f_\nu(x(t))]} \geq 0, \quad \sum_{l=1}^M \mu_l[x(t)] = 1 \quad (4)$$

where  $\mu_{l\nu}[f_\nu(x(t))]$  denotes the grade of membership of  $f_\nu(x(t))$  in  $F_\nu^l$ . For simplicity, we subsequently denote  $\mu_l[x(t)]$  as  $\mu_l$ .

By utilizing the properties of fuzzy-basis functions, the following global T-S fuzzy dynamic model can be obtained,

$$\begin{cases} \dot{x}(t) = (A(\mu) + \Delta A(\mu))x(t) + a(\mu) + \Delta a(\mu) + (B_1(\mu) + \Delta B_1(\mu))u(t) + D_1(\mu)w(t) \\ y(t) = (C(\mu) + \Delta C(\mu))x(t) + D_2(\mu)w(t) \\ z(t) = L(\mu)x(t) + B_2(\mu)u(t) \end{cases} \quad (5)$$

where

$$\chi(\mu) := \sum_{l=1}^M \mu_l \chi_l, \quad \chi \in \{A, \Delta A, a, \Delta a, B_1, \Delta B_1, B_2, C, \Delta C, D_1, D_2, L\}. \quad (6)$$

In this paper, we tackle the reliable  $\mathcal{H}_\infty$  SOF control problem for the uncertain continuous-time FA dynamic model (5) by virtue of a piecewise controller. Along the ideas in [23] and [25], we can further express the system (5) as a piecewise-FA model,

$$\begin{cases} \dot{x}(t) = (\mathcal{A}_i + \Delta \mathcal{A}_i)x(t) + \mathbf{a}_i + \Delta \mathbf{a}_i + (\mathcal{B}_{1i} + \Delta \mathcal{B}_{1i})u(t) + \mathcal{D}_{1i}w(t) \\ y(t) = (\mathcal{C}_i + \Delta \mathcal{C}_i)x(t) + \mathcal{D}_{2i}w(t) \\ z(t) = \mathcal{L}_i x(t) + \mathcal{B}_{2i}u(t), \quad x(t) \in \mathcal{S}_i, \quad i \in \mathcal{I} \end{cases} \quad (7)$$

where  $\{\mathcal{S}_i\}_{i \in \mathcal{I}}$  and  $\mathcal{I}$  refers to the state-space partition and the set of subspace indices, respectively, and

$$\begin{cases} \mathcal{A}_i := \sum_{s \in \mathcal{S}(i)} \mu_s A_s, \quad \Delta \mathcal{A}_i = \sum_{s \in \mathcal{S}(i)} \mu_s \Delta A_s, \\ \mathbf{a}_i := \sum_{s \in \mathcal{S}(i)} \mu_s \mathbf{a}_s, \quad \Delta \mathbf{a}_i = \sum_{s \in \mathcal{S}(i)} \mu_s \Delta \mathbf{a}_s, \\ \mathcal{B}_{1i} := \sum_{s \in \mathcal{S}(i)} \mu_s B_{1s}, \quad \Delta \mathcal{B}_{1i} = \sum_{s \in \mathcal{S}(i)} \mu_s \Delta B_{1s}, \\ \mathcal{B}_{2i} := \sum_{s \in \mathcal{S}(i)} \mu_s B_{2s}, \quad \mathcal{C}_i := \sum_{s \in \mathcal{S}(i)} \mu_s C_s, \\ \Delta \mathcal{C}_i := \sum_{s \in \mathcal{S}(i)} \mu_s \Delta C_s, \quad \mathcal{D}_{1i} := \sum_{s \in \mathcal{S}(i)} \mu_s D_{1s}, \\ \mathcal{D}_{2i} := \sum_{s \in \mathcal{S}(i)} \mu_s D_{2s}, \quad \mathcal{L}_i := \sum_{s \in \mathcal{S}(i)} \mu_s L_s, \end{cases} \quad (8)$$

with  $0 < \mu_s[x(t)] \leq 1$ ,  $\sum_{s \in \mathcal{S}(i)} \mu_s[x(t)] = 1$ . For each region  $\mathcal{S}_i$ ,  $i \in \mathcal{I}$ , the set  $\mathcal{S}(i)$  contains the indices for the subsystem modes used in the interpolation. Evidently,  $\mathcal{S}(i)$  in a crisp subspace refers to only one element.

As mentioned in [23, 25], each polyhedral subspace  $\mathcal{S}_i$  can be outer approximated by an ellipsoid, i.e.,

$$\mathcal{S}_i \subseteq \mathcal{E}_i, \quad \mathcal{E}_i = \{x \mid \|Q_i x + q_i\| \leq 1\}. \quad (9)$$

Specially, if the polyhedral subspaces  $\mathcal{S}_i$  are slabs with

$$\mathcal{S}_i = \{x | \varphi_{1i} \leq \theta_i^\top x \leq \varphi_{2i}\} \quad (10)$$

where  $\varphi_{1i}, \varphi_{2i} \in \mathfrak{R}$ , then each slab subspace can be characterized by a degenerate ellipsoid in (9) with parameters

$$Q_i = \frac{2\theta_i^\top}{\varphi_{2i} - \varphi_{1i}}, \quad q_i = -\frac{\varphi_{2i} + \varphi_{1i}}{\varphi_{2i} - \varphi_{1i}}. \quad (11)$$

From (9), we further attain the subsequent condition for each ellipsoid subspace,

$$\begin{bmatrix} x(t) \\ 1 \end{bmatrix}^\top \begin{bmatrix} Q_i^\top Q_i & Q_i^\top q_i \\ q_i^\top Q_i & q_i^\top q_i - 1 \end{bmatrix} \begin{bmatrix} x(t) \\ 1 \end{bmatrix} \leq 0, \quad i \in \mathcal{I}. \quad (12)$$

Denote the indexes of the subspaces  $\mathcal{I} = \mathcal{I}_0 \cup \mathcal{I}_1$ , where  $\mathcal{I}_0$  involves the index set of regions with  $q_i^\top q_i - 1 \leq 0$  which includes the origin, and  $\mathcal{I}_1$  represents the index set of subspaces otherwise.

For the FA system (7), we aim at designing the SOF controller as

$$u(t) = K_i y(t), \quad i \in \mathcal{I} \quad (13)$$

where  $K_i \in \mathfrak{R}^{n_u \times n_y}$ ,  $i \in \mathcal{I}$  are the controller parameters to be designed.

For the reliable control problem formulation of the FA dynamic system in (7) with actuator faults, we characterize the actuator failure with a stochastic process,

$$u(t, r(t)) = \Sigma(r(t))u(t), \quad (14)$$

where  $\Sigma(r(t)) := \text{diag}\{\sigma_1(r(t)), \sigma_2(r(t)), \dots, \sigma_{n_u}(r(t))\}$ ,  $0 \leq \sigma_\iota(r(t)) \leq 1$ ,  $\iota = 1, 2, \dots, n_u$ , and  $\{r(t), t \geq 0\}$  is a Markov process describing the actuator-fault mode as described in [9].

Notice that for reliable SOF controller design, if one directly substitutes  $u(t, r(t))$  in (14) into (7), then there unavoidably appear coupled terms involved by the system matrices and controller gains, i.e.,  $(\mathcal{B}_{1i} + \Delta\mathcal{B}_{1i})\Sigma_m K_i (\mathcal{C}_i + \Delta\mathcal{C}_i)$ , where both the input and output matrices involve parametric uncertainties. This leads to that it is almost impossible to search for suitable matrices  $T_{B_i}$  satisfying  $T_{B_i}(\mathcal{B}_{1i} + \Delta\mathcal{B}_{1i})\Sigma_m = [\mathbf{I}_{n_u} \quad \mathbf{0}_{n_u \times (n_x - n_u)}]^\top$  or matrices  $T_{C_i}$  satisfying  $(\mathcal{C}_i + \Delta\mathcal{C}_i)T_{C_i} = [\mathbf{I}_{n_y} \quad \mathbf{0}_{n_y \times (n_x - n_y)}]$ . In addition, the measured output in (1) also contains noises. Thus, the methods proposed in [34, 35] can not be utilized for SOF controller design for this case. On the other hand, due to the existence of actuator-faults in (14) it is also difficult to employ the state-input  $x$ - $u$  augmentation approach [36] for reliable SOF controller design. Alternatively, in this paper we may turn to a descriptor system approach with the state-output  $x$ - $y$  augmentation to synthesize the reliable SOF controller.

To this end, substituting  $u(t, r(t))$  for  $u(t)$  in (7) and taking advantage of the redundancy induced by a descriptor formulation, we obtain the following closed-loop system,

$$\begin{cases} \dot{x}(t) = (\mathcal{A}_i + \Delta\mathcal{A}_i)x(t) + \mathbf{a}_i + \Delta\mathbf{a}_i + (\mathcal{B}_{1i} + \Delta\mathcal{B}_{1i})\Sigma_m K_i y(t) + \mathcal{D}_{1i}w(t) \\ 0 \times \dot{y}(t) = (\mathcal{C}_i + \Delta\mathcal{C}_i)x(t) + \mathcal{D}_{2i}w(t), \\ z(t) = \mathcal{L}_i x(t) + \mathcal{B}_{2i}\Sigma_m K_i y(t), \quad i \in \mathcal{I}, \quad m \in \mathcal{I} \end{cases} \quad (15)$$

which can be further expressed as

$$\begin{cases} E\dot{\bar{x}}(t) = \bar{\mathcal{A}}_{i,m}\bar{x}(t) + \bar{\mathbf{a}}_i + \bar{\mathcal{D}}_i w(t) \\ z(t) = \bar{\mathcal{C}}_{i,m}\bar{x}(t), \quad i \in \mathcal{I}, \quad m \in \mathcal{I} \end{cases} \quad (16)$$

where  $\bar{x}(t) = [x^\top(t) \quad y^\top(t)]^\top$ , and

$$\begin{cases} E := \begin{bmatrix} \mathbf{I} & \mathbf{0} \\ \mathbf{0} & \mathbf{0} \end{bmatrix}, \quad \bar{\mathcal{A}}_{i,m} := \begin{bmatrix} \mathcal{A}_i + \Delta\mathcal{A}_i & (\mathcal{B}_{1i} + \Delta\mathcal{B}_{1i})\Sigma_m K_i \\ \mathcal{C}_i + \Delta\mathcal{C}_i & -\mathbf{I} \end{bmatrix}, \\ \bar{\mathcal{D}}_i := \begin{bmatrix} \mathcal{D}_{1i} \\ \mathcal{D}_{2i} \end{bmatrix}, \quad \bar{\mathbf{a}}_i := \begin{bmatrix} \mathbf{a}_i + \Delta\mathbf{a}_i \\ \mathbf{0} \end{bmatrix}, \\ \bar{\mathcal{C}}_{i,m} := [\mathcal{L}_i \quad \mathcal{B}_{2i}\Sigma_m K_i]. \end{cases} \quad (17)$$

**Remark 2.3.** By a descriptor system representation given in (15) and (16), it is easy to see that the controller gains  $K_i$  has been separated from the output matrices. This characteristic prohibits one to make any transformations to output matrices from SOF controller design purpose, which will be shown in the next section in details.

### 3 Reliable $\mathcal{H}_\infty$ SOF Controller Analysis And Design

In this section, we shall first present the bounded real lemma for the system (16), and then by some matrix inequality convexifying procedures, numerically solvable sufficient condition on the reliable and robust  $\mathcal{H}_\infty$  SOF controller synthesis for the FA system (1) will be further carried out.

#### 3.1 Robust $\mathcal{H}_\infty$ performance analysis

**Lemma 1.** *The closed-loop system (16) can achieve the stochastic stability with an  $\mathcal{H}_\infty$  performance  $\gamma$ , if there exist symmetric matrices  $0 < P_{m(1)} \in \mathfrak{R}^{n_x \times n_x}$ ,  $m \in \mathcal{I}$ , matrix  $G \in \mathfrak{R}^{n_y \times n_y}$ , and scalars  $\bar{\rho}$ ,  $\eta_i < 0$ ,  $i \in \mathcal{I}_1$ , such that the subsequent matrix inequalities hold*

$$\begin{bmatrix} -\gamma^2 \mathbf{I} & \bar{\mathcal{D}}_i^\top P_m \\ * & \Gamma_{i,m} \end{bmatrix} < 0, \quad i \in \mathcal{I}_0, \quad (18)$$

$$\begin{bmatrix} -\gamma^2 \mathbf{I} & \bar{\mathcal{D}}_i^\top P_m & \mathbf{0} \\ * & \Gamma_{i,m} + \eta_i \Lambda_1^\top Q_i^\top Q_i \Lambda_1 & P_m^\top \bar{a}_i + \eta_i \Lambda_1^\top Q_i^\top q_i \\ * & * & \eta_i (q_i^\top q_i - 1) \end{bmatrix} < 0, \quad i \in \mathcal{I}_1, \quad (19)$$

where

$$\begin{cases} \Gamma_{i,m} := \text{Sym}\{\bar{\mathcal{A}}_{i,m}^\top P_m\} + \sum_{n=1}^N \lambda_{mn} E P_n + \bar{\mathcal{C}}_{i,m}^\top \bar{\mathcal{C}}_{i,m}, \\ P_m := \begin{bmatrix} P_{m(1)} & \mathbf{0} \\ -\bar{\rho} \Lambda_2 P_{m(1)} & G \end{bmatrix}, \\ \Lambda_1 := \begin{bmatrix} \mathbf{I}_{n_x} & \mathbf{0}_{n_x \times n_y} \end{bmatrix}, \quad \Lambda_2 := \begin{bmatrix} \mathbf{I}_{n_y} & \mathbf{0}_{n_y \times (n_x - n_y)} \end{bmatrix}. \end{cases} \quad (20)$$

**Proof.** For the closed-loop system (16), we consider the subsequent MLF,

$$V(\bar{x}(t), r(t), t) = \bar{x}^\top(t) E P(r(t)) \bar{x}(t), \quad (21)$$

where

$$P(r(t)) = \begin{bmatrix} P_{(1)}(r(t)) & \mathbf{0} \\ -\bar{\rho} \Lambda_2 P_{(1)}(r(t)) & G \end{bmatrix} \quad (22)$$

with  $0 < P_{(1)}(r(t)) \in \mathfrak{R}^{n_x \times n_x}$ ,  $\Lambda_2 := \begin{bmatrix} \mathbf{I}_{n_y} & \mathbf{0}_{n_y \times (n_x - n_y)} \end{bmatrix}$ , and  $G \in \mathfrak{R}^{n_y \times n_y}$ ;  $\bar{\rho}$  is a scalar parameter.

According to the MLF (21), the closed-loop system in (16) can achieve the stochastic stability with an  $\mathcal{H}_\infty$  performance  $\gamma$ , if one can show that

$$\mathcal{D}[V(\bar{x}(t), r(t), t)] + \mathbb{E}\{z^\top(t) z(t)\} - \gamma^2 w^\top(t) w(t) < 0, \quad (23)$$

holds in the context of zero initial conditions for any nonzero  $w(t) \in L_2[0, \infty)$ , where  $\mathcal{D}$  denotes the weak infinitesimal generator of the Markov process  $\{\bar{x}(t), r(t), t \geq 0\}$ . In light of the definition of  $\mathcal{D}$  [32], we have

$$\begin{aligned} & \mathcal{D}[V(\bar{x}(t), r(t), t)] \\ &= \lim_{\delta \rightarrow 0^+} \frac{1}{\delta} \left\{ \bar{x}^\top(t + \delta) E \left[ \sum_{n=1}^N \Pr\{r(t + \delta) = n | r(t) = m\} P_n \right] \bar{x}(t + \delta) \right. \\ & \quad \left. - \bar{x}^\top(t) E P_m \bar{x}(t) \right\} \\ &= \lim_{\delta \rightarrow 0^+} \frac{1}{\delta} \left\{ \bar{x}^\top(t + \delta) E \left[ \sum_{n=1}^N (\lambda_{mn} \delta + o(\delta)) P_n \right] \bar{x}(t + \delta) \right. \\ & \quad \left. + [\bar{x}(t + \delta) - \bar{x}(t)]^\top E P_m \bar{x}(t + \delta) + \bar{x}^\top(t + \delta) P_m^\top E [\bar{x}(t + \delta) - \bar{x}(t)] \right\} \end{aligned}$$

$$= 2\dot{\bar{x}}^\top(t)E^\top P_m \bar{x}(t) + \bar{x}^\top(t) \left( E \sum_{n=1}^N \lambda_{mn} P_n \right) \bar{x}(t). \quad (24)$$

For simplicity, only the proof of condition (19) will be shown in the sequel.

Considering the system state-space equation, combined with (21), the subsequent inequality indicates (23),

$$\begin{bmatrix} w(t) \\ \bar{x}(t) \\ 1 \end{bmatrix}^\top \begin{bmatrix} -\gamma^2 \mathbf{I} & \mathcal{D}_i^\top P_m & \mathbf{0} \\ * & \Gamma_{i,m} & P_m \bar{a}_i \\ * & * & \mathbf{0} \end{bmatrix} \begin{bmatrix} w(t) \\ \bar{x}(t) \\ 1 \end{bmatrix} < 0, \quad (25)$$

where

$$\Gamma_{i,m} := \text{Sym}\{\bar{\mathcal{A}}_{i,m}^\top P_m\} + \sum_{n=1}^N \lambda_{mn} E P_n + \bar{\mathcal{C}}_{i,m}^\top \bar{\mathcal{C}}_{i,m}. \quad (26)$$

Then, in view of the structural division information in (12), applying the S-procedure [23], one comes to the subsequent inequality inferring to (23) in the context of  $\eta_i < 0$ ,  $i \in \mathcal{I}_1$ ,

$$\text{LHS}(23) + \eta_i \begin{bmatrix} x(t) \\ 1 \end{bmatrix}^\top \begin{bmatrix} Q_i^\top Q_i & Q_i^\top q_i \\ q_i^\top Q_i & q_i^\top q_i - 1 \end{bmatrix} \begin{bmatrix} x(t) \\ 1 \end{bmatrix} < 0, \quad (27)$$

where LHS(23) refers to the left-hand side (LHS) of inequality (23).

It is obvious that

$$x(t) = \Lambda_1 \bar{x}(t), \quad \Lambda_1 := \begin{bmatrix} \mathbf{I}_{n_x} & \mathbf{0}_{n_x \times n_y} \end{bmatrix}. \quad (28)$$

After substituting (28) into (27), it can be readily inspected that the inequality (19) implies (23). The proof is thus completed.

In the subsequent subsection, we shall employ some convexifying techniques to solve the reliable and robust SOF controller synthesis problem.

Before developing the controller synthesis condition, we first introduce the following lemma, which will be useful for the derivation of synthesis condition.

**Lemma 2.** [37] *Let matrices  $\Psi = \Psi^\top$ ,  $\mathbf{U}$ ,  $\mathbf{V}$ , and  $\Delta(t)$  be appropriate dimension. The solvability of inequality*

$$\Psi + \text{Sym}\{\mathbf{U}\Delta(t)\mathbf{V}\} < 0 \quad (29)$$

for all admissible  $\Delta(t)$  satisfying  $\Delta^\top(t)\Delta(t) \leq \mathbf{I}$ , is of equivalence to

$$\Psi + \epsilon \mathbf{U}\mathbf{U}^\top + \epsilon^{-1} \mathbf{V}^\top \mathbf{V} < 0 \quad (30)$$

for some positive scalar  $\epsilon$ .

### 3.2 Reliable SOF controller synthesis

**Theorem 1.** *Consider the FA system in (1). For a given scalar  $\rho$ , the closed-loop system (16) can achieve the stochastic stability with an  $\mathcal{H}_\infty$  performance  $\gamma$ , if there exist symmetric matrices  $0 < X_{m(1)} \in \mathfrak{R}^{n_x \times n_x}$ ,  $m \in \mathcal{I}$ , matrices  $X_{(2)} \in \mathfrak{R}^{n_y \times n_y}$ ,  $\bar{K}_i \in \mathfrak{R}^{n_u \times n_y}$ , and scalar parameters  $\epsilon_{1i} > 0$ ,  $i \in \mathcal{I}$ ,  $\epsilon_{2i} > 0$ , and  $\bar{\eta}_i < 0$ ,  $i \in \mathcal{I}_1$ , guaranteeing that the subsequent LMIs hold,*

$$\begin{bmatrix} -\epsilon_{1i} \mathbf{I} & \bar{\mathbf{V}}_{1is,m} & \mathbf{0} \\ * & \bar{\Theta}_{is,m} & \Lambda_3^\top X_{m(1)} \Pi \\ * & * & -\mathcal{X}_m \end{bmatrix} < 0, \quad i \in \mathcal{I}_0, \quad (31)$$

$$\begin{bmatrix} -\epsilon_{2i} \mathbf{I} & \hat{\mathbf{V}}_{2is} & \mathbf{0} & \mathbf{0} \\ * & -\epsilon_{1i} \mathbf{I} & \hat{\mathbf{V}}_{1is,m} & \mathbf{0} \\ * & * & \hat{\Theta}_{is,m} & \hat{\Lambda}_3^\top X_{m(1)} \Pi \\ * & * & * & -\mathcal{X}_m \end{bmatrix} < 0, \quad i \in \mathcal{I}_1, \quad (32)$$

where  $s \in \mathcal{S}(i)$ , and

$$\left\{ \begin{array}{l}
\bar{\Theta}_{is,m} := \begin{bmatrix} -\gamma^2 \mathbf{I} & \mathbf{0} & \mathcal{D}_s^\top \\ * & -\mathbf{I} & \mathbb{C}_{is,m} \\ * & * & \bar{\Gamma}_{is,m} \end{bmatrix}, \\
\bar{\Gamma}_{is,m} := \text{Sym}\{\bar{\mathbb{A}}_{is,m}\} + \text{diag}\{\lambda_{mm}X_{m(1)} + \epsilon_{1i}U_{1s}U_{1s}^\top, \epsilon_{1i}U_{2s}U_{2s}^\top\}, \\
\bar{\mathbb{A}}_{is,m} := \begin{bmatrix} A_s X_{m(1)} + B_{1s}\Sigma_m \bar{K}_i \Lambda_2 & \rho B_{1s}\Sigma_m \bar{K}_i \\ C_s X_{m(1)} - X_{(2)}\Lambda_2 & -\rho X_{(2)} \end{bmatrix}, \\
\mathbb{C}_{is,m} := \begin{bmatrix} L_s X_{m(1)} + B_{2s}\Sigma_m \bar{K}_i \Lambda_2 & \rho B_{2s}\Sigma_m \bar{K}_i \end{bmatrix}, \\
\mathcal{D}_s := \begin{bmatrix} D_{1s}^\top & D_{2s}^\top \end{bmatrix}^\top, \\
\Lambda_2 := \begin{bmatrix} \mathbf{I}_{n_y} & \mathbf{0}_{n_y \times (n_x - n_y)} \end{bmatrix}, \\
\Lambda_3 := \begin{bmatrix} \mathbf{0}_{n_x \times (n_z + n_w)} & \mathbf{I} & \mathbf{0}_{n_x \times n_y} \end{bmatrix}, \\
\mathcal{X}_m := \text{diag}\{X_{1(1)}, \dots, X_{m-1(1)}, X_{m+1(1)}, \dots, X_{N(1)}\}, \\
\Pi := \begin{bmatrix} \sqrt{\lambda_{m1}}\mathbf{I} & \dots & \sqrt{\lambda_{m,m-1}}\mathbf{I} & \sqrt{\lambda_{m,m+1}}\mathbf{I} & \dots & \sqrt{\lambda_{mN}}\mathbf{I} \end{bmatrix}, \\
\bar{\mathbb{V}}_{1is,m} := \begin{bmatrix} \mathbf{0}_{k_2 \times (n_z + n_w)} & \begin{bmatrix} \bar{\Upsilon}_{is,m} & \rho V_{2s}\Sigma_m \bar{K}_i \end{bmatrix} \\ \mathbf{0}_{k_2 \times (n_z + n_w)} & \begin{bmatrix} V_{1s}X_{m(1)} & \mathbf{0} \end{bmatrix} \end{bmatrix}, \\
\bar{\Upsilon}_{is,m} := V_{1s}X_{m(1)} + V_{2s}\Sigma_m \bar{K}_i \Lambda_2, \\
\hat{\Theta}_{is,m} := \begin{bmatrix} -\gamma^2 \mathbf{I} & \mathbf{0} & \mathcal{D}_s^\top & \mathbf{0} \\ * & -\mathbf{I} & \mathbb{C}_{is,m} & \mathbf{0} \\ * & * & \hat{\Gamma}_{is,m} & \mathbb{X}_{is,m} \\ * & * & * & -\bar{\eta}_i(\mathbf{I} - q_i q_i^\top) \end{bmatrix}, \\
\hat{\Gamma}_{is,m} := \text{Sym}\{\hat{\mathbb{A}}_{is,m}\} + \text{diag}\{\lambda_{mm}X_{m(1)} + \bar{\eta}_i a_s a_s^\top + (\epsilon_{1i} + \epsilon_{2i})U_{1s}U_{1s}^\top, \epsilon_{1i}U_{2s}U_{2s}^\top\}, \\
\hat{\mathbb{V}}_{1is,m} := \begin{bmatrix} \mathbf{0}_{k_2 \times (n_z + n_w)} & \begin{bmatrix} \hat{\Upsilon}_{is,m} & \rho V_{2s}\Sigma_m \bar{K}_i \end{bmatrix} & \bar{\eta}_i V_{3s} q_i^\top \\ \mathbf{0}_{k_2 \times (n_z + n_w)} & \begin{bmatrix} V_{1s}X_{m(1)} & \mathbf{0} \end{bmatrix} & \mathbf{0}_{k_2 \times n_y} \end{bmatrix}, \\
\hat{\Upsilon}_{is,m} := V_{1s}X_{m(1)} + V_{2s}\Sigma_m \bar{K}_i \Lambda_2 + \bar{\eta}_i V_{3s} a_s^\top, \\
\hat{\mathbb{V}}_{2is} := \begin{bmatrix} \frac{1}{2}\bar{\eta}_i V_{3s} V_{3s}^\top & \mathbf{0}_{k_2 \times k_2} \end{bmatrix}, \\
\hat{\Lambda}_3 := \begin{bmatrix} \mathbf{0}_{n_x \times (n_z + n_w)} & \mathbf{I} & \mathbf{0}_{n_x \times (n_y + 1)} \end{bmatrix}, \\
\mathbb{X}_{is,m} := \begin{bmatrix} Q_i X_{m(1)} + \bar{\eta}_i q_i a_s^\top & \mathbf{0}_{n_y \times n_y} \end{bmatrix}^\top.
\end{array} \right. \quad (33)$$

Specifically, the admissible SOF controller gains can be calculated as,

$$K_i = \bar{K}_i X_{(2)}^{-1}, \quad i \in \mathcal{I}. \quad (34)$$

**Proof.** In view of Lemma 1, if there exist symmetric matrices  $P_{m(1)} > 0$ ,  $m \in \mathcal{I}$ , matrix  $G$ , and scalars  $\bar{\rho}$ ,  $\eta_i < 0$ ,  $i \in \mathcal{S}_1$  satisfying (18) and (19), then the closed-loop fuzzy system (16) can achieve stochastic stability with an  $\mathcal{H}_\infty$  performance  $\gamma$ . Similarly, we only give the proof of the more complex condition (32).

On the basis of (8) and (17), the LHS of inequality (19) can be re-expressed as

$$\text{LHS}(19) = \sum_{s \in \mathcal{S}(i)} \mu_s \Theta_{is,m}, \quad i \in \mathcal{S}_1, \quad m \in \mathcal{I}, \quad (35)$$

where

$$\left\{ \begin{array}{l}
\Theta_{is,m} := \begin{bmatrix} -\gamma^2 \mathbf{I} & \mathcal{D}_s^\top P_m & \mathbf{0} \\ * & \check{\Gamma}_{is,m} + \eta_i \Lambda_1^\top Q_i^\top Q_i \Lambda_1 & P_m^\top \bar{a}_s + \eta_i \Lambda_1^\top Q_i^\top q_i \\ * & * & \eta_i (q_i^\top q_i - 1) \end{bmatrix}, \\
\check{\Gamma}_{i,m} := \text{Sym}\{\check{\mathcal{A}}_{is,m}^\top P_m\} + \sum_{n=1}^N \lambda_{mn} E P_n + \mathcal{C}_{is,m}^\top \mathcal{C}_{is,m}, \\
\check{\mathcal{A}}_{is,m} := \begin{bmatrix} A_s + \Delta A_s & (B_{1s} + \Delta B_{1s})\Sigma_m K_i \\ C_s + \Delta C_s & -\mathbf{I} \end{bmatrix}, \\
\bar{a}_s := \begin{bmatrix} a_s + \Delta a_s \\ \mathbf{0} \end{bmatrix}, \quad \mathcal{D}_s := \begin{bmatrix} D_{1s} \\ D_{2s} \end{bmatrix}, \\
\mathcal{C}_{is,m} := \begin{bmatrix} L_s & B_{2s}\Sigma_m K_i \end{bmatrix}.
\end{array} \right. \quad (36)$$



Owing to the fact that the fuzzy-basis functions are with intrinsically nonnegative property, then by the Schur complement, one easily attains the following inequality indicating (19)

$$\Theta_{is,m} < 0, \quad i \in \mathcal{I}_1, \quad s \in \mathcal{S}(i), \quad m \in \mathcal{I}. \quad (37)$$

Performing a pre- and post-multiplication to (37) by  $\text{diag}\{\mathbf{I}_{n_w}, X_m, \mathbf{I}_1\}$  with  $X_m := P_m^{-1}$  and via Schur complement, one has

$$\begin{bmatrix} -\mathbf{I} & \mathbf{0} & \mathcal{C}_{is,m}X_m & \mathbf{0} \\ * & -\gamma^2\mathbf{I} & \mathcal{D}_s^\top & \mathbf{0} \\ * & * & \check{\Gamma}_{is,m} + \eta_i X_m \Lambda_1^\top Q_i^\top Q_i \Lambda_1 X_m & \bar{a}_s + \eta_i X_m \Lambda_1^\top Q_i^\top q_i \\ * & * & * & \eta_i (q_i^\top q_i - 1) \end{bmatrix} < 0, \quad (38)$$

where

$$\check{\Gamma}_{is,m} := \text{Sym}\{\mathcal{A}_{is,m}X_m\} + \sum_{n=1}^N \lambda_{mn} E X_m X_n^{-1} X_m. \quad (39)$$

Additionally, considering the terms  $\eta_i X_m \Lambda_1^\top Q_i^\top Q_i \Lambda_1 X_m$  in (38), the Lyapunov matrices  $X_m$  are coupled with the terms  $\eta_i$ . To realize the controller synthesis, it is necessary to divide the term  $\eta_i$  from the Lyapunov matrices  $X_m$ . Specially, by Schur complement, (38) can be equivalently rewritten as

$$\begin{bmatrix} -\mathbf{I} & \mathbf{0} & \mathcal{C}_{is,m}X_m \\ * & -\gamma^2\mathbf{I} & \mathcal{D}_s^\top \\ * & * & \check{\Gamma}_{is,m} + \eta_i X_m \Lambda_1^\top Q_i^\top Q_i \Lambda_1 X_m \end{bmatrix} - \begin{bmatrix} \mathbf{0} \\ \mathbf{0} \\ \bar{a}_s + \eta_i X_m \Lambda_1^\top Q_i^\top q_i \end{bmatrix} \eta_i^{-1} (q_i^\top q_i - 1)^{-1} (*) < 0. \quad (40)$$

Recalling the Matrix Inverse Lemma

$$(T + U W V)^{-1} = T^{-1} - T^{-1} U (W^{-1} + V T^{-1} U)^{-1} V T^{-1}, \quad (41)$$

we have

$$\begin{cases} \eta_i^{-1} \bar{a}_s (1 - q_i^\top q_i)^{-1} \bar{a}_s^\top = \eta_i^{-1} \bar{a}_s \bar{a}_s^\top + \eta_i^{-1} \bar{a}_s q_i^\top (\mathbf{I} - q_i q_i^\top)^{-1} q_i \bar{a}_s^\top, \\ \bar{a}_s (1 - q_i^\top q_i)^{-1} q_i^\top Q_i \Lambda_1 X_m = \bar{a}_s q_i^\top (\mathbf{I} - q_i q_i^\top)^{-1} Q_i \Lambda_1 X_m, \\ \eta_i X_m \Lambda_1^\top Q_i^\top q_i (1 - q_i^\top q_i)^{-1} q_i^\top Q_i \Lambda_1 X_m \\ = \eta_i X_m \Lambda_1^\top Q_i^\top (\mathbf{I} - q_i q_i^\top)^{-1} Q_i \Lambda_1 X_m - \eta_i X_m \Lambda_1^\top Q_i^\top Q_i \Lambda_1 X_m. \end{cases} \quad (42)$$

Therefore, in accordance with the equalities shown in (42), the inequality (40) can be transformed below in the context of  $i \in \mathcal{I}_1$

$$\begin{bmatrix} -\mathbf{I} & \mathbf{0} & \mathcal{C}_{is,m}X_m & \mathbf{0} \\ * & -\gamma^2\mathbf{I} & \mathcal{D}_s^\top & \mathbf{0} \\ * & * & \check{\Gamma}_{is,m} + \eta_i^{-1} \bar{a}_s \bar{a}_s^\top & X_m \Lambda_1^\top Q_i^\top + \eta_i^{-1} \bar{a}_s q_i^\top \\ * & * & * & -\eta_i^{-1} (\mathbf{I} - q_i q_i^\top) \end{bmatrix} < 0. \quad (43)$$

Define  $X_m := P_m^{-1}$ ,  $X_{m(1)} := P_{m(1)}^{-1}$ ,  $X_{(2)} := P_{(2)}^{-1}$ ,  $\rho := \bar{\rho}^{-1}$ . Then, we have

$$X_m = \begin{bmatrix} X_{m(1)} & \mathbf{0} \\ X_{(2)} \Lambda_2 & \rho X_{(2)} \end{bmatrix}. \quad (44)$$

Furthermore, we compute,

$$\left\{ \begin{array}{l} \sum_{n=1}^N \lambda_{mn} X_m^\top E X_n^{-1} X_m = \text{diag} \left\{ \sum_{n=1}^N \lambda_{mn} X_{m(1)}^\top X_{n(1)}^{-1} X_{m(1)}, \mathbf{0} \right\}, \\ \begin{bmatrix} \bar{A}_s & \bar{B}_{1s} \Sigma_m \bar{K}_i \\ \bar{C}_s & -\mathbf{I} \end{bmatrix} \begin{bmatrix} X_{m(1)} & \mathbf{0} \\ X_{(2)} \Lambda_2 & \rho X_{(2)} \end{bmatrix} := \begin{bmatrix} \bar{A}_s X_{m(1)} + \bar{B}_{1s} \Sigma_m \bar{K}_i \Lambda_2 & \rho \bar{B}_{1s} \Sigma_m \bar{K}_i \\ \bar{C}_s X_{m(1)} - X_{(2)} \Lambda_2 & -\rho X_{(2)} \end{bmatrix}, \\ \begin{bmatrix} L_s & B_{2s} \Sigma_m \bar{K}_i \end{bmatrix} \begin{bmatrix} X_{m(1)} & \mathbf{0} \\ X_{(2)} \Lambda_2 & \rho X_{(2)} \end{bmatrix} := \begin{bmatrix} L_s X_{m(1)} + B_{2s} \Sigma_m \bar{K}_i \Lambda_2 & \rho B_{2s} \Sigma_m \bar{K}_i \end{bmatrix}, \\ Q_i \Lambda_1 X_m = \begin{bmatrix} Q_i X_{m(1)} & \mathbf{0} \end{bmatrix}, \bar{K}_i := K_i X_{(2)}, \\ \bar{A}_s := A_s + \Delta A_s, \bar{B}_{1s} := B_{1s} + \Delta B_{1s}, \bar{C}_s := C_s + \Delta C_s. \end{array} \right. \quad (45)$$

Now, substituting the matrices defined in (45) into (43), and by Schur complement, together with the consideration of the parametric uncertainties shown in (2)-(3), one can readily re-organize the LHS of inequality (43) as

$$\text{LHS}(43) = \begin{bmatrix} \tilde{\Theta}_{is,m} + \text{Sym}\{\tilde{U}_s \Delta_s(t) \tilde{V}_{is,m}\} & \hat{\Lambda}_3^\top X_{m(1)} \Pi \\ * & -\mathcal{X}_m \end{bmatrix}, \quad (46)$$

where

$$\left\{ \begin{array}{l} \tilde{U}_s := \begin{bmatrix} \mathbf{0}_{k_1 \times (n_z + n_w)} & \begin{bmatrix} U_{1s}^\top & \mathbf{0}_{k_1 \times n_y} \\ \mathbf{0}_{k_1 \times n_x} & U_{2s}^\top \end{bmatrix} & \mathbf{0}_{k_1 \times n_y} \\ \mathbf{0}_{k_1 \times (n_z + n_w)} & \begin{bmatrix} \mathbf{0}_{k_1 \times n_x} & U_{2s}^\top \end{bmatrix} & \mathbf{0}_{k_1 \times n_y} \end{bmatrix}, \\ \tilde{V}_{is,m} := \begin{bmatrix} \mathbf{0}_{k_2 \times (n_z + n_w)} & \begin{bmatrix} \tilde{Y}_{is,m} & \rho V_{2s} \Sigma_m \bar{K}_i \end{bmatrix} & \bar{\eta}_i V_{3s} q_i^\top \\ \mathbf{0}_{k_2 \times (n_z + n_w)} & \begin{bmatrix} V_{1s} X_{m(1)} & \mathbf{0} \end{bmatrix} & \mathbf{0}_{k_2 \times n_y} \end{bmatrix}, \\ \tilde{Y}_{is,m} := V_{1s} X_{m(1)} + V_{2s} \Sigma_m \bar{K}_i \Lambda_2 + \bar{\eta}_i V_{3s} a_s^\top + \frac{1}{2} \bar{\eta}_i V_{3s} V_{3s}^\top \Delta_s^\top(t) U_{1s}^\top, \\ \tilde{\Theta}_{is,m} := \begin{bmatrix} -\gamma^2 \mathbf{I} & \mathbf{0} & \mathcal{D}_s^\top & \mathbf{0} \\ * & -\mathbf{I} & \mathbb{C}_{is,m} & \mathbf{0} \\ * & * & \tilde{\Gamma}_{is,m} & \mathbb{X}_{is,m} \\ * & * & * & -\bar{\eta}_i (\mathbf{I} - q_i q_i^\top) \end{bmatrix}, \\ \tilde{\Gamma}_{is,m} := \text{Sym}\{\mathbb{A}_{is,m}\} + \text{diag}\{\lambda_{mm} X_{m(1)}, \mathbf{0}\}, \\ \bar{\eta}_i := \eta_i^{-1}, \end{array} \right. \quad (47)$$

and matrices  $\mathbb{A}_{is,m}$ ,  $\mathbb{C}_{is,m}$ ,  $\mathcal{D}_s$ ,  $\mathbb{X}_{is,m}$ ,  $\Lambda_2$ ,  $\hat{\Lambda}_3$ ,  $\Pi$ , and  $\mathcal{X}_m$  are defined in (33).

Hence, introducing two groups of scalar parameters  $\epsilon_{1i} > 0$  and  $\epsilon_{2i} > 0$ ,  $i \in \mathcal{I}_1$ , and the application of Lemma 2 to eliminate the parametric uncertainties in (46), it is easy to conclude that (32) implies (43).

On the other hand,  $\text{Sym}\{-X_{(2)}\} < 0$  is indicated by the condition (32), which further means that  $X_{(2)}$  is nonsingular. Therefore, the controller gains can be calculated by (34). This completes the proof.

**Remark 3.1.** Theorem 1 presents a reliable  $\mathcal{H}_\infty$  SOF controller synthesis condition for FA systems with Markov-type actuator failure. Notice that no transformations are performed to the input/output matrices and no structural constraints are pushed on the mode-dependent Markovian Lyapunov matrices  $X_{m(1)}$ ,  $m \in \mathcal{I}$ , which show the advantages of the singular system-based approach.

## 4 Simulation Studies

**Example** Consider a T-S FA dynamic system in (1), which is composed of three local models. The system matrices are followed with

$$\left[ \begin{array}{c|c|c|c} A_1 & B_{11} & D_{11} & a_1 \\ \hline C_1 & & D_{21} & \\ \hline L_1 & B_{21} & & \end{array} \right] = \left[ \begin{array}{cc|cc|c} 1.2 & 3 & 1.5 & 0 & 0 \\ 1 & -2 & 0.02 & 0.5 & 0 \\ \hline 1 & 0 & & 0.5 & \\ \hline 0 & 1 & 0.5 & & \end{array} \right],$$

$$\begin{bmatrix} A_2 & B_{12} & D_{12} & a_2 \\ C_2 & & D_{22} & \\ L_2 & B_{22} & & \end{bmatrix} = \begin{bmatrix} 1 & -1.3 & 1.5 & 0 & 0 \\ -0.1 & -0.7 & 0.02 & 0.5 & 0.6 \\ 1 & 0 & & 0.5 & \\ 0 & 1 & 0.5 & & \end{bmatrix},$$

$$\begin{bmatrix} A_3 & B_{13} & D_{13} & a_3 \\ C_3 & & D_{23} & \\ L_3 & B_{23} & & \end{bmatrix} = \begin{bmatrix} 1 & 2 & 1.5 & 0 & 0 \\ -1 & -0.1 & 0.02 & 0.5 & -0.6 \\ 1 & 0 & & 0.5 & \\ 0 & 1 & 0.5 & & \end{bmatrix},$$

and the parametric uncertainties are given by (2) with

$$\begin{bmatrix} U_{1l}^\top & U_{2l} & V_{1l} & V_{2l} & V_{3l} & V_{4l} \\ 0 & 0.1 & 0.1 & 0.2 & 0 & 0.1 & 0.1 & 0.1 & 0.2 \end{bmatrix}, l = 1, 2, 3.$$




Figure 1: Membership functions

The membership functions are depicted in Figure 1. Considering the space partition that is defined in the previous section, we attain the following three subspaces  $\mathcal{S}_1 := \{x \in \mathbb{R}^2 \mid -d_2 \leq x_2 \leq -d_1\}$ ,  $\mathcal{S}_2 := \{x \in \mathbb{R}^2 \mid -d_1 \leq x_2 \leq d_1\}$ ,  $\mathcal{S}_3 := \{x \in \mathbb{R}^2 \mid d_1 \leq x_2 \leq d_2\}$ , where  $d_1$  and  $d_2$  are selected to be  $d_1 = 5$  and  $d_2 = 30$ , respectively. Here the three ellipsoid subspaces can be exactly characterized by

$$\mathcal{E}_i := \{x \in \mathbb{R}^2 \mid \|Q_i x + q_i\| \leq 1\}, i = 1, 2, 3$$

with

$$\begin{aligned} Q_1 &= \begin{bmatrix} \frac{2}{d_2-d_1} & 0 \end{bmatrix}, q_1 = \frac{d_2+d_1}{d_2-d_1}, \\ Q_2 &= \begin{bmatrix} \frac{1}{d_1} & 0 \end{bmatrix}, q_2 = 0, \\ Q_3 &= \begin{bmatrix} \frac{2}{d_2-d_1} & 0 \end{bmatrix}, q_3 = \frac{d_2+d_1}{d_1-d_2}. \end{aligned}$$

From the subspaces shown in Figure 1, we have  $\mathcal{S} = \{1, 2, 3\}$ ,  $\mathcal{S}(1) = \{1, 2\}$ ,  $\mathcal{S}(2) = \{1\}$ ,  $\mathcal{S}(3) = \{1, 3\}$ . It can be easily inspected that  $\mathcal{S}_2$  is a crisp subspace, and  $\mathcal{S}_1$  and  $\mathcal{S}_3$  are fuzzy subspaces. Assume that there may exist actuator faults with 50% reduction in signal strength. Then, we obtain that  $\mathcal{I} = \{1, 2\}$ ,  $\Sigma_1 = 1$ , and  $\Sigma_2 = 0.5$ . The actuator fault rates are supposed to be  $\lambda_{11} = -0.5$ ,  $\lambda_{12} = 0.5$ ,  $\lambda_{21} = 10$ , and  $\lambda_{22} = -10$ .

The purpose hereof is to synthesize a reliable piecewise controller (13) guaranteeing the stochastic stability of the corresponding closed-loop system (16), and with an  $\mathcal{H}_\infty$  performance  $\gamma$  under actuator faults. *It is found that the schemes developed in [22, 34, 35] are not applicable for the controller design of this class of FA systems.* However, resorting to Theorem 1 with  $\rho = 0.3$ , leads to desired solutions

for the reliable controllers with  $\mathcal{H}_\infty$  performance index  $\gamma_{\min} = 2.1057$ , and the controller parameters are computed as,

$$[ K_1 \mid K_2 \mid K_3 ] = [ -5.4026 \mid -5.2392 \mid -5.3855 ] .$$




Figure 2: State trajectories of the closed-loop fuzzy system

To show the effectiveness of the obtained results, simulations will be performed with some initial conditions. Specifically, let the initial condition  $x(0) = [ -3 \ 2.5 ]^\top$ , and choose the disturbance input  $w(t) = 2e^{-0.01t} \sin(\pi t)$ ,  $\Delta_l(t) = \sin(\pi t)$ ,  $l = 1, 2, 3$ . Figure 2 shows the state responses of the closed-loop system under the actuator fault transition information  $r(t)$ , and Figure 3 depicts the time response of the ratio  $\sqrt{\int_0^{T_f} z^\top(t)z(t)dt} / \sqrt{\int_0^{T_f} w^\top(t)w(t)dt}$ , which is obviously less than the calculated minimal performance index 2.1057. It is obvious from the state trajectories that, despite the actuator-faults existing in the operation of the underlying system, the synthesized reliable SOF controller can stabilize the above fuzzy system with satisfactory performance.




Figure 3: Response of the ratio  $\sqrt{\int_0^{T_f} z^\top(t)z(t)dt} / \sqrt{\int_0^{T_f} w^\top(t)w(t)dt}$

## 5 Conclusions

This paper has addressed the problem of reliable  $\mathcal{H}_\infty$  SOF control for nonlinear systems with actuator faults. The T-S FA model has been applied to approximate the nonlinear plant, and the Markov process has been employed to characterize the actuator-fault behaviors. In particular, by utilizing a system augmentation approach, the initial constructed closed-loop system has been firstly reformulated into the singular FA system. On the basis of an MLF, the robust performance analysis condition for the underlying singular system has been then derived, and furthermore the reliable SOF controller synthesis has been presented. It has been shown that by invoking the redundancy properties induced by the descriptor formulation, together with some convexifying techniques, the desired reliable controller can be attained. Lastly, simulation examples have verified the effectiveness of the proposed design method.

## 6 Acknowledgement

The authors are grateful to the Editor-in-Chief, the Associate Editor, and anonymous reviewers for their constructive comments based on which the presentation of this paper has been greatly improved.

## References

- [1] M. Sugeno, *Industrial Applications of Fuzzy Control*. New York: Elsevier, 1985.
- [2] T. Takagi and M. Sugeno, "Fuzzy identification of systems and its application to modeling and control," *IEEE Transactions on Systems, Man, and Cybernetics*, vol. SMC-15, no. 1, pp. 116–132, Jan. 1985.
- [3] K. Tanaka and M. Sano, "A robust stabilization problem of fuzzy control systems and its applications to backing up control of a truck-trailer," *IEEE Transactions on Fuzzy Systems*, vol. 2, no. 2, pp. 119–134, May 1994.
- [4] Y. Wei, J. Qiu, H. K. Lam, and L. Wu, "Approaches to T-S fuzzy-affine-model-based reliable output feedback control for nonlinear Ito stochastic systems," *IEEE Transactions on Fuzzy Systems*, doi: 10.1109/TFUZZ.2016.2566810.
- [5] Y. Wei, J. Qiu, P. Shi, and H. K. Lam, "A new design of H-infinity piecewise filtering for discrete-time nonlinear time-varying delay systems via T-S fuzzy affine models," *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, doi: 10.1109/TSMC.2016.2598785.
- [6] J. Qiu, Y. Wei, and L. Wu, "Reliable control of piecewise affine systems with actuator faults: A piecewise Lyapunov approach," *IEEE Transactions on Circuits and Systems II: Express Briefs*, 10.1109/TCSII.2016.2629663.
- [7] L. Li, S. X. Ding, J. Qiu, Y. Yang, and Y. Zhang, "Weighted fuzzy observer-based fault detection approach for discrete-time nonlinear systems via piecewise-fuzzy Lyapunov functions," *IEEE Transactions on Fuzzy Systems*, doi: 10.1109/TFUZZ.2016.2514371, 2016.
- [8] L. Li, S. X. Ding, J. Qiu, Y. Yang, and D. Xu, "Fuzzy observer-based fault detection design approach for nonlinear processes," *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, doi: 10.1109/TSMC.2016.2576453, 2016.
- [9] Y. Wei, J. Qiu, and H. K. Lam, "A novel approach to reliable output feedback control of fuzzy-affine systems with time-delays and sensor faults," *IEEE Transactions on Fuzzy Systems*, doi: 10.1109/TFUZZ.2016.2633323.

- [10] Y. Wei, J. Qiu, P. Shi, and M. Chadli, “Fixed-order memory piecewise-affine output feedback controller for fuzzy-affine-model-based nonlinear systems with time-varying delay,” *IEEE Transactions on Circuits and Systems I: Regular Papers*, doi: 10.1109/TCSI.2016.2632718.
- [11] Y. Wei, J. Qiu, and H. R. Karimi, “Reliable output feedback control of discrete-time fuzzy affine systems with actuator faults,” *IEEE Transactions on Circuits and Systems I: Regular Papers*, doi: 10.1109/TCSI.2016.2605685.
- [12] Y. Shi, F. Ding, and T. Chen, “2-norm based recursive design of transmultiplexers with designable filter length,” *Circuits, Systems & Signal Processing*, vol. 25, no. 4, pp. 447–462, Aug. 2006.
- [13] Y. Shi, J. Huang, and B. Yu, “Robust tracking control of networked control systems: Application to a networked DC motor,” *IEEE Transactions on Industrial Electronics*, vol. 60, no. 12, pp. 5864–5874, Dec. 2013.
- [14] M. Liu, Y. Shi, and F. Fang, “Load forecasting and operation strategy design for CCHP systems using forecasted loads,” *IEEE Transactions on Control Systems Technology*, vol. 23, no. 5, pp. 1672–1684, May 2015.
- [15] M. Liu, Y. Shi, and H. Gao, “Aggregation and charging control of PHEVs in smart grid: A cyber-physical perspective,” *Proceedings of the IEEE*, vol. 104, no. 5, pp. 1071–1085, May 2016.
- [16] H. Zhang, Y. Shi, and M. Liu, “ $\mathcal{H}_\infty$  step tracking control for networked discrete-time nonlinear systems with integral and predictive actions,” *IEEE Transactions on Industrial Informatics*, vol. 9, no. 1, pp. 337–345, Feb. 2013.
- [17] T. Tanaka and H. O. Wang, *Fuzzy Control Systems Design and Analysis: A Linear Matrix Inequality Approach*. New York: Wiley, 2001.
- [18] G. Feng, *Analysis and Synthesis of Fuzzy Control Systems-A Model Based Approach*. Boca Raton, FL: CRC, 2010.
- [19] H. D. Tuan, P. Apkarian, T. Narikiyo, and Y. Yamamoto, “Parameterized linear matrix inequality techniques in fuzzy control system design,” *IEEE Transactions on Fuzzy Systems*, vol. 9, no. 2, pp. 324–332, Apr. 2001.
- [20] H. K. Lam, “Polynomial fuzzy-model-based control systems: stability analysis via piecewise-linear membership functions,” *IEEE Transactions on Fuzzy Systems*, vol. 19, no. 3, pp. 588–593, Jun. 2011.
- [21] H. K. Lam and S. H. Tsai, “Stability analysis of polynomial-fuzzy-model-based control systems with mismatched premise membership functions,” *IEEE Transactions on Fuzzy Systems*, vol. 22, no. 1, pp. 223–229, Feb. 2014.
- [22] S. K. Nguang and P. Shi, “ $\mathcal{H}_\infty$  fuzzy output feedback control design for nonlinear systems: An LMI approach,” *IEEE Transactions on Fuzzy Systems*, vol. 11, no. 6, pp. 331–340, Jun. 2003.
- [23] M. Johansson, A. Rantzer, and K.-E. Årzén, “Piecewise quadratic stability of fuzzy systems,” *IEEE Transactions on Fuzzy Systems*, vol. 7, no. 6, pp. 713–722, Dec. 1999.
- [24] D. J. Choi and P. Park, “ $\mathcal{H}_\infty$  state-feedback controller design for discrete-time fuzzy systems using fuzzy weighting-dependent Lyapunov functions,” *IEEE Transactions on Fuzzy Systems*, vol. 11, no. 2, pp. 271–278, Apr. 2003.
- [25] G. Feng, “Stability analysis of discrete-time fuzzy dynamic systems based on piecewise Lyapunov functions,” *IEEE Transactions on Fuzzy Systems*, vol. 12, no. 1, pp. 22–28, Feb. 2004.

- [26] L. Wang and G. Feng, "Piecewise  $\mathcal{H}_\infty$  controller design of discrete time fuzzy systems," *IEEE Transactions on Systems, Man, and Cybernetics-Part B: Cybernetics*, vol. 34, no. 1, pp. 682–686, Feb. 2004.
- [27] T. M. Guerra and L. Vermeiren, "LMI-based relaxed nonquadratic stabilization conditions for nonlinear systems in the Takagi-Sugeno's form," *Automatica*, vol. 40, no. 5, pp. 823–829, May 2004.
- [28] Y. Liu and S. M. Lee, "Stability and stabilization of Takagi-Sugeno fuzzy systems via sampled-data and state quantized controller," *IEEE Transactions on Fuzzy Systems*, vol. 24, no. 3, pp. 635–644, Jun. 2016.
- [29] A. Kruszewski, R. Wang, and T. M. Guerra, "Nonquadratic stabilization conditions for a class of uncertain nonlinear discrete-time T-S fuzzy models: a new approach," *IEEE Transactions on Automatic Control*, vol. 53, no. 2, pp. 606–611, Mar. 2008.
- [30] J. Huang, Y. Shi, and X. Zhang, "Active fault tolerant control systems by the semi-Markov model approach," *International Journal of Adaptive Control and Signal Processing*, vol. 28, no. 9, pp. 833–847, Sep. 2014.
- [31] H. Wu and H. Y. Zhang, "Reliable  $\mathcal{H}_\infty$  fuzzy control for continuous-time nonlinear systems with actuator failures," *IEEE Transactions on Fuzzy Systems*, vol. 14, no. 5, pp. 609–618, Oct. 2006.
- [32] H. Wu, "Reliable robust  $\mathcal{H}_\infty$  fuzzy control for uncertain nonlinear systems with Markovian jumping actuator faults," *Journal of Dynamic Systems, Measurement, and Control*, vol. 129, no. 3, pp. 252–261, Oct. 2007.
- [33] H. Gassara, A. El Hajjaji, and M. Chaabane, "Observer-based robust  $\mathcal{H}_\infty$  reliable control for uncertain T-S fuzzy systems with state time delay," *IEEE Transactions on Fuzzy Systems*, vol. 18, no. 6, pp. 1027–1040, Dec. 2010.
- [34] J. Qiu, G. Feng, and H. Gao, "Fuzzy-model-based piecewise  $\mathcal{H}_\infty$  static-output-feedback controller design for networked nonlinear systems," *IEEE Transactions on Fuzzy Systems*, vol. 18, no. 5, pp. 919–934, Oct. 2010.
- [35] S. W. Kau, H. J. Lee, C. M. Yang, C. H. Lee, L. Hong, and C. H. Fang, "Robust  $\mathcal{H}_\infty$  fuzzy static output feedback control of T-S fuzzy systems with parametric uncertainties," *Fuzzy Sets and Systems*, vol. 158, no. 2, pp. 135–146, Jan. 2007.
- [36] Z. Shu and J. Lam, "An augmented system approach to static output feedback stabilization with  $\mathcal{H}_\infty$  performance for continuous-time plants," *International Journal of Robust and Nonlinear Control*, vol. 19, no. 7, pp. 768–785, May 2009.
- [37] J. Qiu, G. Feng, and H. Gao, "Observer-based piecewise affine output feedback controller synthesis of continuous-time T-S fuzzy affine dynamic systems using quantized measurements," *IEEE Transactions on Fuzzy Systems*, vol. 20, no. 6, pp. 1046–1062, Dec. 2012.