King's Research Portal

DOI:

[10.1017/S0033291716000234](https://doi.org/10.1017/S0033291716000234)

Document Version

Peer reviewed version

[Link to publication record in King's Research Portal](#)

Citation for published version (APA):

Nath, S., Russell, G., Kuyken, W., Psychogiou, L., & Ford, T. (2016). Does father-child conflict mediate the association between fathers' postnatal depressive symptoms and children's adjustment problems at 7 years old? *Psychological Medicine*. <https://doi.org/10.1017/S0033291716000234>

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Title: Does father-child conflict mediate the association between fathers' postnatal depressive symptoms and children's adjustment problems at 7 years old?

Selina Nath^{1,4}, Ginny Russell², Willem Kuyken³, Lamprini Psychogiou¹, Tamsin Ford²

¹ Mood Disorders Centre University of Exeter, Exeter, UK

² Institute of Health Research, University of Exeter Medical School, Exeter, UK

³ University Department of Psychiatry, University of Oxford, Warneford Hospital, Oxford, UK

⁴ Institute of Psychiatry, Psychology & Neuroscience, King's College London, De Crespigny Park, London, UK

Word count: 5,531

Correspondence: Selina Nath, Institute of Psychiatry, Psychology & Neuroscience (IOPPN), King's College London, De Crespigny Park, London, UK; Email: selina.nath@kcl.ac.uk ; Telephone Number: 020 7848 0739

Financial support: This research received no specific grant from any funding agency, commercial or not-for-profit sectors.

Background: Paternal depressive symptoms are associated with children's emotional and behavioural problems, which may be mediated by negative parenting. But there is no research on the influence of paternal depressive symptoms on children's emotion regulation and limited literature investigating fathers' parenting as a mediator in the pathway between paternal depressive symptoms and children's externalising and internalising problems. We aimed to investigate the mediating role of father-child conflict (at 3 years) in the association between postnatal paternal depressive symptoms (at 9-months) and children's emotional and behavioural (at 7 years) (aim 1). We also examined whether mediation pathways were more pronounced for boys or for girls (aim 2).

Methods: Secondary data analysis was conducted on the Millennium Cohort Study, when children were 9-months, 3-years and 7-years-old (n=3,520). Main study variables were measured by self-report questionnaires. Fathers completed the Rutter Scale (depressive symptoms) and the parent-child relationship questionnaire (father-child conflict), while mothers completed the Strengths and Difficulties questionnaire and the Social behaviour questionnaire (child emotional and behavioural problems, emotion regulation). We used structural equation modelling to estimate direct, indirect and total effects of paternal depressive symptoms on child outcomes, mediated by father-child conflict whilst adjusting for relevant covariates (maternal depressive symptoms, child temperament, marital conflict, and socio-economic factors such as poverty indicator and fathers' education level). Multi-group and interaction analysis was then conducted to determine the differential effect by gender of the association between paternal depressive symptoms on child outcomes via father-child conflict.

Results: Father-child conflict mediated the association between paternal depressive symptoms and emotion regulation problems (SIE – CI: -0.03 - -0.01, $p < 0.001$; STE–CI: -0.03 - -0.01, $p < 0.05$) (aim 1). Father-child conflict mediated a larger proportion of the effect in boys (SIE CI: -0.03- -0.01, $p < 0.001$, STE–CI: -0.05- -0.00, $p = 0.063$) than it did in girls (SIE–CI: -0.02- -0.01, $p < 0.001$, STE–CI: -0.04 - 0.01, $p = 0.216$) (aim 2).

Conclusions: Father-child conflict may mediate the association between postnatal paternal depressive symptoms and children's emotion regulation problems. Paternal depressive symptoms and father-child conflict resolution may be potential targets in preventative interventions.

Key words: Paternal depressive symptoms, parenting, father-child conflict, behavioural problems, emotion regulation.

Introduction

Postnatal depressive symptoms in fathers are associated with behavioural and emotional problems in children (Davé *et al.*, 2008, Fletcher *et al.*, 2011, Ramchandani *et al.*, 2005, Ramchandani *et al.*, 2008b), but there is limited understanding about the underlying mechanisms that explain these associations. Childhood behavioural and emotional problems are associated with poor outcomes during adulthood, including academic underachievement, psychiatric problems, relationship difficulties, substance abuse and dependency on services (Caspi *et al.*, 1996, Fergusson *et al.*, 2005). This causes considerable burden on public services and has huge costs on society (Scott *et al.*, 2001, Snell *et al.*, 2013). Improved understanding of how paternal depressive symptoms influence children's behavioural and emotional outcomes during childhood may improve theoretical understanding about the transmission of risk from parents to children and might provide targets for interventions involving fathers (Garfield, 2015, Ramchandani and Murphy, 2013).

Using longitudinal data from the Millennium Cohort Study (MCS), Malmberg and Flouri (2011) found that paternal depressive symptoms at 9 months old predicted behavioural problems in children when they were 3 years old via lower overall quality (lower warmth and higher conflict) in father-child relationship. Using another large cohort study (Longitudinal Study of Australian Children: LSAC study), Giallo *et al.* (2014b) reported that paternal depressive symptoms during infancy were associated with children's emotional and behavioural problems at 4-5 years old, and the association was mediated via increased hostile parenting. Child gender did not appear to moderate this association. In both studies, fathers' parenting and children's outcomes were measured at the same time-point, therefore causality cannot be assumed. Finally, a study of fathers with children aged 5-9 years old found inconsistent discipline practices mediated the association between paternal depressive symptoms and their sons' hyperactivity, but not their daughters' (Dette-Hagenmeyer and Reichle, 2014).

Although there was a longitudinal element to this study, paternal depressive symptoms and parenting were measured simultaneously and the measure of child outcomes was collected 6-months later, making the analysis almost cross-sectional.

Evidence suggests that poor emotion regulation in children may be associated with increased externalising and internalising behavioural problems (Eisenberg *et al.*, 2010). Difficulty with regulating anger and impulsivity (under-regulation) has been linked with externalising problems, whereas inability to control cognition and attention (over-regulation involved in rumination and negative bias) have been associated with internalising

problems (Gross, 1998). Studies have also focused on the effects of maternal depression on children's emotion regulation, and have reported that children of depressed mothers have poorer emotion regulation compared to children of non-depressed mothers (Silk *et al.*, 2006). This may be due to the environmental influence of depressed mothers' inability to parent sensitively or children modelling mothers' maladaptive emotion regulation strategies (Eisenberg *et al.*, 2001, Hoffman *et al.*, 2006). Although there have been studies on the importance of fathers to the development of emotion regulation among children (Cabrera *et al.*, 2007, Kiel and Kalomiris, 2015, Wilson *et al.*, 2014), to our knowledge there are no studies that examine the association between paternal depressive symptoms and children's emotion regulation.

There are some studies that provide evidence for the potential mechanisms by which paternal depressive symptoms may influence children's emotional and behavioural problems. One hypothesis proposes that paternal depressive symptoms may influence children's development via fathers' impaired parenting (Ramchandani and Psychogiou, 2009). Depression in parents has been associated with negative parent-child interactions (Psychogiou and Parry, 2014, Sethna *et al.*, 2015) and a meta-analysis of 28 studies reported paternal depressive symptoms to be associated with increased negative (intrusive, hostile, harsh, controlling, and critical) and decreased positive parenting behaviours (sensitive responding, accepting, warm, affectionate, and supporting) towards children (Wilson and Durbin, 2010). One study found that fathers' disengaged parenting when their infants were 3-months old predicted externalising problems at 1 year in their sons, but not daughters (Ramchandani *et al.*, 2013). Another meta-analysis consisting of 6 studies reported that father-child conflict mediated the association between paternal depressive symptoms and children's emotional problems (Kane and Garber, 2004). However, the studies in this meta-analysis included children with a wide age range (from 3 to 14 years) and most studies were cross-sectional. To infer mediation, it is necessary to study the exposure of paternal depressive symptoms, fathers' parenting and children's outcomes longitudinally (Selig and Preacher, 2009). Thus, the variables need to be measured at different time-points. Additionally, given that there were only 6 studies on father-child conflict, mediation requires further investigation.

Although studies have found a link between paternal depressive symptoms and children's behavioural and emotional problems (Davé *et al.*, 2008, Ramchandani *et al.*, 2005, Ramchandani *et al.*, 2008b), there are mixed findings about the influence of paternal depressive symptoms regarding child gender-specific pathways of risk transmission. Postnatal depressive symptoms in fathers 8 weeks after child birth were associated with children's

psychopathology at 3 and 7 years old in the UK Avon Longitudinal Study of Parents and Children (ALSPAC) (Ramchandani *et al.*, 2005, Ramchandani *et al.*, 2008b); sons of fathers with high depressive symptoms were reported to display more conduct problems compared to daughters. In contrast, findings from the LSAC suggested that the daughters of fathers with high depressive symptoms in the first post-natal year were more likely to have emotional and conduct problems when they were 4-5 years old, whereas sons were more likely to exhibit hyperactivity problems and lower levels of prosocial behaviour (Fletcher *et al.*, 2011). Exploring gender-specific pathways may help explain the possible father to child transmission of risk which may subsequently enable us to identify whether girls and/or boys are more vulnerable to their fathers' depressive symptoms. This could influence the content and direction of interventions with depressed fathers.

[Insert Figure 1 here]

This study aims to address these gaps in the current literature using a large representative sample of fathers from the MCS in the UK. The primary objective is to test the proposed model (Figure 1) and investigate whether father-child conflict mediates the association between paternal depressive symptoms and children's emotional and behavioural outcomes. The exposure of paternal depressive symptoms during infancy has been identified as a potential sensitive period where paternal depressive symptoms may influence children's later outcomes (Ramchandani *et al.*, 2008a). The mediator variable father-child conflict was measured at 3 years old during the preschool year when fathers' become more involved in parenting their children (Bruce and Fox, 1999, Grossmann *et al.*, 2002, MacDonald and Parke, 1986). Previous literature has associated father-child conflict with paternal depression and negative outcomes in children (Kane and Garber, 2004, 2009). Additionally, using the MCS dataset, a recent study found an association between paternal depressive symptoms and father-child conflict, but not father-child warmth or fathers' involvement in parenting activities, suggesting that father-child conflict may be an important construct that is influenced by paternal depressive symptoms (Nath *et al.*, 2015). Children's outcomes were measured at 7 years old. This is a developmentally challenging period as children learn new behaviour and emotion management skills and problems with adjustment at this age predict poor outcomes in adulthood (Fergusson *et al.*, 2005, Pianta *et al.*, 1995). Given that maternal depression, marital conflict, child temperament, child gender, and family socio-economic status may be associated with fathers' depressive symptoms, parenting and children's emotional and behavioural outcomes (Flouri *et al.*, 2014,

Goodman, 2004, Gutierrez-Galve *et al.*, 2015, Hanington *et al.*, 2012, Hanington *et al.*, 2010, Kiernan and Huerta, 2008, Malmberg and Flouri, 2011), we controlled for these factors in our models. Our secondary objective was to test the moderating influence of child gender on any potential associations. We predicted that higher father-child conflict at 3 years old would mediate the association between higher paternal depressive symptoms at 9-months old and children's increased behavioural-emotional outcomes at 7 years. We expected that child gender would moderate this mediation, but did not expect a specific direction given the mixed literature.

Methods

Participants

This secondary data analysis was conducted using the first (S1), second (S2) and forth (S4) sweeps of the Millennium Cohort Study (MCS), when children were 9 months, 3 years and 7 years old. The MCS is a large-scale survey of infants (n=19,519) born in four constituent countries of the United Kingdom (Dex and Joshi, 2005). The sample design allowed for over-representation of families living in areas with high rates of child poverty or high proportions of ethnic minorities in England and the three smaller countries in the UK (Northern Ireland, Wales, and Scotland). Full details of the survey, objectives, content of survey and sampling strategy can be found in the documentation attached to the data deposited with the UK Data Archive and elsewhere (Hansen, 2014, Plewis and Ketende, 2006). MCS had informed consent from participants and ethical approval (Hansen, 2012). Our work was a secondary analysis of anonymised data that is publically available on the website (<http://discover.ukdataservice.ac.uk/series/>) requiring no direct contact with the individual participants, so further ethical approval was not required.

The first wave (S1) of data was collected from 2001-2002 on 18,533 families, with a total of 18,819 infants aged between 9-11 months. The same sample were then invited to follow-up with 15,590 families in the second wave (S2) when the children were approximately 3 years old and 13,857 in the fourth wave (S4) when children were approximately 7 years old.

The MCS collected data from main respondents (usually mothers) and partner respondents (fathers, step fathers, same sex partners). For the current study, the sample was limited to biological fathers (partner respondents) and mothers (main respondents). Fathers who were main respondents were excluded to simplify analysis as main and partner questions were not identical. Part-time resident and step-fathers were also excluded due to insufficient numbers. A small sample of twins and triplets were excluded to avoid the need to include an extra level of analysis that would have accounted for intra-family variability. Thus, only one child per family (the first cohort member) was studied. See Figure 2 for details of eligibility, sample size at each stage and final sample used for main analysis.

[Insert Figure 2 here]

Measures

Paternal depressive symptoms

Rutter's 9-item Malaise Inventory (S1 – 9 months old) was used as an indicator for depressive symptoms in S1 completed by fathers (Dex and Joshi, 2004, Rutter *et al.*, 1970). This is the shortened version of the Rutter's 24-item Malaise Inventory self-completion questionnaire measuring psychological distress (Bartley *et al.*, 2004, Johnson, 2012, Rutter *et al.*, 1970). The 9-item short form included items “feel tired most of the time”, “feel miserable or depressed”, “worried about things”, “often get into a violent rang”, “suddenly become scared for no good reason”, “easily upset or irritated”, “constantly keyed up and jittery”, “every little thing gets on nerves and wears you out”, and “heart race like mad”. Scores from these were summed to create a continuous scale. This scale has been used in previous studies as an indicator of depressive symptoms (Kiernan and Huerta, 2008, Malmberg and Flouri, 2011). Using Cronbach's alpha (α) coefficient the internal consistency of the scale was 0.75 for mothers and 0.71 for fathers which is similar to previous validation studies on the scale (Rodgers *et al.*, 1999). The original scale has also shown acceptable validity (Area Under the Curve (AUC) = 0.74 with mental health problems , AUC = 0.77 with psychiatric diagnosis, AUC = 0.87 with depression) (Rodgers *et al.*, 1999).

Fathers' parenting: Father-child conflict

Fathers' parenting was measured using The Child-Parent Relationship Scale reported by fathers (CPRS; Short form, (Johnson, 2012, Pianta and Steinberg, 1992). In this study, father-child conflict refers to the communication and relationship between the parent and the child which is measured by 8 self-report items on a

5-point Likert scale (ranging from 1=definitely does not apply to 5= definitely applies). All items were summed to create a continuous scale. Items include “child and I always seem to be struggling with each other”, “child uncomfortable with physical affection or touch by me”, “child easily becomes angry with me”, “child remains angry/resistant after discipline”, “dealing with my child drains my energy”, “when child wakes up in bad mood, I know we’re in for a long and difficult day”, “child’s feelings towards me can be unpredictable or change suddenly” and “child is sneaky or manipulative with me”. This scale has been used by other studies as an indicator of parenting (Kiernan and Huerta, 2008, Mensah and Kiernan, 2011, Nath *et al.*, 2015) and the items originate from attachment theory, Attachment Q-set and literature on parent-child relationships to form a subscale looking at negative approach towards father-child relationship (conflict). Higher scores on the scale indicated higher conflict in relationship. Fathers’ reports are comparable to mothers’ reports and have been validated against observational data on parent-child interactions which has shown conflict ratings on the CPRS to correlate with observational coding of hostility (Driscoll and Pianta, 2011). The scale had adequate internal consistency ($\alpha=0.73$).

Child behavioural and emotional problem

The Strengths and Difficulties Questionnaire (SDQ; (Goodman, 2001)) completed by mothers was used to assess child emotional and behavioural problems (S4, 7 years old). The SDQ is validated for children aged 3-16 years old and was developed as a clinical tool to identify psychopathology. There are 25 items in total consisting of five continuous subscales: emotional symptoms, conduct problems, hyperactivity, peer problems and prosocial behaviour. The scores for each subscale range between 0-10. All sub-scales were used in the analysis. Higher scores indicate greater problems on the emotional, conduct, hyperactivity, and peer problems, whereas higher scores on the prosocial scale indicated more prosocial behaviour. The internal consistencies from the MCS were: conduct problems $\alpha= 0.55$, emotional problems $\alpha=0.68$, hyperactivity $\alpha= 0.78$, peer problems $\alpha=0.59$ and prosocial $\alpha=0.71$. These are similar to internal consistencies reported in other studies using non-clinical samples of children (Muris *et al.*, 2003, Niclasen *et al.*, 2012). The scale has also been reported to have sufficient validity against diagnostics of DSM-IV disorders (specificity=96%, sensitivity=49%) (Goodman, 2001) and Child Behaviour Checklist (CBCL; $r=0.76$) (Stone *et al.*, 2010).

Child emotion regulation

The MCS team selected items from the Child Social Behaviour Questionnaire (CSBQ) (Hogan *et al.*, 1992, Johnson, 2012) that were completed by mothers and used to generate three continuous sub-scales; 1) self-regulation defined as children's ability to adapt to situations independently, 2) emotion dysregulation defined as children's inability to deal with difficult/frustrating situations, and 3) cooperation defined as children's ability to cooperate with others. The self-regulation and the reverse of emotion dysregulation scales were significantly correlated ($r=0.32$, $p<0.001$) and were summed to create an emotion regulation scale for the analysis. The cooperation subscale was not used because it does not belong to the emotion regulation construct. Higher scores on the emotion regulation scale indicated more adaptive emotion regulation. The internal consistency of the scale was $\alpha=0.72$. This scale devised by the MCS team has been used in other studies to measure emotion regulation (Flouri *et al.*, 2014).

Family context covariates

Maternal depressive symptoms (S1- 9 month) were measured using the Rutter Malaise Inventory as above (Dex and Joshi, 2004, Johnson, 2012, Rutter *et al.*, 1970). Children's temperament (S1- 9 months) was measured with mothers' reports on the Carey Infant Temperament Scale (Carey and McDevitt, 1978). Fourteen items from the original scale were selected by the MCS team to measure regularity (4 items), approach withdrawal (3 items), adaptability (2 items) and mood (5 items), and has also been used in other studies as an indicator of child temperament (Flouri and Malmberg, 2012, Kiernan and Huerta, 2008). Items were on a 5-point scale (almost never, rarely, usually does not, often, almost always). All scores were on a continuous scale ranging from (14 – 70) consisting of the total score of all items. Higher scores indicated easier infant temperament and lower scores indicated more difficult temperament. The internal consistency of the scale was $\alpha=0.66$. Marital conflict (S1- 9 months) was measured using the modified version of the Golombok Rust Inventory of Relationship State (Rust *et al.*, 1990). The original 28-item questionnaire had high content validity and reliability of Cronbach's alpha = 0.91 (men) and 0.87 (women). The MCS selected seven items at S1 and S2, and three items at S4 (Johnson, 2012). These were summed to create continuous scales where higher scores indicate higher levels of relationship conflict.

Socioeconomic Status (SES)

Households were classed as living in poverty if their income was equal to or less than 60% of the median household income for the UK (dichotomous scale), the definition of poverty set by the UK government

(Ketende and Joshi, 2008). Paternal education was reported by fathers and was categorised into two groups: no qualification or school level, degree and higher degree (NVQ level or equivalent, undergraduate and post-graduate degree).

Statistical analysis

Structural Equation Modelling (SEM) using Stata for Windows version 13 was used to test the mediation model illustrated in Figure 1, i.e., whether ‘father-child conflict’ (3 years) mediated the association between ‘paternal depressive symptoms’ (9 months) and ‘child outcomes’ at 7 years old (conduct problems, emotional problems, hyperactivity, peer problems, prosocial and emotion regulation). The model estimated standardised direct, indirect and total effects, as well as adjusting for a number of relevant covariates (maternal depressive symptoms, marital conflict, child temperament, child gender and SES) (model 1). Outcomes that were significantly associated with paternal depressive symptoms in model 1 were taken forward into a multi-group SEM analysis. This investigated whether child gender moderated the associations between ‘paternal depressive symptoms’ and ‘child outcomes’ mediated by ‘father-child conflict’ while controlling for maternal depressive symptoms, marital conflict, child temperament and SES (model 2). The SEM mediation model was run again using interaction terms to further investigate whether gender interacted with the exposure or mediator to influence the outcome child variables while controlling for maternal depressive symptoms, marital conflict, child temperament and SES (model 3). Finally, we further controlled for marital conflict in subsequent sweeps to increase the validity of any associations found in model 3 (model 4).

As the sample was stratified, sampling weights were used in all analyses to adjust for the disproportionate number of participants from ethnic minority and low socio-economic status backgrounds initially recruited into the sample at S1. Weights aimed to return the sample to the structure of the UK population and also to account for the effect of attrition and multi-stage cluster sampling strategy used by the MCS. The use of the weights is recommended by the MCS team and available with the dataset. Missing data were not analysed. Only data with complete cases on variables of interest across time-points were included in the analysis. In order to check that the results in the ‘complete cases’ model were robust to the effects of attrition, missing data were imputed from all variables included in the analysis. A sensitivity analysis was conducted to check that results were broadly replicated when missing data were imputed.

Results

Descriptive statistics

Table 1 shows descriptive statistics for the study main measures (exposure, mediator and outcomes). Logistic regression analyses were used to test for gender differences. Compared to boys, girls had lower odds of conflict with their fathers (OR: 0.99, 95% CI: 0.98-0.98, $p=0.011$), conduct problems (OR: 0.84, 95% CI: 0.80-0.87, $p<0.001$), hyperactivity (OR: 0.85, 95% CI: 0.83-0.88, $p<0.001$), and peer problems (OR: 0.92, 95% CI: 0.89-0.96, $p<0.001$), but higher odds of prosocial problems (OR: 1.25, 95% CI: 1.21-1.30, $p<0.001$) and adaptive emotion regulation (OR: 1.54, 95% CI: 1.41-1.68, $p<0.001$). There was no significant associations between child gender and fathers depressive symptoms (OR: 0.98, 95% CI: 0.95-1.01, $p=1.135$) or child emotional problems (OR: 1.03, 95% CI: 0.99-1.07, $p=0.100$).

The predictor (paternal depressive symptoms), mediator (father-child conflict) and outcomes (child emotional and behavioural problems) were significantly correlated, a necessary requirement for mediation to occur (Table 2).

[Insert Table 1 here]

[Insert Table 2 here]

Attrition and missingness

Attrition (i.e. fathers who did not take part in Sweeps 2 (3 years) and 4 (7 years)), and missingness (i.e fathers who did not provide complete answers to survey questions) were associated with low socio-demographic factors (Table 3). Fathers had a higher odds of dropping out by both follow-up sweeps if they were below the 60% median of the poverty indicator (S2 –OR: 3.14, 95% CI: 2.63-3.74, $p<0.001$; S4 - OR: 2.31, 95% CI: 1.96-2.72, $p<0.001$) and had lower odds if they were educated (S2 –OR: 0.45 , 95% CI: 0.35–0.50, $p<0.001$; S4 - OR: 0.63, 95% CI: 0.53-0.75, $p<0.001$). Fathers with higher depressive symptoms also had higher odds of dropping out (S2 –OR: 1.08, 95% CI: 1.06-1.11, $p<0.001$; S4 - OR: 1.07, 95% CI: 1.04-1.10, $p<0.001$).

[Insert Table 3 here]

Covariates

All family and socio-economic covariates that were associated with higher paternal depressive symptoms, father-child conflict and child outcome, and therefore were controlled for in the analysis models (See online supplementary tables 1 and 2).

Mediation model

Table 4 (Model 1) shows that after adjusting for relevant covariates (maternal depressive symptoms, child temperament, marital conflict, child gender and family SES), higher father-child conflict mediated the association between high paternal depressive symptoms at 9-months and children's increased conduct problems, and emotion dysregulation at age 7 years old. The estimated total effects of paternal depressive symptoms on children's emotional, hyperactivity, prosocial behaviour and peer problems were not significant and therefore were not taken forward into model 2. Table 4 shows the coefficients for each outcome (Model 1).

[Insert Table 4 here]

Moderation by gender

Model 2 tested for child gender moderator effects (Table 4). This model included significant outcomes from model 1 (conduct problems and emotion regulation) and also adjusted for maternal depressive symptoms, marital conflict, child temperament and SES. Higher father-child conflict mediated the association between higher paternal depressive symptoms and boys increased conduct problems (Table 4, Model 2). This association was also marginally significant for emotion regulation. No significant effects were found for girls, which suggest that paternal depressive symptoms may have an effect via conflict on conduct and emotion regulation problems in their sons but not in their daughters.

After testing for interaction effects (Model 3), high father-child conflict still significantly mediated the association between higher post-natal paternal depressive symptoms and boys' conduct problems and emotion regulation. Table 4 (Model 3) shows the standardised coefficients for each outcome according to gender interaction with the exposure paternal depressive symptoms and mediator father-child conflict. For conduct problems, child gender interacted with both paternal depressive symptoms and father-child conflict while for

emotion regulation, child gender interacted significantly with father-child conflict. After further adjusting the model for marital conflict at all time-points (table 5, model 4), higher father-child conflict still significantly mediated the association between high post-natal paternal depressive symptoms and emotion regulation, but the association between paternal depressive symptoms and child conduct problems became non-significant. In this model, child gender interacted significantly with father-child conflict, but not paternal depressive symptoms in the association between paternal depressive symptoms and child emotion regulation. The model fit statistics show that model 4 is the best fit. The final overall model (model 4) explained 59% of the variance ($R^2=0.59$).

Sensitivity analysis

The sensitivity analysis using imputed data replicated the findings in the main analysis in that all effects remained significant. In fact, significant findings increased in the main analysis model 1 (see online supplementary table 3). Therefore, this suggests that we have underestimated the effects of paternal depressive symptoms on children's emotional and behavioural problems via father-child conflict; therefore further analysis was not undertaken using the imputed datasets on models 2, 3 and 4.

Discussion

As hypothesised, higher paternal depressive symptoms at 9 months were significantly associated with children's emotion regulation at 7 years old, via higher father-child conflict when children were 3 years old. Thus, depressive symptoms in fathers may influence their mood. Therefore these fathers may struggle with conflict resolution with their toddlers and this negative interaction may later impact on their children's emotional development during early school years. These findings extend previous studies investigating the association between paternal depressive symptoms, fathers' parenting and children's emotional and behavioural problems (Dette-Hagenmeyer and Reichle, 2014, Giallo *et al.*, 2014b, Kane and Garber, 2009, Malmberg and Flouri, 2011, Ramchandani *et al.*, 2005, Ramchandani *et al.*, 2008b) and add to literature by using longitudinal data from key time points. This study is also the first to our knowledge that has investigated the association between paternal depressive symptoms and children's emotion regulation. Our findings also extend the literature by adding that father-child conflict may mediate this association path. Furthermore, we found that gender had an interaction effect with father-child conflict and not fathers' depressive symptoms. These findings suggest that father-child conflict may be an important factor that could be targeted to reduce emotional and behavioural

problems in sons of fathers suffering from depression. Our findings that boys with poorer emotion regulation abilities had higher externalising problems is also in line with previous research (Eisenberg *et al.*, 2010).

Parental socialisation provides an environmental explanation for our findings (Eisenberg *et al.*, 2001). Previous studies have shown that maternal depression negatively impacts on their daughters' emotion regulation abilities but not sons' (Silk *et al.*, 2006). As emotion regulation abilities are learnt from socialisation with parents during early development, these results may indicate that same-gendered parents have a greater influence on their children in this process (Eisenberg *et al.*, 2001). Compared to mothers, fathers have been reported to respond more harshly and provide less support towards their son's emotional expressions, which according to role model theory may subsequently be imitated by boys (Brody and Hall, 2008, Brown *et al.*, 2015, Chaplin *et al.*, 2005, Fischer, 2000, Sanders *et al.*, 2015). This may cause conflict interactions between fathers and their sons, which may lead to emotional and behavioural problems (Kane and Garber, 2004, 2009). An alternative explanation is that our findings could be due to genetic heritability or an interplay between gene-environment (Natsuaki *et al.*, 2014, Ramchandani and Psychogiou, 2009). Sons of depressed fathers could be genetically predisposed to developing depressive symptoms and also exposed to the family environmental factors associated with paternal depressive symptoms (Gutierrez-Galve *et al.*, 2015, Rutter, 2009, Rutter *et al.*, 1997), which may increase father-child conflict and child emotional problems. However, more research is needed to support both of these explanations. As the current study could not control for genetic influences, this is something that could be addressed by future research.

We also found that higher paternal depressive symptoms at 9 months were significantly associated with children's conduct problems at 7 years old, via higher father-child conflict when children were 3 years old after controlling for maternal depressive symptoms, child temperament, and family SES which was in line with previous literature (Ramchandani *et al.*, 2005, Ramchandani *et al.*, 2013, Ramchandani *et al.*, 2008b). However, after further controlling for marital conflict at all time-points, the overall associations between paternal depressive symptoms and child conduct problems became non-significant. One explanation for this could be that marital conflict may have a stronger influence on children's behavioural problems (Braithwaite *et al.*, 2015, Hanington *et al.*, 2012) compared to paternal depressive symptoms (predictor variable). Additionally, marital conflict and father-child conflict (mediator variable) are closely related variables that may jointly be influencing the association between paternal depressive symptoms and child outcomes within the model (Cummings and

Miller-Graff, 2015, Margolin *et al.*, 2001). Therefore, future studies should aim to differentiate and disentangle the effects of different conflictual relationships within the family in relation to child adjustment, perhaps with observational rather than self-report measures.

The current study has a number of strengths. First, the MCS is a unique dataset with a large representative sample of UK fathers (Hansen, 2014, Plewis and Ketende, 2006). Second, the MCS collected a large number of measures on mothers, fathers and children, most of which were well validated and reliable and we tested children's outcomes longitudinally (Johnson, 2012). Third, our findings are further strengthened by child outcomes being reported from mothers, decreasing any variances produced by same informant reporter bias of predictors and outcomes. Finally, the MCS (like other cohort datasets) is subjected to attrition and missing data. However, research indicates that even when dropouts are taken into account, regression models with large cohort studies are still robust (Wolke *et al.*, 2009). In addition, our analysis accounted for attrition/missing data by utilising sampling weights recommended by the MCS team (Ketende and Jones, 2011). This increased the representativeness and accounted for missing data/attrition rates that might have influenced or biased the results. We further conducted a sensitivity analysis using multiple imputation, a statistical method used in recent years to account for attrition in cohort studies (Niarchou *et al.*, 2015, Sterne *et al.*, 2009). This replicated our main finding, and if anything suggests that we have underestimated the effects.

There were also some limitations. Firstly, we lacked data on clinical diagnoses of depressive episodes using interview methods, which might argue would be more informative. Parenting was also measured using self-reports, which might not be accurate due to biased reporting of positive parenting and inter-association with fathers reporting high depressive symptoms and higher conflict parenting. Parenting is often measured using observational methods of parent-child interactions (Aspland and Gardner, 2003). However, in both cases conducting studies using observational and interview methods with such a large sample size would be expensive, time-consuming, and impractical. Thus, the study of the influence of depressive symptoms is useful as results can later be tested experimentally using smaller clinical samples. Secondly, the coefficient effect sizes of the associations were small. Previous studies investigating mediation effects using large cohort studies have also reported small effect sizes of maternal and paternal depressive symptoms on child outcomes (Giallo *et al.*, 2014a, Giallo *et al.*, 2014b, Malmberg and Flouri, 2011). Given that the MCS consisted of a normal population of fathers, clinically relevant high levels of depressive symptoms would have been underestimated due to the

likelihood of depressed fathers being less motivated to participate and therefore might have resulted in small effect sizes. A smaller scale study consisting of a clinical sample of depressed fathers may yield larger effect sizes. This is something for future studies to investigate. However, given the huge challenges with recruiting depressed fathers to participate in research with their children (Garber *et al.*, 2011, Pilowsky *et al.*, 2014, Sherr *et al.*, 2006), the findings from large cohort studies such as the MCS offers useful insight into the possible associations in this field of limited literature (Fagan, 2014, Niarchou *et al.*, 2015). These findings, if replicated with a clinical population, could suggest targets for development of clinical interventions.

We also assumed causal direction due to the data originating at different time points across the child's life. We are assuming linear relationships when in fact the interrelationships between parental mental health, parenting and children's development is likely to be complex and these factors may amplify and feedback on each other. Therefore, our findings need to be replicated experimentally to draw firm conclusion about causal direction. This could only be done in by using treatment trials for paternal depression which provide an opportunity to see if father-child conflict and child emotional/behavioural problems are reduced among fathers who respond compared to those who do not respond to treatment.

Finally, we acknowledge that there are more statistically advance techniques for testing mediation using Cross-Lagged Panel Modelling (CLPM) and Latent Growth Mediation (LGM) Modelling (Selig and Preacher, 2009). These techniques account for autoregressive controls, reverse causality and trends (slopes and intercepts) between associations (Cole and Maxwell, 2003, Maxwell and Cole, 2007, Maxwell *et al.*, 2011). These methods have been used to investigate moderation and mediation in maternal depression, mothers' parenting and children's behavioural outcomes (Beauchaine *et al.*, 2005, Belsky *et al.*, 2007, Eisenberg *et al.*, 2005). However, these statistical techniques require all variables to be available at all time-points (Selig and Preacher, 2009), which was not the case in the MCS, restricting the analysis method we could utilise. Specifically with regards to our research question, it would be important to investigate family context factors that may change over time such as maternal and paternal depressive symptoms. Thus, future research work could expand the statistical analysis of this paper by using longitudinal multivariate analysis with more statistically advanced techniques to build on the findings of this paper once appropriate samples are available.

Despite some of the limitations, the findings of this study add to theoretical understanding of indirect effects of fathers' postnatal depressive symptoms to their children's outcomes. Postnatal paternal depressive symptoms were associated with boys' emotion regulation problems at 7 years old via higher father-child conflict at 3 years old. This association still remained significant after accounting for maternal depressive symptoms, child temperament, SES and marital conflict (at all time points). There are some specific implications that can be taken from the current study to inform parenting interventions. For example, parenting interventions could help with managing conflict parent-child relationships between depressed parents and their children. This may have potential to break the intergenerational transmission of risk. Parenting interventions involving fathers have been found to lessen behavioural problems in children mainly due to the change in fathers' parenting (Wilson *et al.*, 2014), therefore involving depressed fathers in such interventions maybe beneficial. Like maternal depression, studies have shown paternal depression to have a cost on public health care services (Edoka *et al.*, 2011), but intervention programs are still primarily targeted at mothers (Panter-Brick *et al.*, 2014). In light of our findings we would encourage more research with fathers and involvement of fathers in parenting programs of depressed parents.

Required statements

Acknowledgements: We would like to thank the Millennium Cohort Study families and Millennium Cohort Study team at the Centre of Longitudinal Studies, Institute of Education, London, United Kingdom for the use of these data and to the UK Data Archive and Economic and Social Data Service for making them available.

Conflict of interest statement: None

Ethical standards: The authors assert that all procedures contributing to this work comply with ethical standards of the relevant national and institutional committees on human experimentation. More specifically, the Millennium Cohort Study had informed consent from participants and ethical approval. Our work was a secondary analysis of anonymised data that is publically available on the website (<http://discover.ukdataservice.ac.uk/series/>) requiring no direct contact with the individual participants, so further ethical approval was not required.

Contribution of each author statement:

Dr Selina Nath: Conception and design, data analysis, interpretation of data, write-up of article, revising it critically for important intellectual content and final approval of the version to be published.

Dr Ginny Russell: Conception and design, provided guidance with data analysis, interpretation of data and analysis, revising it critically for important intellectual content and final approval of the version to be published.

Prof Willem Kuyken: Interpretation of data and analysis, revising it critically for important intellectual content and final approval of the version to be published.

Dr Lamprini Psychogiou: Conception and design, interpretation of data and analysis, revising it critically for important intellectual content and final approval of the version to be published.

Prof Tamsin Ford: Conception and design, interpretation of data and analysis, revising it critically for important intellectual content and final approval of the version to be published.

References

- Aspland, H. & Gardner, F.** (2003). Observational measures of parent-child interaction: An introductory review. *Child and Adolescent Mental Health* **8**, 136-143.
- Bartley, M., Kelly, Y., Schoon, I. & Hope, S. eds.** (2004). *Parent health*. Institute of Education, University of London
- Beauchaine, T. P., Webster-Stratton, C. & Reid, M. J.** (2005). Mediators, moderators, and predictors of 1-year outcomes among children treated for early-onset conduct problems: a latent growth curve analysis. *Journal of consulting and clinical psychology* **73**, 371.
- Belsky, J., Pasco Fearon, R. & Bell, B.** (2007). Parenting, attention and externalizing problems: Testing mediation longitudinally, repeatedly and reciprocally. *Journal of Child Psychology and Psychiatry* **48**, 1233-1242.
- Braithwaite, S., Steele, E., Spjut, K., Dowdle, K. & Harper, J.** (2015). Parent–Child Connectedness Mediates the Association Between Marital Conflict and Children’s Internalizing/Externalizing Outcomes. *Journal of Child and Family Studies* **24**, 3690-3699.
- Brody, L. R. & Hall, J. A.** (2008). Gender and emotion in context. In *Handbook of emotions*, pp. 395-408.
- Brown, G. L., Craig, A. B. & Halberstadt, A. G.** (2015). Parent Gender Differences in Emotion Socialization Behaviors Vary by Ethnicity and Child Gender. *Parenting* **15**, 135-157.
- Bruce, C. & Fox, G. L.** (1999). Accounting for patterns of father involvement: age of child, father-child coresidence, and father role salience. *Sociological Inquiry* **69**, 458-476.
- Cabrera, N. J., Shannon, J. D. & Tamis-LeMonda, C.** (2007). Fathers' influence on their children's cognitive and emotional development: From toddlers to pre-K. *Applied Development Science* **11**, 208-213.
- Carey, W. B. & McDevitt, S. C.** (1978). Revision of the infant temperament questionnaire. *Pediatrics* **61**, 735-739.
- Caspi, A., Moffitt, T. E., Newman, D. L. & Silva, P. A.** (1996). Behavioral observations at age 3 years predict adult psychiatric disorders: Longitudinal evidence from a birth cohort. *Archives of General Psychiatry* **53**, 1033-1039.
- Chaplin, T. M., Cole, P. M. & Zahn-Waxler, C.** (2005). Parental socialization of emotion expression: gender differences and relations to child adjustment. *Emotion* **5**, 80-88.
- Cole, D. A. & Maxwell, S. E.** (2003). Testing mediational models with longitudinal data: questions and tips in the use of structural equation modeling. *Journal of abnormal psychology* **112**, 558-577.
- Cummings, E. M. & Miller-Graff, L. E.** (2015). Emotional Security Theory An Emerging Theoretical Model for Youths’ Psychological and Physiological Responses Across Multiple Developmental Contexts. *Current Directions in Psychological Science* **24**, 208-213.
- Davé, S., Sherr, L., Senior, R. & Nazareth, I.** (2008). Associations between paternal depression and behaviour problems in children of 4–6 years. *European child & adolescent psychiatry* **17**, 306-315.
- Dette-Hagenmeyer, D. E. & Reichle, B.** (2014). Parents' depressive symptoms and children's adjustment over time are mediated by parenting, but differentially for fathers and mothers. *European Journal of Developmental Psychology* **11**, 196-210.
- Dex, S. & Joshi, H.** (2004). Millennium Cohort Study First Survey: a user's guide to initial findings. (ed. I. o. E. Centre for Longitudinal studies, University of London).
- Dex, S. & Joshi, H.** (2005). Children of the 21st century: from birth to nine months (Vol.1). (ed. T. P. Press).
- Driscoll, K. & Pianta, R. C.** (2011). Mothers' and fathers' perceptions of conflict and closeness in parent-child relationships during early childhood. *Journal of Early Childhood and Infant Psychology* **7**, 1-37.
- Edoka, I. P., Petrou, S. & Ramchandani, P. G.** (2011). Healthcare costs of paternal depression in the postnatal period. *Journal of Affective Disorders* **133**, 356-360.

Eisenberg, N., Losoya, S., Fabes, R. A., Guthrie, I. K., Reiser, M., Murphy, B., Shepard, S. A., Poulin, R. & Padgett, S. J. (2001). Parental socialization of children's dysregulated expression of emotion and externalizing problems. *Journal of family Psychology* **15**, 183-205.

Eisenberg, N., Spinrad, T. L. & Eggum, N. D. (2010). Emotion-related self-regulation and its relation to children's maladjustment. *Annual review of clinical psychology* **6**, 495-525.

Eisenberg, N., Zhou, Q., Spinrad, T. L., Valiente, C., Fabes, R. A. & Liew, J. (2005). Relations among positive parenting, children's effortful control, and externalizing problems: A three-wave longitudinal study. *Child development* **76**, 1055-1071.

Fagan, J. (2014). A Review of How Researchers Have Used Theory to Address Research Questions About Fathers in Three Large Data Sets. *Journal of Family Theory & Review* **6**, 374-389.

Fergusson, D. M., John Horwood, L. & Ridder, E. M. (2005). Show me the child at seven: the consequences of conduct problems in childhood for psychosocial functioning in adulthood. *Journal of child psychology and psychiatry* **46**, 837-849.

Fischer, A. (2000). *Gender and emotion: Social psychological perspectives*. Cambridge University Press.

Fletcher, R. J., Feeman, E., Garfield, C. & Vimpani, G. (2011). The effects of early paternal depression on children's development. *Medical Journal of Australia* **195**, 685-689.

Flouri, E. & Malmberg, L.-E. (2012). Father involvement, family poverty and adversity, and young children's behaviour in intact two-parent families. *Longitudinal and Life Course Studies* **3**, 254-267.

Flouri, E., Midouhas, E. & Joshi, H. (2014). Family Poverty and Trajectories of Children's Emotional and Behavioural Problems: The Moderating Roles of Self-Regulation and Verbal Cognitive Ability. *Journal of abnormal child psychology* **42**, 1043-1056.

Garber, J., Ciesla, J. A., McCauley, E., Diamond, G. & Schloedt, K. A. (2011). Remission of depression in parents: links to healthy functioning in their children. *Child development* **82**, 226-243.

Garfield, C. F. (2015). Supporting Fatherhood Before and After It Happens. *Pediatrics* **135**, e528-e530.

Giallo, R., Cooklin, A., Wade, C., D'Esposito, F. & Nicholson, J. (2014a). Maternal postnatal mental health and later emotional-behavioural development of children: the mediating role of parenting behaviour. *Child: care, health and development* **40**, 327-336.

Giallo, R., Cooklin, A., Wade, C., D'Esposito, F. & Nicholson, J. M. (2014b). Fathers' Postnatal Mental Health and Child Well-Being at Age Five The Mediating Role of Parenting Behavior. *Journal of Family Issues* **35**, 1543-1562.

Goodman, J. H. (2004). Paternal postpartum depression, its relationship to maternal postpartum depression, and implications for family health. *Journal of advanced nursing* **45**, 26-35.

Goodman, R. (2001). Psychometric properties of the strengths and difficulties questionnaire. *Journal of the American Academy of Child & Adolescent Psychiatry* **40**, 1337-1345.

Gross, J. (1998). Psychometric properties of the strengths and difficulties questionnaire *Review of general psychology* **2**, 271-299.

Grossmann, K., Grossmann, K. E., Fremmer-Bombik, E., Kindler, H. & Scheuerer-Englisch, H. (2002). The uniqueness of the child-father attachment relationship: Fathers' sensitive and challenging play as a pivotal variable in a 16-year longitudinal study. *Social development* **11**, 301-337.

Gutierrez-Galve, L., Stein, A., Hanington, L., Heron, J. & Ramchandani, P. (2015). Paternal depression in the postnatal period and child development: mediators and moderators. *Pediatrics* **135**, e339-e347.

Hanington, L., Heron, J., Stein, A. & Ramchandani, P. (2012). Parental depression and child outcomes – is marital conflict the missing link? *Child: Care, Health and Development* **38**, 520-529.

Hanington, L., Ramchandani, P. & Stein, A. (2010). Parental depression and child temperament: Assessing child to parent effects in a longitudinal population study. *Infant Behavior and Development* **33**, 88-95.

Hansen, K. (2012). *Mellennium Cohort Study first, second, third and fourth survey: a guide to the datasets* (7th edition). . London, Centre for Longitudinal Studies, Institie of Education

- Hansen, K.** (2014). Millennium Cohort Study first, second, third, fourth and fifth surveys: a guide to the datasets (7th edition). Centre for Longitudinal Studies: Institute of Education, University of London: London.
- Hoffman, C., Crnic, K. A. & Baker, J. K.** (2006). Maternal depression and parenting: Implications for children's emergent emotion regulation and behavioral functioning. *Parenting: Science and Practice* **6**, 271-295.
- Hogan, A. E., Scott, K. G. & Bauer, C. R.** (1992). The Adaptive Social Behavior Inventory (ASBI): A new assessment of social competence in high-risk three-year-olds. *Journal of Psychoeducational Assessment* **10**, 230-239.
- Johnson, J.** (2012). Millennium Cohort Study: Psychological, developmental and health inventories. . Centre for Longitudinal studies, Institute of Education, University of London: London.
- Kane, P. & Garber, J.** (2004). The relations among depression in fathers, children's psychopathology, and father-child conflict: A meta-analysis. *Clinical psychology review* **24**, 339-360.
- Kane, P. & Garber, J.** (2009). Parental depression and child externalizing and internalizing symptoms: Unique effects of fathers' symptoms and perceived conflict as a mediator. *Journal of Child and Family Studies* **18**, 465-472.
- Ketende, S. & Joshi, H.** (2008). Income and poverty. In Millennium Cohort Study, third survey: a user's guide to initial findings. (ed. K. Hasan and H. Joshi): London, Centre for Longitudinal Studies, Institute of Education.
- Ketende, S. C. & Jones, E. M.** (2011). Millennium Cohort Study: user guide to analysing MCS data using STATA. . Centre for Longitudinal Studies, Institute of Education: London.
- Kiel, E. J. & Kalomiris, A. E.** (2015). Current themes in understanding children's emotion regulation as developing from within the parent-child relationship. *Current opinion in psychology* **3**, 11-16.
- Kiernan, K. E. & Huerta, M. C.** (2008). Economic deprivation, maternal depression, parenting and children's cognitive and emotional development in early childhood. *The British journal of sociology* **59**, 783-806.
- MacDonald, K. & Parke, R. D.** (1986). Parent-child physical play: The effects of sex and age of children and parents. *Sex roles* **15**, 367-378.
- Malmberg, L. & Flouri, E.** (2011). The comparison and interdependence of maternal and paternal influences on young children's behavior and resilience. *Journal of clinical child & adolescent psychology* **40**, 434-444.
- Margolin, G., Oliver, P. H. & Medina, A. M.** (2001). Conceptual issues in understanding the relation between interparental conflict and child adjustment: Integrating developmental psychopathology and risk/resilience perspectives.
- Maxwell, S. E. & Cole, D. A.** (2007). Bias in cross-sectional analyses of longitudinal mediation. *Psychological methods* **12**, 23-44.
- Maxwell, S. E., Cole, D. A. & Mitchell, M. A.** (2011). Bias in cross-sectional analyses of longitudinal mediation: Partial and complete mediation under an autoregressive model. *Multivariate Behavioral Research* **46**, 816-841.
- Mensah, F. & Kiernan, K.** (2011). Maternal general health and children's cognitive development and behaviour in the early years: findings from the Millennium Cohort Study. *Child: Care, Health and Development* **37**, 44-54.
- Nath, S., Russell, G., Kuyken, W., Ford, T. & Psychogiou, L.** (2015). Postnatal paternal depressive symptoms associated with fathers' subsequent parenting: Findings from the Millennium Cohort Study. *British Journal of Psychiatry In press*.
- Natsuaki, M. N., Shaw, D. S., Neiderhiser, J. M., Ganiban, J. M., Harold, G. T., Reiss, D. & Leve, L. D.** (2014). Raised by Depressed Parents: Is it an Environmental Risk? *Clinical child and family psychology review* **17**, 357-367.
- Niarchou, M., Zammit, S. & Lewis, G.** (2015). The Avon Longitudinal Study of Parents and Children (ALSPAC) birth cohort as a resource for studying psychopathology in childhood and adolescence: a

summary of findings for depression and psychosis. *Social psychiatry and psychiatric epidemiology* **50**, 1017-1027.

Panter-Brick, C., Burgess, A., Eggerman, M., McAllister, F., Pruett, K. & Leckman, J. F. (2014). Practitioner Review: Engaging fathers—recommendations for a game change in parenting interventions based on a systematic review of the global evidence. *Journal of Child Psychology and Psychiatry* **55**, 1187-1212.

Pianta, R. C. & Steinberg, M. (1992). Teacher-child relationships and the process of adjusting to school. *New Directions for Child and Adolescent Development* **1992**, 61-80.

Pianta, R. C., Steinberg, M. S. & Rollins, K. B. (1995). The first two years of school: Teacher-child relationships and deflections in children's classroom adjustment. *Development and Psychopathology* **7**, 295-312.

Pilowsky, D. J., Wickramaratne, P., Poh, E., Hernandez, M., Batten, L. A., Flament, M. F., Stewart, J. W., Blier, P. & Weissman, M. M. (2014). Psychopathology and functioning among children of treated depressed fathers and mothers. *Journal of affective disorders* **164**, 107-111.

Plewis, I. & Ketende, S. (2006). Mellenium Cohort Study: Technical report on responses (1st edition). (ed. I. o. E. Centre for Longitudinal Studies): London.

Psychogiou, L. & Parry, E. (2014). Why do depressed individuals have difficulties in their parenting role? *Psychological medicine* **44**, 1345-1347.

Ramchandani, P. & Psychogiou, L. (2009). Paternal psychiatric disorders and children's psychosocial development. *The Lancet* **374**, 646-653.

Ramchandani, P., Stein, A., Evans, J. & O'Connor, T. G. (2005). Paternal depression in the postnatal period and child development: a prospective population study. *The Lancet* **365**, 2201-2205.

Ramchandani, P. G., Domoney, J., Sethna, V., Psychogiou, L., Vlachos, H. & Murray, L. (2013). Do early father–infant interactions predict the onset of externalising behaviours in young children? Findings from a longitudinal cohort study. *Journal of Child Psychology and Psychiatry* **54**, 56-64.

Ramchandani, P. G. & Murphy, S. E. (2013). Parental depression and the challenge of preventing mental illness in children. *The British Journal of Psychiatry* **202**, 84-85.

Ramchandani, P. G., O'Connor, T. G., Evans, J., Heron, J., Murray, L. & Stein, A. (2008a). The effects of pre-and postnatal depression in fathers: a natural experiment comparing the effects of exposure to depression on offspring. *Journal of Child Psychology and Psychiatry* **49**, 1069-1078.

Ramchandani, P. G., Stein, A., O'Connor, T. G., Heron, J., Murray, L. & Evans, J. (2008b). Depression in men in the postnatal period and later child psychopathology: a population cohort study. *Journal of the American Academy of Child & Adolescent Psychiatry* **47**, 390-398.

Rodgers, B., Pickles, A., Power, C., Collishaw, S. & Maughan, B. (1999). Validity of the Malaise Inventory in general population samples. *Social psychiatry and psychiatric epidemiology* **34**, 333-341.

Rust, J., Bennun, I., Crowe, M. & Golombok, S. (1990). The GRIMS. A psychometric instrument for the assessment of marital discord. *Journal of Family Therapy* **12**, 45-57.

Rutter, M. (2009). Understanding and testing risk mechanisms for mental disorders. *Journal of Child Psychology and Psychiatry* **50**, 44-52.

Rutter, M., Dunn, J., Plomin, R., Simonoff, E., Pickles, A., Maughan, B., Ormel, J., Meyer, J. & Eaves, L. (1997). Integrating nature and nurture: Implications of person–environment correlations and interactions for developmental psychopathology. *Development and psychopathology* **9**, 335-364.

Rutter, M., Tizard, J. & Whitmore, K. (1970). *Education, health and behaviour*. Longman Publishing Group.

Sanders, W., Zeman, J., Poon, J. & Miller, R. (2015). Child regulation of negative emotions and depressive symptoms: The moderating role of parental emotion socialization. *Journal of Child and Family Studies* **24**, 402-415.

Scott, S., Knapp, M., Henderson, J. & Maughan, B. (2001). Financial cost of social exclusion: follow up study of antisocial children into adulthood. *BMJ* **323**, 191.

Selig, J. P. & Preacher, K. J. (2009). Mediation models for longitudinal data in developmental research. *Research in Human Development* **6**, 144-164.

- Sethna, V., Murray, L., Netsi, E., Psychogiou, L. & Ramchandani, P. G.** (2015). Paternal Depression in the Postnatal Period and Early Father–Infant Interactions. *Parenting* **15**, 1-8.
- Sherr, L., Davé, S., Lucas, P., Senior, R. & Nazareth, I.** (2006). A feasibility study on recruiting fathers of young children to examine the impact of paternal depression on child development. *Child psychiatry and human development* **36**, 295-309.
- Silk, J. S., Shaw, D. S., Skuban, E. M., Oland, A. A. & Kovacs, M.** (2006). Emotion regulation strategies in offspring of childhood-onset depressed mothers. *Journal of Child Psychology and Psychiatry* **47**, 69-78.
- Snell, T., Knapp, M., Healey, A., Guglani, S., Evans-Lacko, S., Fernandez, J. L., Meltzer, H. & Ford, T.** (2013). Economic impact of childhood psychiatric disorder on public sector services in Britain: estimates from national survey data. *Journal of child psychology and psychiatry* **54**, 977-985.
- Sterne, J. A., White, I. R., Carlin, J. B., Spratt, M., Royston, P., Kenward, M. G., Wood, A. M. & Carpenter, J. R.** (2009). Multiple imputation for missing data in epidemiological and clinical research: potential and pitfalls. *Bmj* **338**, b2393.
- Stone, L. L., Otten, R., Engels, R. C., Vermulst, A. A. & Janssens, J. M.** (2010). Psychometric properties of the parent and teacher versions of the strengths and difficulties questionnaire for 4-to 12-year-olds: a review. *Clinical child and family psychology review* **13**, 254-274.
- Wilson, K. R., Havighurst, S. S. & Harley, A. E.** (2014). Dads tuning in to kids: piloting a new parenting program targeting fathers' emotion coaching skills. *Journal of Community Psychology* **42**, 162-168.
- Wilson, S. & Durbin, C. E.** (2010). Effects of paternal depression on fathers' parenting behaviors: A meta-analytic review. *Clinical psychology review* **30**, 167-180.
- Wolke, D., Waylen, A., Samara, M., Steer, C., Goodman, R., Ford, T. & Lamberts, K.** (2009). Selective drop-out in longitudinal studies and non-biased prediction of behaviour disorders. *The British Journal of Psychiatry* **195**, 249-256.

Figures

Figure 1 Proposed mediation modelling showing the effect of paternal depressive symptoms on child behavioural and emotional outcomes

Figure 2: Eligibility flow chart for fathers in the sample

Tables

Table 1 Sample size, means and standard deviations of predictor, mediator and outcome variables for all children, boys and girls

Variables	All children N	All children mean (SD)	Boys N	Boys mean (SD)	Girls N	Girls mean (SD)
<i>Predictor variable</i>						
Paternal depressive symptoms(S1 9 months) ^a	12,396	1.35(1.53)	6360	1.37(1.52)	6036	1.32(1.54)
<i>Mediator variable</i>						
Father-child conflict(S2 – 3 years) ^a	7,755	18.03(5.47)	3928	18.21(5.50)	3827	17.84(5.43)
<i>Child Outcome variables (S4 – 7 years)</i>						
emotional problems SDQ ^a	5,701	1.32(1.58)	2899	1.28(1.61)	2802	1.36(1.54)

conduct problems SDQ ^a	5,705	1.13(1.34)	2900	1.28 (1.44)	2805	0.97(1.22)
hyperactivity SDQ ^a	5,698	3.01(2.39)	2898	3.43(2.47)	2800	2.57 (2.20)
peer problems SDQ ^b	5,697	0.98(1.41)	2895	1.05(1.51)	2802	0.89(1.30)
prosocial SDQ ^a	5,705	8.68(1.54)	2901	8.43(1.66)	2804	8.95(1.36)
Child emotion-regulation	5,706	4.87(0.67)	2901	4.78(0.70)	2805	4.97(0.61)

^a Higher scores indicate more severity of symptoms

^b Higher scores indicate less severity of symptoms

Table 2 Intercorrelations for predictor, mediator and outcomes used in model

Variables	Paternal depressive symptoms (S1- 9 months)	Father-child conflict (S2 – 3 years)
Paternal depressive symptoms (S1 - 9 months)		
Father-child conflict(S2)	0.24* N=7,755	
Child emotional problems SDQ(S4)	0.07 N=6,827	0.10* N= 5,701
Child conduct problems SDQ(S4)	0.10* N=6,832	0.18* N=5,705
Child hyperactivity SDQ(S4)	0.08* N=6,824	0.17* N=5,698
Child peer problems SDQ(S4)	0.08* N=6,819	0.10* N=5,697
Child prosocial SDQ(S4)	-0.04* N=6,833	-0.10* N=5,705
Child emotion-regulation(S4)	-0.10* N=6,837	-0.20* N=5,706

p<0.001=*

Table 3: Descriptive statistics of variables that predict drop-out

Predictor of drop out (S1)	Sample at 9-months (S1 – 9 months)	Sample at 3 years (S2 – 3 years)		Sample at 7 years (S4 – 7 years)	
	Initial sample	Remained in sample	Dropped out	Remained in sample	Dropped out
	n	n	n	n	n
Paternal depressive symptoms	12,396	9,604	2,792	6,933	2,671
Rutter scale scores: Mean (SD)	1.35 (1.53)	1.30 (1.50)	1.50 (1.69)	1.26 (1.47)	1.41 (1.58)
Socio-economic factors					
Fathers' education (%)	12,386	9,598	2,788	6,930	2,668
None	19	16	28	14	22
School level or higher	81	84	73	86	78
Fathers household poverty indicator (%)	12,364	9,587	2,777	6,922	2,665
Above 60% median	78	81	65	85	72
Below 60% median	22	19	35	15	28

Table 4 Adjusted mediation models showing the effect of paternal depressive symptoms at 9 months on children's behavioural and emotional development at 7 years via father-child conflict at 3 years old

Model	Model 1 ^a		Model 2 ^b				Model 3 ^c					
Outcome	All children		Boys		Girls		All children		Gender x paternal depressive symptoms		Gender x father-child conflict	
	Paternal depressive symptoms mediated via father-conflict						Paternal depressive symptoms mediated via father-conflict, and accounting for child gender interaction effects					
	Coef ^d	P	Coef ^d	P	Coef ^d	P	Coef ^d	P	Coef ^d	P	Coef ^d	P
	(95% CI)		(95% CI)		(95% CI)		(95% CI)		(95% CI)		(95% CI)	
SDQ												
Emotional problems												
Direct	-0.00	0.988										
	(-0.04 - 0.04)											
Indirect	0.03	<0.001										
	(0.02 - 0.04)											

Total	0.03 (-0.01 - 0.07)	0.182										
Conduct problems												
Direct	0.00 (-0.04 - 0.04)	0.952	0.02 (-0.04 - 0.08)	0.473	-0.02 (-0.06 - 0.02)	0.354	0.03 (-0.03 - 0.08)	0.366	-0.05 (-0.12- 0.02)	0.192	0.00 (-0.01 - 0.02)	0.803
Indirect	0.03 (0.02 - 0.04)	<0.001	0.04 (0.02- 0.05)	<0.001	0.03 (0.02 - 0.04)	<0.001	0.04 (0.02- 0.05)	<0.001	-0.04 (0.05 - -0.02)	<0.001	0.04 (0.03 - 0.05)	<0.001
Total	0.04 (0.00- 0.07)	0.041	0.06 (0.00 - 0.11)	0.043	0.01 (-0.03- 0.05)	0.640	0.06 (0.01 - 0.12)	0.020	-0.09 (-0.16 - -0.02)	0.017	0.04 (0.03 - 0.05)	<0.001
Hyperactivity/ inattention												
Direct	-0.00 (-0.04 - 0.04)	0.968										
Indirect	0.05 (0.03 - 0.06)	<0.001										
Total	0.05 (-0.01 - 0.11)	0.125										
Peer problems												
Direct	0.00 (-0.04 - 0.05)	0.866										
Indirect	0.02	<0.001										

		(0.01 - 0.02)										
Total	0.02	0.352										
	(-0.02 - 0.06)											
Prosocial												
Direct	0.04	0.071										
	(-0.00 - 0.08)											
Indirect	-0.02	<0.001										
	(-0.02 - -0.01)											
Total	0.02	0.289										
	(-0.02- 0.06)											
Emotion regulation												
Direct	-0.01	0.680	-0.00	0.862	-0.00	0.882	-0.01	0.567	0.01	0.653	0.01	0.160
	(-0.04 - 0.03)		(-0.03 - 0.02)		(-0.03 - 0.02)		(-0.03 - 0.02)		(-0.03 - 0.04)		(-0.00 - 0.01)	
Indirect	-0.02	<0.001	-0.02	<0.001	-0.01	<0.001	-0.02	<0.001	0.02	<0.001	-0.02	<0.001
	(-0.02- -0.01)		(-0.03 - -0.01)		(-0.02 - -0.01)		(-0.03- -0.01)		(0.01 - 0.03)		(-0.03 - -0.02)	
Total	-0.02	0.010	-0.02	0.063	-0.01	0.216	-0.03	0.011	0.03	0.062	-0.02	<0.001
	(-0.03 - -0.00)		(-0.05 - 0.00)		(-0.04 - 0.01)		(-0.05 - -0.01)		(-0.00 - 0.06)		(-0.02 - -0.01)	
Equation-												
level	0.32		0.17		0.15		0.57					
goodness of												
fit												

R²

Model fit:	0.114	0.068	0.052
Standardize			
d Root			
Mean			
Square			
Residual			
(SRMR)			

^a Sample size was 3,514

^b Sample size was 3,520(sample size went up because from model 1 and 2, non-significant variables were not taken forward. As stata run's complete case analysis, the dropping of variables emotional problems, hyperactivity, peer problems and prosocial increased the sample size because maybe these variables had incomplete/missing data.

^c Sample size was 3,520

^d All coefficients were standardized

PM accepted for publication

Table 5 Adjusted mediation models showing the effect of paternal depressive symptoms at 9 months on children's behavioural and emotional development at 7 years via father-child conflict at 3 years old after controlling for maternal depressive symptoms, child temperament, SES (9 months) and marital conflict at all time-points.

Model		Model 4 ^a			
Outcome	All children	Gender x paternal depressive symptoms		Gender x father-child conflict	
	Paternal depressive symptoms mediated via father-child conflict, and accounting for child gender interaction effects (adjusting for marital conflict at all time-points)				
	Coef ^b (95% CI)	P	Coef ^b (95% CI)	P	Coef ^b (95% CI)
SDQ					
Conduct problems					
Direct	0.01 (-0.04 - 0.08)	0.647	-0.03 (-0.11 - 0.02)	0.343	-0.00 (-0.02 - 0.01)
Indirect	0.03 (0.02 - 0.05)	<0.001	-0.04 (0.05 - -0.02)	<0.001	0.04 (0.02 - 0.05)
Total	0.05 (-0.01 - 0.11)	0.098	-0.08 (-0.14 - 0.00)	0.057	0.04 (0.03 - 0.05)

Emotion regulation

Direct	-0.01 (-0.03 - 0.02)	0.615	0.01 (-0.03 - 0.04)	0.760	0.01 (-0.00 - 0.02)	0.150
Indirect	-0.02 (-0.03- -0.01)	<0.001	0.02 (0.01 - 0.03)	<0.001	-0.02 (-0.03 - -0.02)	<0.001
Total	-0.03 (-0.05 - -0.01)	0.040	0.02 (-0.01 - 0.06)	0.160	-0.01 (-0.02 - -0.01)	<0.001

Equation-level

goodness of fit 0.59 (59%)

R²

Model fit: 0.043

Standardized Root

Mean Square

Residual (SRMR)

^a Sample size was 3,147

^b All coefficients were standardized

Online Supplementary Tables

Online supplementary Table 1 Associations between covariates, paternal depressive symptoms (predictor) and father-child conflict (mediator)

Covariates (sweep 1)	Paternal depressive symptoms ^a		Father-child conflict ^b	
	Coef ^d (95% CI)	P	Coef ^d (95% CI)	P
Socio-economic factors				
Fathers' education		<0.001		0.435
None	Reference			
School level or higher	-0.44 (-0.53- -0.35)		-0.18 (-0.63-0.27)	
Fathers' household poverty indicator		<0.001		<0.001
Above 60% median	Reference			
Below 60% median	0.46 (0.36 0.55)		0.52 (0.13-0.31)	
Family factors				
Maternal depressive symptoms	0.17 (0.15-0.19)	<0.001	0.31 (0.22-0.40)	<0.001
Marital conflict	0.07 (0.06-0.08)	<0.001	0.15 (0.12-0.18)	<0.001
Child temperament	-0.02 (-0.02- -0.01)	<0.001	-0.07 (-0.10- -0.04)	<0.001
Child gender		0.133		<0.001
Boy	Reference			
Girl	-0.04 (-0.10 – 0.01)		-0.35 (-0.63- -0.08)	

^a Sample size ranged from 7,650-12,396

^b Sample size ranged from 4,873-7,755

Online supplementary Table 2 Associations between covariates and child outcome variables

Covariates (Sweep 1)	Emotional ^a		Conduct ^b		Hyperactivity ^c		Peer problems ^d		Prosocial ^e		Emotion regulation ^f	
	Coef ^d (95% CI)	P	Coef ^d (95% CI)	P	Coef ^d (95% CI)	P	Coef ^d (95% CI)	P	Coef ^d (95% CI)	P	Coef ^d (95% CI)	P
Socio-economic factors												
Fathers' education		<0.001		<0.001		<0.001		<0.001		0.006		<0.001
None	Reference											
School level or higher	-0.37 (-.58- 0.17)		-0.45 (-0.61- -0.28)		-0.58 (-0.82- -.32)		-0.51 (-0.68 - -0.34)		0.20 (0.06-0.34)		0.19 (0.13-0.26)	
Fathers' household poverty indicator		0.011		<0.001		<0.001		<0.001		0.278		<0.001
Above 60% median	Reference											
Below 60% median	0.20 (0.05-0.35)		0.40 (0.26-0.55)		0.53 (0.29-0.78)		0.40 (0.25-0.56)		-0.07 (-0.19- 0.05)		-0.17 (-0.22- -0.12)	
Family factors												
Maternal depressive symptoms	0.18 (0.15-0.22)	<0.001	0.17 (0.15-0.20)	<0.001	0.25 (0.20-0.29)	<0.001	0.14 (0.11-0.17)	<0.001	-0.09 (-0.11- -0.06)	<0.001	-0.08 (-0.9- -0.07)	<0.001

Marital conflict	0.04 (0.03-0.05)	<0.001	0.05 (0.04-0.06)	<0.001	0.09 (0.07-0.11)	<0.001	0.05 (0.04-0.06)	<0.001	-0.05 (0.7- -0.04)	<0.001	-0.03 (-0.03-0.02)	<0.001
Child temperament	-0.03 (-0.05- -0.02)	<0.001	-0.02 (-0.03 - -0.01)	<0.001	-0.03 (-0.05- -0.02)	<0.001	-0.01 (-0.02- -0.01)	0.001	0.04 (0.03-0.05)	<0.001	0.02 (0.01-0.02)	<0.001
Child gender		0.099		<0.001		<0.001		<0.001		<0.001		<0.001
Boy	Reference											
Girl	0.08 (-0.02-0.17)		-0.31 (-0.38- -0.24)		-0.86 (-1.01- -0.70)		-0.16 (-0.23- -0.08)		0.52 (0.45-0.60)		0.19 (0.15-0.22)	

^a Sample size ranged from 4,313-6,827

^b Sample size ranged from 4,313-6,832

^c Sample size ranged from 4,309-6,824

^d Sample size ranged from 4,306-6,819

^e Sample size ranged from 4,312-6,833

^f Sample size ranged from 4,315-6,837

Online supplementary Table 3 Adjusted mediation models (model 1) of the first five imputed datasets showing the effect of paternal depressive symptoms at 9 months on children's behavioural and emotional development at 7 years via father-child conflict at 3 years old (M=dataset number).^a

Imputed dataset (M) ^b	M1		M2		M3		M4		M5	
	Coef ^d (95% CI)	P	Coef ^d (95% CI)	P	Coef ^d (95% CI)	P	Coef ^d (95% CI)	P	Coef ^d (95% CI)	P
SDQ										
Emotional problems										
Direct	0.00 (-0.00 - 0.04)	0.085	-0.01 (-0.02 - 0.01)	0.504	-0.01 (-0.02 - 0.01)	0.519	0.01 (-0.01 - 0.03)	0.354	-0.00 (-0.02 - 0.02)	0.958
Indirect	0.02 (0.01 - 0.02)	<0.001	0.02 (0.02 - 0.03)	<0.001	0.02 (0.01 - 0.02)	<0.001	0.02 (0.01 - 0.02)	<0.001	0.02 (0.02 - 0.02)	<0.001
Total	0.03 (0.02 - 0.05)	<0.001	0.02 (-0.00 - 0.03)	0.084	0.02 (-0.02 - 0.03)	0.190	0.03 (0.01 - 0.05)	0.003	0.02 (0.00 - 0.04)	0.037
Conduct problems										
Direct	0.02 (0.00 - 0.03)	0.038	0.01 (-0.00 - 0.03)	0.098	0.00 (-0.01 - 0.02)	0.541	0.01 (-0.01 - 0.02)	0.477	0.01 (-0.01 - 0.02)	0.385
Indirect	0.03 (0.02 - 0.03)	<0.001	0.03 (0.03 - 0.03)	<0.001	0.03 (0.03 - 0.03)	<0.001	0.03 (0.03 - 0.03)	<0.001	0.03 (0.03 - 0.04)	<0.001
Total	0.04 (0.03 - 0.06)	<0.001	0.04 (0.03 - 0.06)	<0.001	0.03 (0.02 - 0.05)	<0.001	0.04 (0.02 - 0.05)	<0.001	0.04 (0.02 - 0.06)	<0.001
Hyperactivity/inattention										
Direct	0.01 (-0.02 - 0.03)	0.655	0.01 (-0.02 - 0.03)	0.651	-0.02 (-0.04 - 0.01)	0.246	0.00 (-0.02 - 0.03)	0.763	-0.00 (-0.03 - 0.02)	0.831
Indirect	0.01 (0.00 - 0.01)	<0.001	0.05 (0.04 - 0.06)	<0.001	0.05 (0.04 - 0.05)	<0.001	0.05 (0.04 - 0.06)	<0.001	0.05 (0.05 - 0.06)	<0.001
Total	0.06 (0.03 - 0.08)	<0.001	0.06 (0.03 - 0.08)	<0.001	0.03 (0.00 - 0.06)	0.026	0.05 (0.03 - 0.08)	<0.001	0.05 (0.02 - 0.08)	<0.001

Peer problems

Direct	0.02 (0.01 - 0.04)	0.007	0.01 (-0.01 - 0.02)	0.540	-0.01 (-0.01 - 0.03)	0.219	0.02 (0.01 - 0.04)	0.023	0.02 (-0.00 - 0.03)	0.069
Indirect	0.02 (0.01 - 0.02)	<0.001	0.02 (0.01 - 0.02)	<0.001	0.02 (0.02 - 0.02)	<0.001	0.01 (0.01 - 0.02)	<0.001	0.02 (0.01 - 0.02)	<0.001
Total	0.04 (0.02 - 0.05)	<0.001	0.02 (0.01 - 0.04)	0.003	0.03 (0.01 - 0.05)	<0.001	0.03 (0.02 - 0.05)	<0.001	0.03 (0.02 - 0.05)	<0.001

Prosocial

Direct	0.03 (0.01 - 0.04)	0.006	-0.01 (-0.01 - 0.02)	0.491	0.02 (0.01 - 0.04)	0.007	0.01 (-0.01 - 0.03)	0.163	0.03 (0.01 - 0.05)	0.003
Indirect	-0.02 (-0.02 - -0.01)	<0.001	-0.02 (-0.02 - 0.01)	<0.001	-0.02 (-0.02 - -0.01)	<0.001	-0.01 (-0.02 - -0.01)	<0.001	-0.02 (-0.02 - -0.01)	<0.001
Total	0.01 (-0.01 - 0.03)	0.350	-0.01 (-0.03 - 0.01)	0.251	0.01 (-0.01 - 0.03)	0.301	-0.00 (-0.02 - 0.02)	0.848	0.03 (-0.01 - 0.03)	0.219

Emotion regulation

Direct	-0.01 (-0.01 - 0.00)	0.134	-0.00 (-0.01 - 0.01)	0.873	-0.00 (-0.01 - 0.01)	0.686	-0.01 (-0.01 - 0.00)	0.389	-0.00 (-0.01 - 0.00)	0.231
Indirect	-0.02 (-0.02 - -0.01)	<0.001	-0.02 (-0.02 - -0.01)	<0.001	-0.02 (-0.02 - -0.01)	<0.001	-0.02 (-0.02 - -0.01)	<0.001	-0.02 (-0.02 - -0.01)	<0.001
Total	-0.02 (-0.03 - -0.00)	<0.001	-0.02(-0.03 - -0.01)	<0.001	-0.02 (-0.02 - -0.01)	<0.001	-0.02 (-0.03 - -0.01)	<0.001	-0.02 (-0.03 - -0.01)	<0.001

^aPlease note: that in Stata command for conducting analysis on pooled imputed datasets (mi estimate) does not support SEM analysis (stata multiple-imputation reference manual release 13), therefore analysis was conducted on the first 5 datasets to indicate results from the imputed data.

^bSample size was 12,396 for all datasets. All predictor and outcome variables were used as predictors in the imputation model (set for 25 imputations)