King's Research Portal

DOI:

[10.1017/S003329171700321X](https://doi.org/10.1017/S003329171700321X)

Document Version

Peer reviewed version

[Link to publication record in King's Research Portal](#)

Citation for published version (APA):

Timmins, L., Rimes, K. A., & Rahman, Q. (2018). Minority stressors, rumination, and psychological distress in monozygotic twins discordant for sexual minority status. *Psychological Medicine*, 48(10), 1705-1712.
<https://doi.org/10.1017/S003329171700321X>

Citing this paper

Please note that where the full-text provided on King's Research Portal is the Author Accepted Manuscript or Post-Print version this may differ from the final Published version. If citing, it is advised that you check and use the publisher's definitive version for pagination, volume/issue, and date of publication details. And where the final published version is provided on the Research Portal, if citing you are again advised to check the publisher's website for any subsequent corrections.

General rights

Copyright and moral rights for the publications made accessible in the Research Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognize and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the Research Portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the Research Portal

Take down policy

If you believe that this document breaches copyright please contact librarypure@kcl.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

Minority Stressors, Rumination, and Psychological Distress in Monozygotic Twins

Discordant for Sexual Minority Status

Liam Timmins,^{1,2} Katharine A. Rimes¹ and Qazi Rahman¹

Institute of Psychiatry, Psychology and Neuroscience, King's College London

This article has been published in a revised form in *Psychological Medicine*

<https://doi.org/10.1017/S003329171700321X>. This version is free to view and download for

private research and study only. Not for re-distribution, re-sale or use in derivative works. ©

Cambridge University Press 2017.

¹ Department of Psychology, King's College London

² To whom correspondence should be addressed at Department of Psychology, Institute of Psychiatry, Psychology and Neuroscience, King's College London, 5th Floor, Bermondsey Wing, Guy's Hospital Campus, London SE1 9RT, UK; email: liam.timmins@kcl.ac.uk

Abstract

Background. Lesbian, gay and bisexual (LGB) individuals report higher levels of depression and anxiety than heterosexual people. Genetic factors may be a “common cause” of sexual minority status and psychological distress. Alternatively, these may be correlated because of non-genetic environmental factors (e.g., minority stressors). This study investigated minority stressors and distress in monozygotic twins discordant for sexual minority status. This design provides a test of the role of non-shared environmental factors while minimizing differences due to genetics. **Methods.** Thirty-eight twin pairs in which one was heterosexual and the other was LGB completed a survey. Differences between twin pairs in minority stressors, rumination, psychological distress and gender nonconformity were examined. Associations between these variables were also tested. **Results.** Although there were no significant group differences for distress, LGB twins had higher rumination, a vulnerability factor for distress, than heterosexual co-twins. LGB twins also had higher scores than heterosexual co-twins on expectations of rejection, active concealment, self-stigma, prejudice events, childhood gender nonconformity, and lower scores on sexual orientation disclosure. Differences between twin pairs in rumination were positively associated with differences in acceptance concerns and self-stigma. Finally, self-stigma was positively associated with rumination in the full sample of heterosexual co-twins and microaggressions were positively associated with rumination when looking at exclusively heterosexual co-twins. **Conclusions.** These results support environmental factors as a causal explanation for disparities in rumination between LGB and heterosexual individuals. These factors likely include minority stressors. Rumination may also be associated with minority stressors in heterosexual MZ co-twins of LGB individuals.

Introduction

Lesbian, gay and bisexual (LGB) individuals are at a significantly higher risk of developing depression and anxiety than heterosexual individuals (Plöderl and Tremblay, 2015). Specifically, the risk over 12 months or a lifetime is 1.5 to 2.6 times higher (King *et al.*, 2008). As approximately 3.5% of the population is LGB (Gates, 2011), this constitutes a significant public health burden. Identifying the origins (biological and/or environmental) of these disparities and their underlying mechanisms may help in developing strategies to reduce them. The most commonly cited cause of sexual orientation disparities in depression and anxiety is minority stress (Meyer, 2003). This proposes that group-specific social stressors stemming from anti-LGB stigma, including prejudice events, expectations of rejection, concealment and self-stigma, cascade into psychopathology. Hatzenbuehler (2009) extended this approach, suggesting that such minority stressors contribute to the development of general psychological processes known to be associated with psychopathology, such as rumination, which in turn increase the risk of depression and anxiety. Research has found that LGB individuals have higher levels of rumination than heterosexual individuals and that this variable mediates the relationship between LGB stigma-related stressors and distress, corroborating this (Hatzenbuehler *et al.*, 2008, Hatzenbuehler *et al.*, 2009b, Liao *et al.*, 2015).

However, depression and anxiety are influenced by both genetic and environmental factors (Polderman *et al.*, 2015). Research also suggests that genetic factors are important in the development of sexual orientation (Bailey *et al.*, 2016). Thus, the association between sexual orientation and psychological distress could be due to common genetic causes, rather than environmental factors such as minority stressors. Twin studies can tease out these effects. For example, in a classical discordant twin design, monozygotic [MZ or “identical”] twins discordant

for a particular trait are recruited and differences between the twins are examined. If significant differences are found, these are taken as support for non-shared environmental influences, because the twins share the same genotype (thus minimizing differences due to genetic factors). Maternal influences, common (family/upbringing) environment, age, sex, and cohort effects are also controlled for.

Twin studies in this area are inconsistent, however. One Swedish twin study found that adjusting for perceived discrimination and hate crime victimization reduced the association between non-heterosexuality (defined as same-sex sexual experiences) and rates of common mental health disorders. However, the association was reduced substantially by a further control for familial factors using co-twin comparisons (Frisell *et al.*, 2010). Nevertheless, this study was unable to separate the familial influences into their genetic and environmental constituents. A second study in the Australian Twin Registry reported a genetic correlation (an estimate of additive genetic influences that is shared between a pair of heritable traits) between same-sex sexual attraction and neuroticism and psychoticism, but no environmental correlation (Zietsch *et al.*, 2011). In another study, Zietsch *et al.* (2012) reported that genetic factors accounted for 60% of the correlation between depression scores and same-sex attraction, but that adverse family experiences, childhood sexual abuse, and other non-shared environmental factors also contributed to that correlation. One study on 103 male twin pairs discordant for having male sexual partners reported elevated suicidality in the sexual minority co-twins, even after adjustment for substance use and depression (Herrell *et al.*, 1999). This difference was not moderated by zygosity (whether MZ or dizygotic [DZ or “non-identical”]), suggesting that genetics could not explain this finding. However, a final study on 38 male MZ pairs discordant

for sexual orientation found that heterosexual twins had greater psychological distress scores on the Symptom Checklist-90-Revised than their gay co-twins (Sánchez *et al.*, 2013).

These studies are limited by their use of single-item measures of sexual orientation or sexual behavior-only measures (rather than levels of sexual attractions), use of a small range of minority stressors (often simply one or two indicators of victimization), no standardized measures of minority stress factors, and non-standard mental health outcomes (or proxy markers such as personality traits). A related issue is the sexual orientation of the heterosexual co-twins. One assumption in the existing genetically informative research is that minority stress effects are subsumed with non-shared environmental effects because the heterosexual co-twin cannot be subject to such stressors. However, it may be possible that otherwise heterosexual-identified co-twins of LGB individuals have small degrees of same-sex attractions or behaviors, despite not fully expressing a complete LGB phenotype, by virtue of sharing a genetic predisposition towards same-sex sexuality (Bailey *et al.*, 2016). If this is the case, then this may subject them to some minority stressors, albeit perhaps at lower levels. For example, this may result in some self-stigma that affects the individual's risk for mental health problems, or direct prejudice events if they behave in ways that reflect this attraction. This is particularly pertinent given that heterosexual individuals with some same-sex sexuality report higher levels of psychological distress and minority stressors than exclusively heterosexual individuals (Vrangalova and Savin-Williams, 2014). Additionally, such individuals may be more gender nonconforming, a developmental trait robustly associated with adult sexual orientation and even low levels of same-sex attractions and behavior (Bailey *et al.*, 2016, Dunne *et al.*, 2000). This may increase the exposure of heterosexual individuals with small degrees of same-sex attractions/behavior to stigma because gender nonconformity acts as a behavioral “marker” of current or future sexual

minority status. Gender nonconformity is also associated with mental health outcomes in both LGB and heterosexual individuals (Roberts *et al.*, 2013). Finally, even if the heterosexual twin experienced no same-sex attractions or gender nonconformity, it is possible that they experience victimization relating to the minority sexual orientation of their twin, for example due to people assuming that they are also non-heterosexual. Prior studies have been unable to explore this possibility due to their limited minority stress and sexual orientation measures.

The present study investigated non-shared environmental influences as causal explanations for disparities in psychological distress and rumination between heterosexual and LGB individuals. A classical discordant MZ twin design, where one twin identified as heterosexual and the other as LGB, was employed. Furthermore, a range of minority stressors were investigated as potential explanations of such effects. Finally, the relationship between minority stressors and negative psychological outcomes in MZ heterosexual co-twins of LGB individuals was explored to test whether such individuals can be assumed to be unaffected by minority stressors. To our knowledge, this is the largest discordant MZ twin sample to study these questions.

In line with previous research in non-twin samples, it was hypothesized that LGB twins would display higher levels of psychological distress, rumination, minority stressors, and recalled childhood gender nonconformity (CGN), and lower levels of well-being than their heterosexual MZ co-twins. Drawing on minority stress approaches, it was also hypothesized that differences between twins in rumination and psychological distress scores would be positively associated with the differences in minority stressors, and CGN scores. To investigate whether minority stressors were also associated with heterosexual twins' psychological outcomes,

associations were investigated between distress, rumination, and minority stressors for these participants separately.

Methods

Procedure

Participants were recruited via targeted online and print advertisements and referrals from colleagues. Twin pairs were invited to participate if they were MZ, raised together, aged 16 or older and one identified as LGB and the other as heterosexual. Participants received no compensation.

Measures

Questionnaires covered demographic variables, sexual orientation, zygosity, CGN, prejudice events, concealment, expectations of rejection, self-stigma, rumination, and psychological distress.

Sexual orientation. Participants indicated their sexual identity using a multiple-choice question. Participants also indicated the proportion of males and females they experience sexual attraction, romantic attachments and romantic infatuations for on 7-point scales ranging from 0, “Always male,” to 6, “Always female,” with an eighth option of X, “Little or no [sexual attraction].” Finally, participants indicated on two 8-point scales ranging from “0 (none)” to “over 50” the numbers of male and female sex partners they had during their lifetime. Ratings were converted to 7-point summary scores in line with other sexual orientation measures.

Zygosity. Zygosity was determined using an English language version of a Norwegian zygosity questionnaire (Torgersen, 1979). Participants answered three items about their childhood similarity on separate 3-, 3- and 4-point scales. Scores from both twins were pooled and totaled, forming a single score ranging from 6 to 20. Lower scores indicated higher

childhood similarity, and thus higher likelihood of being MZ. Validation research using blood-typing has found that twins scoring 12 or lower have a 96.8% of being MZ, twins scoring 14 or higher have a 4.2% chance of being MZ and twins scoring 13 have a 50.0% chance of being MZ (Torgersen, 1979). Thus, a cut-off of 12 or less was chosen for classification as MZ, ensuring participants have an extremely similar chance of being MZ as they would if screened using a biological test. Using questionnaires for this purpose is common in twin registries worldwide due to this high criterion validity (Strachan *et al.*, 2013).

Childhood gender nonconformity. CGN was measured using a recalled CGN scale (Hassan and Rahman, 2007). Participants indicated their levels of CGN from as early as they can remember to 12 years old on 10 items rated on 5-point scales. An example item is “As a child, I enjoyed playing rough physical sports such as football (soccer), hockey or rugby.” Scores are reversed for female participants. Recalled CGN measures display excellent internal consistency and validity for both men and women (Hassan and Rahman, 2007, Zucker *et al.*, 2006).

Prejudice events.

Heterosexist Harassment, Rejection, and Discrimination Scale. General prejudice events were measured using a version of the Heterosexist Harassment, Rejection, and Discrimination Scale, modified to include transgender all non-heterosexual individuals (LGBT+ individuals; Szymanski, 2006). Participants rated how frequently they had experienced 14 events in the past year because they are LGBT+ or were perceived to be on a 6-point scale ranging from 1, “The event has NEVER happened to you,” to 6, “The event happened ALMOST ALL OF THE TIME (more than 70% of the time).” An example item is “How many times were you denied a raise, a promotion, tenure, a good assignment, a job, or other such thing at work that

you deserved because you are LGBT+ or were perceived to be LGBT+?” Versions of this scale display good validity and internal reliability for LGB men and women (Szymanski, 2006, 2009).

Victimization. Lifetime victimization was measured using an instrument adapted from D'Augelli (2006) to include all LGBT+ individuals. Participant rated how often they had experienced each of seven forms of victimization because they are LGBT+ or were perceived as such on a 4-point scale ranging from 0, “Never,” to 3, “Three or more times.” Example items include “Verbal Abuse,” and “Assaults (Being Punched, Kicked or Beaten).” Versions of this scale have shown good validity and internal reliability (D'Augelli, 2006, Lehavot and Simoni, 2011).

Microaggressions. Microaggressions (low-level prejudice events) were assessed using the Sexual Minority Microaggressions Scale (Timmins *et al.*, 2017). Participants indicated how often in the past year they had experienced nine different microaggressions on a 5-point scale, ranging from 1, “Never,” to 5, “All of the Time.” Example items include “People finding you fascinating or exotic because you are LGBT+ or they perceive you to be LGBT+.” and “People accusing you of being defensive or sensitive when talking about your gender identity or sexual orientation.” This scale has good validity and internal reliability for LGB men and women (Timmins *et al.*, 2017).

Concealment.

Active concealment. Active concealment of sexual minority status was assessed using the Gender and Sexual Minority Presentation Management Inventory (Timmins *et al.*, 2017). Participants indicated how often they engage in five different strategies in order not to appear to be LGBT+ on a 5-point scale, ranging from 1, “Never” to 5, “All of the Time.” Example items

are “I try to act more masculine or feminine” and “I check myself to see if anything gives me away.” This scale has displayed good validity and internal reliability (Timmins *et al.*, 2017).

Outness. Outness was assessed using an adaptation from Meyer *et al.* (2002). Participants indicated the proportion of people that they were “out to” about their sexual orientation in five different social groups on a 4-point scale ranging from 1, “out to none,” to 4, “out to all.” Example items include “Family” and “Healthcare Professionals.” A version of this scale displayed good reliability and good validity in LGB individuals (Frost and Meyer, 2009).

Expectations of rejection.

Acceptance concerns. Concerns about potential stigma were measured using a version of the Acceptance Concerns subscale of the Lesbian, Gay, and Bisexual Identity Scale (Mohr and Kendra, 2011), modified to be inclusive of all LGBT+ individuals. Participants rated on a 6-point scale ranging from 1, “Disagree Strongly,” to 6, “Agree Strongly,” three statements about concerns over potentially being stigmatized for being LGBT+ or perceived as such. Example items include “I often wonder whether others judge me because I’m LGBT+ or because they think I am” and “I can’t feel comfortable knowing that others judge me because I’m LGBT+ or because they think I am.” This scale has good reliability and construct validity with LGB individuals (Mohr and Kendra, 2011).

Vigilance. Vigilance for others’ suspicions of own LGBT+ status and likely reactions were measured using the Vigilance for Others’ Suspicions Scale (Timmins *et al.*, 2017). Participants indicated on a 5-point scale ranging from 1, “Never,” to 5, “All of the time,” how often they display three different forms of vigilance. Example items include “I pay close attention to whether people suspect me of being LGBT+” and “I am quick to notice changes in

how someone is treating me if they have reason to suspect me of being LGBT+.” This scale has displayed good validity and internal reliability for LGB individuals (Timmins *et al.*, 2017).

Self-stigma. Sexual orientation self-stigma was assessed using a version of the Revised Internalized Homophobia Scale (Herek *et al.*, 2009), modified to be applicable regardless of gender identity and sexual orientation. Participants rated on a 5-point scale ranging from 1, “Strongly Disagree,” to 5, “Strongly Agree,” five statements about self-stigma. Example items include “I would like to get professional help in order to change my sexual orientation from what it is to something else” and “I feel that being of my sexual orientation is a personal shortcoming for me.” This measure has good internal reliability and construct validity with LGB individuals (Herek *et al.*, 2009).

Rumination. Rumination was assessed using a version of the brooding subscale of the Ruminative Responses Scale (Treynor *et al.*, 2003), modified to refer to distress broadly, rather than just negative mood. Participants indicated on a 4-point scale ranging from 1, “Almost never,” to 4, “Almost always,” how often they experience five different cognitions when they feel down, sad, or distressed. Example items include “Think about a recent situation, wishing it had gone better” and “Think ‘Why do I always react this way?’” This measure has displayed good internal reliability in LGB individuals and is also associated with both concurrent and long term depression in the general population (Hatzenbuehler *et al.*, 2009a, Hatzenbuehler *et al.*, 2009b, Treynor *et al.*, 2003).

Well-being. General well-being was assessed using the U.K. Office for National Statistics Well-Being measure (ONS-WB Self *et al.*, 2012). Participants rated four aspects of their well-being on an 11-point scale ranging from 0, “not at all,” to 10, “completely.” This scale

has displayed good validity and internal reliability for LGB men and women (Timmins *et al.*, 2017).

Psychological distress. Psychological distress was measured using the Patient Health Questionnaire Anxiety and Depression Scale (PHQ-ADS; Kroenke *et al.*, 2016). Participants indicated on a 4-point scale ranging from 0, “Not at all,” to 3, “Nearly every day,” how often they experienced 16 different symptoms of depression and anxiety over the previous 2 weeks. Scale scores range from 0 to 48. Higher scores indicate more symptoms of psychological distress. Example items include “Feeling nervous, anxious or on edge” and “Feeling down, depressed or hopeless.” This measure has demonstrated good to excellent reliability and strong construct validity (Kroenke *et al.*, 2016). The scale includes a 9-item depression subscale, range = 0-27, and 7-item anxiety subscale, range = 0-21.

Data Preparation

Missing data on individual items ranged from .0% to 3.1%. Individuals’ scores for scales with missing items were calculated by substituting the mean of their remaining items, but only if 80.0% or more were complete. This ensured data were retained where possible without substantially affecting internal reliability. Pairwise deletion was used for remaining missing data. No adjustments to the alpha levels were made in the following tests to correct for familywise error, as the small sample size meant that this would inflate the Type II error rate to an unacceptable level (Nakagawa, 2004). Instead, we limited the number of tests performed to ensure a minimal Type I error rate.

Results

Sample

Forty-eight twin pairs fully completed the study measures. Each twin pair reported demographics unique within the sample, indicating that there were no duplicate responses. Seven pairs were excluded for scoring 13 or higher on the zygosity questionnaire. Another pair was excluded as both twins reported a sexual minority identity. Finally, two pairs were excluded due to one twin being transgender and the other not. This left 38 twin pairs.

Of the 38 pairs, eight were recruited through social media, three were recruited through the mailing list of TwinsUK, a U.K. twin registry, 15 were recruited through magazine advertisements, two were recruited through a university mailing list and 10 were recruited through referrals from colleagues undertaking an unrelated study. Participants had a mean age of 29.2 (range = 19-50). Seven pairs were both resident in the United States, 21 pairs were resident in the United Kingdom, two pairs were resident in Canada and the rest of the sample reported living in various other countries. Thirty-six pairs identified as ethnically White, one Black, and one multi-racial. Thirteen heterosexual individuals and 11 LGB individuals were above the cut-off for clinical depression on the PHQ-ADS. Furthermore, 11 heterosexual individuals and 12 LGB individuals were above its cut-off for clinical anxiety. Twenty-five pairs were sisters and 13 were brothers. Regarding sexual identity, 33 of the LGB twins were lesbian/gay and five were bisexual. In total, only 21 heterosexual twins reported exclusive opposite-sex sexual attractions, romantic infatuations, romantic attachments and no same-sex partners. Descriptives for study measures are presented in Table 1.

Comparisons between Heterosexual and Sexual Minority Twins

Multiple variables were significantly non-normally distributed, so non-parametric statistical tests were employed. Results of Wilcoxon signed rank tests comparing psychological characteristics and minority stress experiences of heterosexual and LGB twins are presented in Table 2. LGB twins had significantly higher scores than their heterosexual co-twins for rumination, acceptance concerns, vigilance, active concealment, self-stigma, microaggressions, general prejudice events, victimization, and CGN, and lower scores for outness. No significant differences were found for psychological distress or well-being. Group comparisons were repeated for distress and rumination in the groups split by gender, as women tend to display higher levels of both than men (Girgus and Yang, 2015). However no significant sexual orientation differences were found for either sex when investigated separately.

Correlations between Twin Differences in Distress, Rumination and Minority Stressors

It had been predicted that differences between the cohort pairs in distress, well-being and rumination would be associated with differences in minority stressors. However, given no significant group differences were found for the PHQ-ADS or ONS-Wellbeing measures, only difference scores for rumination were calculated and treated as an outcome variable in the difference score correlations. Spearman correlation coefficients were calculated to examine the association between rumination differences scores and differences scores for acceptance concerns, self-stigma, microaggressions, general prejudice events, victimization and CGN (Table 3). Significant positive associations were found between rumination and both acceptance concerns and self-stigma.

Correlations between Distress, Rumination and Minority Stressors within Each Sexual Orientation Group

Spearman correlation coefficients were calculated for the associations between distress, rumination, minority stressors and CGN split by sexual orientation (Table 3). For heterosexual individuals, a significant positive correlation was found between rumination and distress, and between rumination and self-stigma. For LGB individuals, significant positive correlations were found between rumination and each of acceptance concerns, self-stigma, and microaggressions. Furthermore, significant correlations were found between distress and each of rumination, acceptance concerns, self-stigma, microaggressions and general prejudice events. All other associations were non-significant.

Analyses for Twin Pairs with Exclusively Heterosexual Participants

All above analyses were rerun with the 21 pairs in which the heterosexual twin reported exclusive opposite-sex sexual attractions, romantic infatuations, romantic attachments and no same-sex sexual partners. Results can be seen in Online Table S1-S2. Notably, for exclusively heterosexual individuals there was a significant, positive correlation between microaggressions and rumination.

Discussion

This is the first study to test relationships between a broad range of minority stressors, psychological distress, and rumination in a rare sample of MZ twins discordant for sexual minority status. There was partial support for our hypotheses. Firstly, LGB individuals had higher levels of rumination than their heterosexual co-twins, consistent with previous work in non-twin samples (Hatzenbuehler *et al.*, 2008). This supports a causal effect of non-shared environmental, rather than genetic, factors (because the twins share the same genotype). LGB

individuals also exhibited significantly higher levels of minority stressors and CGN than their heterosexual co-twins, consistent with growing work indicating that LGB individuals experience elevated stigma-related stressors (Hatzenbuehler, 2009, Hatzenbuehler *et al.*, 2009b, Liao *et al.*, 2015). As predicted, differences in rumination between twin pairs were associated with differences in acceptance concerns and self-stigma, although the associations were not significant for microaggressions, prejudice events, victimization or CGN. This hints that one source of the non-shared environmental influence may involve minority stressors.

These results extend previous findings by showing that at least some minority stressors are associated with rumination in the heterosexual MZ co-twins of LGB individuals. Specifically, self-stigma was associated with rumination in the full sample of heterosexual twins and microaggressions were positively associated with rumination in the exclusively heterosexual group. It is also possible that the non-significant associations were due to a floor effect, as the means and variances for the heterosexual twins were low for the minority stressors. As rumination is a risk factor for psychological distress, these data imply that minority stressors may also have some relevance for the mental well-being of the MZ heterosexual co-twins of LGB individuals (Trenor *et al.*, 2003). Notably, the significant relationship between microaggressions and rumination in the exclusively heterosexual twins suggests that this stressor may affect these individuals, even though they experience no same-sex attractions or sexual behavior. Thus, future studies using large samples of twins should endeavor to include measures of distress, multiple minority stressors, particularly self-stigma and microaggressions, and multidimensional sexual orientation.

LGB individuals did not have higher levels of psychological distress or lower well-being, in contrast with our predictions and previous research conducted in non-twin samples (Plöderl

and Tremblay, 2015, cf. Sánchez *et al.*, 2013 in a study of MZ male twins discordant for sexual orientation). As genetics and the shared environment were controlled for, this would imply there was no effect of the non-shared environment, which is inconsistent with minority stress as an explanation for disparities in distress between heterosexual and LGB individuals (Meyer, 2003). However, a previous study using a larger sample of both MZ and DZ twins found that LGB individuals had higher levels of depression than heterosexual individuals and that environmental factors accounted for 40% of this association (Zietsch *et al.*, 2012). That previous study may have been more likely to detect a group difference than the present study due to using a larger sample size and measuring depression over the lifetime, rather than distress over the previous 2 weeks as in the current study, or over the past 7 days as in Sánchez *et al.* (2013). Indeed, as rumination is strongly associated with future risk of psychological distress, the LGB individuals in this study could be argued to have higher distress-vulnerability than heterosexual individuals, despite exhibiting similar levels of depressive or anxious symptomatology over the past fortnight (Treyner *et al.*, 2003). This sexual orientation difference was not significant for either men or women when the groups were split by sexual orientation. However this is likely due to small numbers in these sub-samples. Finally, it is possible that the heterosexual twins in both studies had higher levels of distress due to minority stress factors, as suggested by the associations between rumination and minority stressors found in the current study's heterosexual twins. Thus, the current body of work should not be seen as evidence against Meyer's (2003) minority stress theory, *per se*.

This study has several limitations. Firstly, the design precluded testing the direction of associations between specific non-shared environmental factors (e.g. levels of minority stressors) and distress or rumination. It is possible that rumination results in greater reporting of minority

stressors, rather than stigma experiences causing more rumination. The design also meant we were unable to quantify more complex direct and indirect pathways (e.g., using path analysis to test mediation and moderation) from the four minority stress factors through to rumination and then to distress. Secondly, our sample was predominantly White and Western. Thirdly, participants were self-selected, which may have over-represented twins with similar traits and experiences or high levels of mental health problems. This latter point is corroborated by the rates of depression and anxiety being several times higher in both groups than would be expected (King *et al.*, 2008, Kocalevent *et al.*, 2013, Löwe *et al.*, 2008). Our sample size was small. This is unsurprising. MZ twinning occurs in approximately .3% of live births and sexual minority status discordance may occur in as a few as 4.0% of MZ twin pairs, so participants who meet our inclusion criteria were rare (Hall, 2003, Kendler *et al.*, 2000). This makes our sample unique, but with the limitation that, due to the small sample, wide confidence intervals were observed for most correlations, many non-significant correlations had *p* values close to significance and not all questions of interest could be investigated. However, our study was bolstered by the use of multidimensional measures of sexual orientation, which allowed for exclusively heterosexual twins to be examined separately, unlike in previous studies. We also used multiple minority stress measures, allowing a greater range of previously neglected association to be tested. Nonetheless, future studies should examine sexual orientation (e.g., comparing lesbian/gay and bisexual individuals) and gender subgroups separately, given that sexual orientation may have a different biological basis in these groups (Bailey *et al.*, 2016). While we have argued that minority stressors are likely explanations for the non-shared environmental effects on rumination identified here, we cannot exclude other non-social factors such as prenatal hormonal influences.

Finally, as adjusting for familywise error was not feasible there is a higher chance that some of the significant findings were false positives. These points require further study.

In conclusion, these findings support non-shared environmental factors as a causal explanation for higher levels of rumination in LGB individuals relative to heterosexual individuals. This may include the influence of certain minority stressors on rumination in LGB individuals. Finally, this study suggests that rumination may be associated with minority stressors in the heterosexual MZ co-twins of LGB individuals.

Financial Support

This research received no specific grant from any funding agency, commercial or not-for-profit sectors.

Conflict of Interest

None.

References

- Bailey, J. M., Vasey, P. L., Diamond, L. M., Breedlove, S. M., Vilain, E. & Epprecht, M.** (2016). Sexual orientation, controversy, and science. *Psychological Science in the Public Interest* **17**, 45-101.
- D'Augelli, A. R.** (2006). Developmental and contextual factors and mental health among lesbian, gay, and bisexual youths. In *Sexual orientation and mental health: Examining identity and development in lesbian, gay, and bisexual people* (ed. A. M. Omoto and H. S. Kurtzman), pp. 37-54. American Psychological Association: Washington, DC.
- Dunne, M. P., Bailey, J. M., Kirk, K. M. & Martin, N. G.** (2000). The subtlety of sex-atypicality. *Archives of Sexual Behavior* **29**, 549-565.
- Frisell, T., Lichtenstein, P., Rahman, Q. & Långström, N.** (2010). Psychiatric morbidity associated with same-sex sexual behaviour: Influence of minority stress and familial factors. *Psychological Medicine* **40**, 315-324.
- Frost, D. M. & Meyer, I. H.** (2009). Internalized homophobia and relationship quality among lesbians, gay men, and bisexuals. *Journal of Counseling Psychology* **56**, 97.
- Gates, G. J.** (2011). How many people are lesbian, gay, bisexual and transgender? The Williams Institute: The Williams Institute website.
- Girgus, J. S. & Yang, K.** (2015). Gender and depression. *Current Opinion in Psychology* **4**, 53-60.
- Hall, J. G.** (2003). Twinning. *The Lancet* **362**, 735-743.
- Hassan, B. & Rahman, Q.** (2007). Selective sexual orientation-related differences in object location memory. *Behavioral Neuroscience* **121**, 625-633.

- Hatzenbuehler, M. L.** (2009). How does sexual minority stigma “get under the skin”? A psychological mediation framework. *Psychological Bulletin* **135**, 707-730.
- Hatzenbuehler, M. L., Dovidio, J. F., Nolen-Hoeksema, S. & Phills, C. E.** (2009a). An implicit measure of anti-gay attitudes: Prospective associations with emotion regulation strategies and psychological distress. *Journal of Experimental Social Psychology* **45**, 1316-1320.
- Hatzenbuehler, M. L., McLaughlin, K. & Nolen-Hoeksema, S.** (2008). Emotion regulation and internalizing symptoms in a longitudinal study of sexual minority and heterosexual adolescents. *Journal of Child Psychology and Psychiatry* **49**, 1270-1278.
- Hatzenbuehler, M. L., Nolen-Hoeksema, S. & Dovidio, J.** (2009b). How does stigma “get under the skin”? The mediating role of emotion regulation. *Psychological Science* **20**, 1282-1289.
- Herek, G. M., Gillis, J. R. & Cogan, J. C.** (2009). Internalized stigma among sexual minority adults: Insights from a social psychological perspective. *Journal of Counseling Psychology* **56**, 18-34.
- Herrell, R., Goldberg, J., True, W. R., Ramakrishnan, V., Lyons, M., Eisen, S. & Tsuang, M. T.** (1999). Sexual orientation and suicidality: A co-twin control study in adult men. *Archives of General Psychiatry* **56**, 867-874.
- Kendler, K. S., Thornton, L. M., Gilman, S. E. & Kessler, R. C.** (2000). Sexual orientation in a US national sample of twin and nontwin sibling pairs. *American Journal of Psychiatry* **157**, 1843-1846.
- King, M., Semlyen, J., Tai, S. S., Killaspy, H., Osborn, D., Popelyuk, D. & Nazareth, I.** (2008). A systematic review of mental disorder, suicide, and deliberate self harm in lesbian, gay and bisexual people. *BMC Psychiatry* **8**, 70.

Kocalevent, R.-D., Hinz, A. & Brähler, E. (2013). Standardization of the depression screener patient health questionnaire (PHQ-9) in the general population. *General Hospital Psychiatry* **35**, 551-555.

Kroenke, K., Wu, J., Yu, Z., Bair, M. J., Kean, J., Stump, T. & Monahan, P. O. (2016). Patient Health Questionnaire Anxiety and Depression Scale: Initial validation in three clinical trials. *Psychosomatic Medicine* **78**, 716-727.

Lehavot, K. & Simoni, J. M. (2011). The impact of minority stress on mental health and substance use among sexual minority women. *Journal of Consulting and Clinical Psychology* **79**, 159-170.

Liao, K. Y.-H., Kashubeck-West, S., Weng, C.-Y. & Deitz, C. (2015). Testing a mediation framework for the link between perceived discrimination and psychological distress among sexual minority individuals. *Journal of Counseling Psychology* **62**, 226-241.

Löwe, B., Decker, O., Müller, S., Brähler, E., Schellberg, D., Herzog, W. & Herzberg, P. Y. (2008). Validation and standardization of the Generalized Anxiety Disorder Screener (GAD-7) in the general population. *Medical care* **46**, 266-274.

Meyer, I. H. (2003). Prejudice, social stress, and mental health in lesbian, gay, and bisexual populations: Conceptual issues and research evidence. *Psychological Bulletin* **129**, 674–697.

Meyer, I. H., Rossano, L., Ellis, J. M. & Bradford, J. (2002). A brief telephone interview to identify lesbian and bisexual women in random digit dialing sampling. *Journal of Sex Research* **39**, 139-144.

Mohr, J. J. & Kendra, M. S. (2011). Revision and extension of a multidimensional measure of sexual minority identity: The Lesbian, Gay, and Bisexual Identity Scale. *Journal of Counseling Psychology* **58**, 234-245.

- Nakagawa, S.** (2004). A farewell to Bonferroni: The problems of low statistical power and publication bias. *Behavioral Ecology* **15**, 1044-1045.
- Plöderl, M. & Tremblay, P.** (2015). Mental health of sexual minorities. A systematic review. *International Review of Psychiatry* **27**, 367-385.
- Polderman, T. J., Benyamin, B., De Leeuw, C. A., Sullivan, P. F., Van Bochoven, A., Visscher, P. M. & Posthuma, D.** (2015). Meta-analysis of the heritability of human traits based on fifty years of twin studies. *Nature Genetics* **47**, 702-709.
- Roberts, A. L., Rosario, M., Slopen, N., Calzo, J. P. & Austin, S. B.** (2013). Childhood gender nonconformity, bullying victimization, and depressive symptoms across adolescence and early adulthood: An 11-year longitudinal study. *Journal of the American Academy of Child & Adolescent Psychiatry* **52**, 143-152.
- Sánchez, F. J., Bocklandt, S. & Vilain, E.** (2013). The relationship between help-seeking attitudes and masculine norms among monozygotic male twins discordant for sexual orientation. *Health Psychology* **32**, 52.
- Self, A., Thomas, J. & Randall, C.** (2012). Measuring national well-being: Life in the UK, 2012. Office for National Statistics: Office for National Statistics website.
- Strachan, E., Hunt, C., Afari, N., Duncan, G., Noonan, C., Schur, E., Watson, N., Goldberg, J. & Buchwald, D.** (2013). University of Washington Twin Registry: Poised for the next generation of twin research. *Twin Research and Human Genetics* **16**, 455-462.
- Szymanski, D. M.** (2006). Does internalized heterosexism moderate the link between heterosexist events and lesbians' psychological distress? *Sex Roles* **54**, 227-234.

- Szymanski, D. M.** (2009). Examining potential moderators of the link between heterosexist events and gay and bisexual men's psychological distress. *Journal of Counseling Psychology* **56**, 142-151.
- Timmins, L., Rimes, K. A. & Rahman, Q.** (2017). *Minority Stressors, Rumination and Psychological Distress in Lesbian, Gay and Bisexual Individuals*. Manuscript submitted for publication.
- Torgersen, S.** (1979). The determination of twin zygoty by means of a mailed questionnaire. *Acta Geneticae Medicae et Gemellologiae: Twin Research* **28**, 225-236.
- Treynor, W., Gonzalez, R. & Nolen-Hoeksema, S.** (2003). Rumination reconsidered: A psychometric analysis. *Cognitive Therapy and Research* **27**, 247-259.
- Vrangalova, Z. & Savin-Williams, R. C.** (2014). Psychological and physical health of mostly heterosexuals: A systematic review. *The Journal of Sex Research* **51**, 410-445.
- Zietsch, B. P., Verweij, K. J., Bailey, J. M., Wright, M. J. & Martin, N. G.** (2011). Sexual orientation and psychiatric vulnerability: A twin study of neuroticism and psychoticism. *Archives of Sexual Behavior* **40**, 133-142.
- Zietsch, B. P., Verweij, K. J., Heath, A. C., Madden, P. A., Martin, N. G., Nelson, E. C. & Lynskey, M. T.** (2012). Do shared etiological factors contribute to the relationship between sexual orientation and depression? *Psychological Medicine* **42**, 521-532.
- Zucker, K. J., Mitchell, J. N., Bradley, S. J., Tkachuk, J., Cantor, J. M. & Allin, S. M.** (2006). The Recalled Childhood Gender Identity/Gender Role Questionnaire: Psychometric properties. *Sex Roles* **54**, 469-483.

Table 1

Descriptive Statistics in Heterosexual and LGB Twins

	Heterosexual		LGB		
	(n = 38)		(n = 38)		
Variable	<i>M</i>	<i>SD</i>	<i>M</i>	<i>SD</i>	Range
<hr/>					
PHQ-ADS					0-48
Whole group	14.68	10.96	14.43	10.44	
Male Twins (n = 13 pairs)	17.15	15.32	17.77	11.70	
Female Twins (n = 25 pairs)	13.40	7.93	12.69	9.51	
ONS-Wellbeing	7.02	1.80	6.82	1.69	0-10
Rumination					1-4
Whole group	2.12	.72	2.41	.89	
Male Twins (n = 13 pairs)	2.18	.93	2.54	1.04	
Female Twins (n = 25 pairs)	2.09	.59	2.34	.82	
Proximal Stressors					
Acceptance Concerns	1.50	.93	3.31	1.46	1-6
Vigilance for Others' Suspicions	1.31	.63	2.30	1.14	1-5
Active Concealment	1.35	.57	1.73	.96	1-5
Self-Stigma	1.26	.45	1.78	.83	1-5
Outness	3.96	.20	3.45	.59	1-5
Prejudice Events					
Microaggressions	1.28	.42	2.60	.92	1-5
General Prejudice Events	1.12	.29	1.64	.62	1-6

Victimization	.27	.59	.76	.77	0-3
Childhood Gender Nonconformity	2.32	.75	3.19	.84	1-5
Kinsey Scores					
Sexual Attraction	.37	.54	5.32 ^c	1.00	0-6
Romantic Attachments	.08	.36	5.29	1.39	0-6
Romantic Infatuations	.28 ^a	.51	5.25 ^d	1.30	0-6
Sexual Partners	.20 ^b	.47	4.55	1.78	0-6

Note. PHQ-ADS = Patient Health Questionnaire Anxiety and Depression Scale, ONS-Wellbeing = U.K. Office for National Statistics Well-Being Scale.

^a Excludes two participants who reported “Little or no romantic infatuations.”

^b Excludes three participants who reported no sexual partners.

^c Excludes one participant who reported “Little or no sexual attraction.”

^d Excludes two participants who reported “Little or no romantic infatuations.”

Table 2

Results of Wilcoxon Signed-Rank Tests comparing Heterosexual and LGB Twins with Quartiles (N = 38 Pairs)

Variable	Heterosexual Twins			LGB Twins			Wilcoxon Signed-Rank Test		
	Q1	Med	Q3	Q1	Med	Q3	<i>z</i>	<i>r</i>	<i>p</i>
Anxiety/Depression (PHQ-ADS)									
Whole Group	6.00	14.00	20.50	6.00	12.50	21.00	−.13	.02	.896
Male Twins (<i>n</i> = 13)	4.00	16.00	32.00	5.00	16.00	27.00	−.47	.09	.637
Female Twins (<i>n</i> = 25)	6.00	14.00	19.50	6.00	11.00	16.00	−.70	.10	.484
ONS-Wellbeing	6.00	7.50	8.25	5.44	7.13	8.00	−.65	.07	.515
Rumination									
Whole Group	1.60	2.20	2.45	1.55	2.40	3.00	−2.25	.25	.025
Male Twins (<i>n</i> = 13)	1.40	2.00	3.10	1.40	2.80	3.50	−1.69	.33	.092
Female Twins (<i>n</i> = 25)	1.60	2.20	2.40	1.60	2.20	3.00	−1.57	.23	.116
Proximal Stressors									
Acceptance Concerns	1.00	1.00	2.00	2.00	3.17	4.33	−4.85	.56	<.001

Vigilance for Others' Suspicions	1.00	1.00	1.33	1.25	2.33	3.33	−4.23	.49	<.001
Active Concealment	1.00	1.00	1.60	1.00	1.40	2.20	−2.74	.31	.006
Self-Stigma	1.00	1.00	1.40	1.00	1.60	2.25	−2.94	.34	.003
Outness	4.00	4.00	4.00	3.00	3.60	4.00	−3.79	.43	<.001
Prejudice Events									
General Prejudice Events ^a	1.00	1.00	1.14	1.11	1.38	2.18	−4.54	.53	<.001
Microaggressions	1.00	1.11	1.36	1.75	2.67	3.44	−5.31	.61	<.001
Victimization ^b	.00	.00	.25	.14	.64	.96	−3.43	.40	.001
Childhood Gender Nonconformity	1.70	2.20	2.63	2.56	3.25	3.83	−4.24	.49	<.001

Note. PHQ-ADS = Patient Health Questionnaire Anxiety and Depression Scale, ONS-Wellbeing = U.K. Office for National Statistics

Well-Being Scale

Med = Median, Q1 = First Quartile, Q3 = Third Quartile.

^a $n = 37$ pairs due to missing data.

^b $n = 36$ pairs due to missing data.

Table 3

Spearman Correlations for Rumination Twin Difference Scores, Psychological Distress and Rumination in Heterosexual Twins, and Psychological Distress and Rumination in LGB Twins

	Heterosexual (<i>n</i> = 38)		LGB (<i>n</i> = 38)		Difference Score (<i>n</i> = 38)	
Variable	<i>r_s</i>	95% CI	<i>r_s</i>	95% CI	<i>r_s</i>	95% CI
Rumination						
Acceptance Concerns	.22	-.11-.50	.76	.58-.87	.44	.14-.67
Self-Stigma	.41	.10-.64	.61	.36-.78	.54	.27-.74
Microaggressions	.32	.00-.58	.55	.28-.74	.30	-.02-.56
General Prejudice Events	.23	-.10-.51	.31 ^a	-.02-.58	.01 ^a	-.32-.33
Victimization	.14 ^b	-.20-.45	.17	-.16-.47	.03 ^b	-.31-.35
Childhood Gender Nonconformity	-.07	-.38-.25	.04	-.28-.36	-.04	-.35-.28
Depression and Anxiety (PHQ-ADS)						
Rumination	.70	.50-.84	.79	.63-.89		
Acceptance Concerns	.20	-.14-.49	.54	.27-.73		
Self-Stigma	.29	-.04-.56	.41	.10-.64		
Microaggressions	.29	-.03-.56	.48	.19-.70		
General Prejudice Events	.06	-.27-.37	.37^a	.05-.62		
Victimization	.01 ^b	-.32-.34	.18	-.15-.47		
Childhood Gender	-.05	-.36-.28	-.14	-.44-.19		

Nonconformity

Note. PHQ-ADS = Patient Health Questionnaire Anxiety and Depression Scale.

PHQ-ADS difference scores not calculated as non-significant differences were found between LGB and heterosexual twins on this variable.

Significant correlations are bolded.

^a Based on 37 pairs due to missing data.

^b Based on 36 pairs due to missing data.

Sexual Minority Stressors in Monozygotic Twins Discordant for Sexual Minority Status

SUPPLEMENTAL MATERIAL

The following tables (S1-S2) report on the study's inferential statistics when rerun with only the data from the 21 twin pairs in which the heterosexual twin reported exclusive opposite-sex sexual attractions, romantic infatuations, romantic attachments and no same-sex sexual partners.

Online Table S1

Results of Wilcoxon Signed-Rank Tests with Quartiles Comparing Exclusively Heterosexual Twins with LGB Co-Twins (n = 21 Pairs)

Variable	Heterosexual Twins			LGB Twins			Wilcoxon Signed-Rank Test		
	Q1	Med	Q3	Q1	Med	Q3	<i>z</i>	<i>r</i>	<i>p</i>
Anxiety/Depression (PHQ-ADS)									
Whole Group	6.00	16.00	22.50	6.00	14.00	26.40	-.69	.10	.493
Male Twins (<i>n</i> = 7)	2.00	8.00	25.00	4.00	16.00	35.00	-1.19	.29	.236

Female Twins ($n = 14$)	6.00	16.50	22.25	6.75	13.00	22.20	−.18	.03	.861
ONS-Wellbeing	6.13	7.75	8.13	5.50	7.25	8.13	−.39	.06	.695
Rumination									
Whole Group	1.60	2.20	2.40	1.60	2.40	3.00	−2.65	.40	.008
Male Twins ($n = 7$)	1.00	1.80	3.00	1.40	2.60	3.40	−1.69	.45	.090
Female Twins ($n = 14$)	1.60	2.20	2.40	1.75	2.40	3.00	−2.11	.40	.035
Proximal Stressors									
Acceptance Concerns	1.00	1.00	1.50	2.00	3.00	4.50	−3.55	.55	<.001
Vigilance for Others' Suspicions	1.00	1.00	1.00	1.00	2.33	3.33	−3.37	.52	<.001
Active Concealment	1.00	1.00	1.10	1.00	1.40	2.20	−2.74	.42	.006
Self-Stigma	1.00	1.00	1.00	1.20	1.60	2.30	−3.74	.58	<.001
Outness	4.00	4.00	4.00	3.00	3.80	4.00	−3.07	.47	.002

Prejudice Events

General Prejudice Events ^a	1.00	1.00	1.13	1.09	1.43	2.20	−3.15	.49	.002
Microaggressions	1.00	1.00	1.22	1.56	2.33	3.39	−4.02	.62	<.001
Victimization ^b	.00	.00	.00	.14	.43	1.14	−2.50	.41	.012
Childhood Gender Nonconformity	1.65	2.00	2.60	2.32	3.10	3.75	−3.33	.51	<.001

Note. PHQ-ADS = Patient Health Questionnaire Anxiety and Depression Scale, ONS-Wellbeing = U.K. Office for National Statistics Well-Being Scale, HHRDS = Heterosexist Harassment, Rejection and Discrimination Scale.

Med = Median, Q1 = First Quartile, Q3 = Third Quartile,

^a $n = 20$ pairs due to missing data.

^b $n = 19$ pairs due to missing data.

Online Table S2

Spearman Correlations for Rumination Difference Scores for Exclusively Heterosexual Twins and LGB Co-Twins, Psychological Distress and Rumination in Exclusively Heterosexual Twin Individuals, and Psychological Distress and Rumination in LGB Co-Twins

	Heterosexual (<i>n</i> = 21)		LGB (<i>n</i> = 21)		Difference Score (<i>n</i> = 21)	
Variable	<i>r_s</i>	95% CI	<i>r_s</i>	95% CI	<i>r_s</i>	95% CI
Rumination						
Acceptance Concerns	.31	-.14-.66	.74	.45-.89	.37	-.07-.69
Self-Stigma	.42	-.01-.72	.57	.18-.80	.34	-.11-.67
Microaggressions	.46	.03-.74	.48	.06-.75	.24	-.22-.61
HHRDS	.38	-.06-.70	.43 ^a	-.02-.74	.16 ^a	-.31-.56
Victimization	.12 ^b	-.36-.54	.12	-.33-.52	.24 ^b	-.23-.63
CGN	.17	-.28-.56	.03	-.41-.45	.18	-.27-.57
Depression and Anxiety (PHQ-ADS)						
Rumination	.78	.53-.91	.89	.74-.95		
Acceptance Concerns	.23	-.23-.60	.61	.24-.82		
Self-Stigma	.32	-.13-.66	.56	.16-.80		
Microaggressions	.36	-.08-.69	.45	.02-.74		
HHRDS	.15	-.30-.55	.47^a	.03-.75		
Victimization	.02 ^b	-.44-.47	.07	-.37-.49		
CGN	.16	-.30-.55	.01	-.43-.44		

Note. PHQ-ADS = Patient Health Questionnaire Anxiety and Depression Scale, HHRDS = Heterosexist Harassment, Rejection and Discrimination Scale, CGN = Childhood Gender Nonconformity.

Significant correlations are bolded.

PHQ-ADS difference scores not calculated as non-significant difference found between LGB and heterosexual twins for this variable.

^a Based on 20 pairs due to missing data.

^b Based on 19 pairs due to missing data.